



Monitorius DELL P2725H 27 colių Verslo klasės IPS 100Hz Full HD su USB-C centru ir TÜV 4 žvaigždučių Akių Komfortu



Modelis: 210-BMGC

Gamintojas: DELL

EAN: 5397184821749

Prekės kodas: 345291

176.99€ ~~196.99€~~

Monitorius DELL P2725H 27 colių Verslo klasės IPS 100Hz Full HD - Didelis Našumas ir Komfortas

DELL P2725H monitorius sukurtas profesionalams, kuriems svarbus našumas, patogumas ir sklandus prisijungimas. Šis platus 27 colių „Full HD“ (1920 x 1080) IPS panelės ekranas užtikrina ryškų vaizdą

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

ir plačius žiūrėjimo kampus, todėl puikiai tinka darbui su detaliais dokumentais, skaičiuoklėmis ir kelių užduočių atlikimui vienu metu.

Viena iš svarbiausių savybių – aukščiausio lygio vizualinis komfortas. Šis monitorius turi TÜV 4 žvaigždučių akių komforto sertifikatą, nes integruotos „Flicker-free“ (nemirksinčio vaizdo) ir „Low Blue Light“ (mažos mėlynos šviesos – ComfortView) technologijos žymiai sumažina akių nuovargį ilgų darbo valandų metu. Padidintas 100 Hz atnaujinimo dažnis užtikrina pastebimai sklandesnį naršymą ir judesį, palyginti su standartiniais 60 Hz ekranais.

Pagrindinės Savybės ir Privalumai:

- **Puiki Vaizdo Kokybė:** 27 colių IPS panelė garantuoja spalvų nuoseklumą (99% sRGB) ir plačius 178° žiūrėjimo kampus. Aukštas 1500:1 kontrasto santykis leidžia matyti gilius juodus ir ryškius baltus atspalvius.
- **Sklandus Veikimas:** Mėgaukitės sklandesniais perėjimais ir mažesniu judesio susiliejimu dėl maksimalaus 100 Hz atnaujinimo dažnio, didinančio komfortą atliekant dinamiškas užduotis.
- **Ergonomika Verslui:** Visiškas reguliavimas, įskaitant aukščio reguliavimą (iki 150 mm), pasukimą (Swivel), pakreipimą (Tilt) ir sukimą į vertikalią padėtį (Pivot), leidžia lengvai rasti idealų žiūrėjimo kampą.
- **Išplėstinis Jungčių Centras:** Monitorius turi HDMI 1.4, DisplayPort 1.2 ir VGA įvestis. Integruotas USB 3.2 Gen 1 šakotukas apima tris Type-A ir vieną Type-C (15W Power Delivery) jungtį, skirtą įrenginių įkrovimui.
- **Akių Komforto Sertifikatas:** TÜV 4 žvaigždučių sertifikatas patvirtina integruotą, nuolatos veikiančią mėlynos šviesos mažinimo technologiją ir mirgėjimo nebuvimą.

Techninės Specifikacijos:

- Ekranas dydis: 27 colių (68,6 cm)
- Rezoliucija: 1920 x 1080 (Full HD)
- Panelės Tipas: IPS
- Maksimalus atnaujinimo dažnis: 100 Hz
- Reakcijos laikas: 8 ms (Įprastas) / 5 ms (Greitas)
- Jungtys: 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsilyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- USB Šakotuvai: USB 3.2 Gen 1 (1x Type-B Upstream, 4x Downstream, įskaitant 1x Type-C 15W PD)
- Ergonomika: Reguliuojamas aukštis (150 mm), Pivot, Swivel, Tilt, VESA (100x100)

DELL yra pasaulinio lygio technologijų lyderis, kuriantis gaminius, skirtus vartotojo patirčiai ir aplinkos tvarumui gerinti. P2725H monitorius atitinka griežtus aplinkosaugos standartus, įskaitant ENERGY STAR, TCO ir RoHS, pabrėžiant DELL įsipareigojimą atsakingai gamybai.

Užsisakykite DELL P2725H monitorių šiandien iš ++SHOP++ ir įrenkite savo šiuolaikinę darbo vietą suderinant našumą, komfortą ir pažangias ryšio galimybes.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 27-in FHD monitor, certified by TÜV for 4-star eye comfort.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 27-in FHD monitor, certified by TÜV for 4-star eye comfort.

- 68.6cm (27") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 300cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
 6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the calculations.
 7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.
 8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.
 9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.
 10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.
 11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.
 12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).
 13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.
 14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).
 15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.
- Summary: DELL P Series P2725H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage:

<https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: LED | Contrast ratio (typical): 1500:1 | Dell ComfortView technology: Yes | Display brightness (typical): 300 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 1920 x 1080 | Display technology: LCD | HD type: Full HD | Horizontal scan range: 30 - 83 | LED backlight: Yes | Maximum refresh rate: 100 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 81.57 | Pixel pitch: 0.3114 x 0.3114 | Response time: 8 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1600 x 900/1920 x 1080 (HD 1080)/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 76 | Viewable size diagonal: 686 | Viewable size, horizontal: 597.89 | Viewable size, vertical: 336.31 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | Mac operating systems supported: MacOS | NVIDIA G-SYNC: No | Windows operating systems supported: Windows 10/Yes | Built-in camera: No | Built-in speaker(s): No | Feet colour: Grey | Front bezel colour: Black | Product colour: Black | AC (power) in: Yes | Built-in USB hub: Yes | DisplayPort version: 1.2 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4 | Headphone out: No | Number of USB Type-B upstream ports quantity: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 15 | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | VGA (D-Sub) ports quantity: 1 | Adjustable height (max): 150 | Cable lock slot: Yes | Cable lock slot type: Kensington | Cable management: Yes | Height adjustment: Yes | LED indicators: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Plug and Play: Yes | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 16 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): D | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1862987 | Input current: 1.5 | Power consumption (max): 74 | Power consumption (off): 0.3 | Power consumption (standby): 0.3 | Power consumption (typical): 15.8 | Power supply type: Internal | Non-operating altitude: 0 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 12 | Bezel width (side): 6.4 | Bezel width (top): 6.4 | Depth (with stand): 192.28 | Depth (without stand): 50.03 | Height (with stand): 384.56 | Height (without stand): 354.71 | Weight (with stand): 5700 | Weight

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

(without stand): 4030 | Width (with stand): 610.68 | Width (without stand): 610.68 | Package depth: 150 | Package height: 455 | Package type: Box | Package weight: 8470 | Package width: 822 | USB cable length: 1.8 | Cables included: AC/DisplayPort/USB | DisplayPort cable length: 1.8 | Quick start guide: Yes | Stand included: Yes | Doesn't contain: Arsenic/Mercury/PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 8.342 | Carbon emissions, energy usage (kg of CO2e): 77.406 | Carbon emissions, logistics (kg of CO2e): 15.908 | Carbon emissions, manufacturing (kg of CO2e): 92.344 | PAIA version: GaBi version 1, 2024 | Total carbon footprint (kg of CO2e): 194 | Compliance certificates: RoHS/TÜV mark | Country of origin: China | Dell Display Manager (DDM) compatibility: Yes | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1862987/fiches?language=EN> | Energy efficiency class: D | EPREL Registration Number: 1862987 | EPREL Version Number: 2 | Model: P2725H | Unit Calculated Volume: 0.05658 | Product Net Weight: 6.03 | Unit Calculated Weight: 8.5

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903