



Monitor DELL P2725H Pro Plus 27-inch FHD IPS 100Hz Business Display (VESA Mount Only, No Stand)



Modelis: 210-BMGD

Gamintojas: DELL

EAN: 5397184821756

Prekės kodas: 345295

165.99€ ~~182.99€~~

Monitor DELL P2725H Pro Plus 27-inch Full HD Business Display (Without Stand)

Designed for maximum productivity and visual comfort, the DELL P2725H is a high-performance 27-inch Full HD (1920x1080) monitor ideal for demanding business environments. Certified by TÜV for 4-star eye comfort (featuring ComfortView and Low Blue Light technology), this display ensures extended viewing sessions remain comfortable and strain-free.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Please note: This specific model (P2725H_WOST) is shipped **without a stand**, making it the perfect choice for users planning to utilize multi-monitor setups or existing VESA-compatible mounts and arms (100x100 mm).

Superior Visual Performance and Smooth Motion

Experience sharp, consistent visuals across the wide 178°/178° viewing angle thanks to the premium IPS panel technology. With 99% sRGB coverage, colors are accurate and vibrant. While optimized for productivity, the 100 Hz refresh rate ensures smoother scrolling and improved motion handling compared to standard 60 Hz monitors, essential for dynamic spreadsheets or quick media browsing.

- **Display Size & Resolution:** 27-inch (68.6 cm) Full HD (1920 x 1080).
- **Panel Technology:** IPS panel with LED backlight.
- **Smooth Refresh Rate:** 100 Hz maximum refresh rate.
- **Response Time:** 8 ms (standard) or 5 ms (fast mode).
- **Brightness & Contrast:** 300 cd/m² brightness and high 1500:1 contrast ratio.
- **Eye Comfort:** TÜV 4-star certified, Flicker-free and Low Blue Light features.

Integrated Connectivity Hub

The P2725H functions as a productivity hub, offering robust connectivity options for modern setups. Utilize the built-in USB 3.2 Gen 1 hub to manage peripherals and enjoy extensive connection versatility.

- **Video Inputs:** HDMI 1.4, DisplayPort 1.2, and legacy VGA port.
- **USB Hub:** Integrated USB 3.2 Gen 1 hub (1 Upstream Type-B port).
- **Downstream Ports:** 3x USB Type-A and 1x USB Type-C (supporting 15W Power Delivery).
- **Mounting:** Standard VESA 100 x 100 mounting interface.

Commitment to Sustainability

This DELL monitor adheres to strict environmental standards, including ENERGY STAR and TCO certifications. The device is manufactured with sustainability in mind, minimizing the use of harmful substances such as Arsenic, Mercury, PVC, and BFR, reflecting its classification as an Energy Efficiency Class D device.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

DELL is a world leader in developing essential technology solutions designed to power the modern hybrid workplace, known for reliability, security, and superior user experience.

Order your professional DELL P2725H monitor today from ++SHOP++ and benefit from competitive pricing and reliable delivery.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 27-inch FHD monitor (without stand), certified by TÜV for 4-star eye comfort.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 27-inch FHD monitor (without stand), certified by TÜV for 4-star eye comfort.

- 68.6cm (27") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 300cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

calculations.

7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.

8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.

9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.

10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.

11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.

12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).

13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.

14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).

15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL Pro Plus P2725H_WOST. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: LED | Contrast ratio (typical): 1500:1 | Dell ComfortView technology: Yes | Display brightness (typical): 300 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 1920 x 1080 | Display technology: LCD | HD type: Full HD | Horizontal scan range: 30 - 83 | LED backlight: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Maximum refresh rate: 100 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 81.57 | Pixel pitch: 0.3114 x 0.3114 | Response time: 8 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1600 x 900/1920 x 1080 (HD 1080)/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 76 | Viewable size diagonal: 686 | Viewable size, horizontal: 597.89 | Viewable size, vertical: 336.31 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | Mac operating systems supported: MacOS | NVIDIA G-SYNC: No | Windows operating systems supported: Windows 10/Yes | Built-in camera: No | Built-in speaker(s): No | Front bezel colour: Black | Product colour: Black | AC (power) in: Yes | Built-in USB hub: Yes | DisplayPort version: 1.2 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4 | Headphone out: No | Number of USB Type-B upstream ports quantity: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 15 | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | VGA (D-Sub) ports quantity: 1 | Cable lock slot: Yes | Cable lock slot type: Kensington | Cable management: Yes | Height adjustment: No | LED indicators: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: No | Plug and Play: Yes | Swivelling: No | Tilt adjustment: No | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 16 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): D | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1874335 | Input current: 1.5 | Power consumption (max): 74 | Power consumption (off): 0.3 | Power consumption (standby): 0.3 | Power consumption (typical): 15.8 | Power supply type: Internal | Non-operating altitude: 0 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 12 | Bezel width (side): 6.4 | Bezel width (top): 6.4 | Depth (without stand): 50.03 | Height (without stand): 354.71 | Weight (without stand): 4030 | Width (without stand): 610.68 | Package weight: 6800 | USB cable length: 1.8 | Cables included: AC/DisplayPort/HDMI/USB | DisplayPort cable length: 1.8 | HDMI cable length: 1.8 | Quick start guide: Yes | Stand included: No | Doesn't contain: Arsenic/Mercury/PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 6.726 | Carbon emissions, energy usage (kg of CO2e): 77.349 | Carbon emissions, logistics (kg of CO2e): 12.744 | Carbon emissions, manufacturing (kg of CO2e): 80.181 | PAIA version: GaBi version

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

1, 2024 | Total carbon footprint (kg of CO₂e): 177 | Compliance certificates: RoHS/TÜV mark | Dell Display Manager (DDM) compatibility: Yes | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1874335/fiches?language=EN> | Energy efficiency class: D | EPREL Registration Number: 1874335 | EPREL Version Number: 2 | Model: P2725H | Unit Calculated Volume: 0.05658 | Product Net Weight: 4.03 | Unit Calculated Weight: 6.7

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903