



## OBSBOT Meet 2 webcam (green)



Modelis: OWG-2311-CE

Gamintojas: OBSBOT

EAN: 6971889230496

Prekės kodas: 352304

# 140.99€

### OBSBOT Meet 2 Webcam (green)

The OBSBOT Meet 2 webcam is an advanced device that delivers professional image quality in 4K and 1080p resolution, excellent sharpness with PDAF technology, and convenient operation with its auto-rotate function and magnetic mount. With artificial intelligence that adjusts framing and focus, and privacy options, the OBSBOT Meet 2 is ideal for hybrid work, streaming, or online education. Plus, with the OBSBOT Center app and support for the UVC to NDI adapter, it provides the flexibility to work with multiple devices.

### Ergonomic, stylish design

Video presence in everyday work has never been easier. The OBSBOT Meet 2 camcorder has a compact size (40.5g) that makes it lightweight and handy, ideal for use during video calls or streaming. The Meet series-inspired design provides a sleek, industrial look that fits perfectly in any environment, from the office to the streaming studio.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## Intelligent image analysis with AI

The OBSBOT Meet 2 isn't just a camera, it's also an intelligent assistant that adapts the image to your needs in real time. With artificial intelligence algorithms and person detection, the camera always ensures that you are perfectly framed. Whether you're alone or in a group, OBSBOT Meet 2 adjusts the frame to the best setting. Take advantage of two modes (landscape and portrait) to enjoy professional results.

## Exceptional image quality

Video at 4K resolution at 30 frames per second or 1080p at 60 frames per second is a guarantee of crystal clear quality. Thanks to its large 1/2" CMOS sensor and F/1.8 aperture, the OBSBOT Meet 2 camera performs well in a variety of lighting conditions. Whether you're recording in a dimly lit room or streaming at a late hour, your video will always be full of detail.

## Clear audio and sharp images

The camera features two omni-directional microphones with noise cancellation and automatic gain control, ensuring clear audio even in noisy environments. Meanwhile, the phased-array focusing technology (PDAF) with 4x digital zoom allows you to focus quickly and accurately, providing clear images no matter what situation you're in.

## Privacy protection

Your privacy is a priority. The OBSBOT Meet 2 offers a sleep mode function that allows you to set the time to go into standby mode, and gives you a choice of three backgrounds (black, embedded photo, or your own photo). In addition, a magnetic privacy shield protects you from unwanted access when the camera is not in use.

## Ease of use and flexibility

OBSBOT Meet 2 is a camera designed with convenience in mind. Thanks to the automatic image rotation function, the camera adjusts the viewing angle to how you place it - even if you place it upside down, the image will instantly adjust to the correct orientation. The sturdy magnetic mount

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

allows you to freely position the camera at different angles, making it ideal for different environments. It is also compatible with most tripods on the market.

## Ideal for any situation

The OBSBOT Meet 2 is a camera that is perfect for remote work, streaming, content creation and online education. With its large CMOS sensor and wide viewing angle, the camera provides clear images in any situation, regardless of lighting conditions. It offers easy feature management with the OBSBOT Center app, which allows you to fine-tune image parameters and quickly change devices for a seamless workflow.

## Increase your connectivity

If you need even more flexibility, the OBSBOT Meet 2 works with a UVC to NDI adapter that instantly converts UVC signals to NDI. It supports PoE (Power over Ethernet), eliminating the need for additional power. The adapter also allows up to three OBSBOT Meet 2 cameras to be connected simultaneously, ideal for more demanding users.

|                             |                   |
|-----------------------------|-------------------|
| <b>Manufacturer</b>         | OBSBOT            |
| <b>Model</b>                | Meet 2            |
| <b>Dimensions</b>           | 45 x 36 x 22.2 mm |
| <b>Weight</b>               | 40,5 g            |
| <b>Power supply</b>         | 5V / 0,6A         |
| <b>Image sensor</b>         | 1/2" CMOS         |
| <b>Effective resolution</b> | 48M               |
| <b>Aperture</b>             | f/1.8             |
| <b>Viewing angle (FOV)</b>  | 79,4° (4:3)       |

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

|                               |  |
|-------------------------------|--|
| <b>Minimum focus distance</b> | 10 cm  |
| <b>Digital zoom</b>           | 1-4x   |
| <b>Focus type</b>             | AF (PDAF) / MF   |
| <b>HDR</b>                    | Supported  |
| <b>Supported resolutions</b>  | MJPEG: 3840x2160@[30, 25, 24, 20, 15], 1920x1080@[60, 50, 30, 25, 24, 20, 15], 1280x720@[60, 50, 30, 25, 24, 20, 15]; YUV: 640x480@[30, 25, 24, 20, 15], 640x360@[30, 25, 24, 20, 15]. |
| <b>Audio input</b>            | Built-in omni-directional microphones (dual)   |
| <b>Audio modes</b>            | Noise reduction / Automatic gain control   |
| <b>Operating environment</b>  | 0°C - 40°C   |
| <b>Color</b>                  | Green  |

Built-in microphone: Yes, GPSR Link: [https://psr-assets.innpro.pl/it\\_accessories/sg\\_it\\_accessories\\_webcams.pdf](https://psr-assets.innpro.pl/it_accessories/sg_it_accessories_webcams.pdf), Gross weight: 200, Box length: 12,00, Box width: 10,00, Box height: 5,00, Last delivery: 01.04.2026, Net weight: 150, Information about data generation: <https://dataact.innpro.pl/obsbot/6971889230496>