



## OBSBOT Meet SE webcam (white)



Modelis: OWW-2408-CE

Gamintojas: OBSBOT

EAN: 6971889230632

Prekės kodas: 352306

# 95.99€

### OBSBOT Meet SE webcam (white)

The OBSBOT Meet SE webcam is an advanced device that combines high image quality with intelligent AI features. It offers smooth 1080P video at 100 fps and excellent performance even in low-light conditions. With features such as AI Auto Framing and Gesture Control, as well as wide compatibility, the camera is ideal for live broadcasting, conferencing and streaming. Compact, stylish and easy to install, it is the perfect choice for anyone who values quality and precision.

### Unparalleled video smoothness

The OBSBOT Meet SE is a camera that offers 1080P resolution at 100 frames per second and 720P at 150 frames per second. This ensures that every frame is captured in unparalleled quality detail, providing smooth video even with dynamic movements. Reduced latency by a third means near-instantaneous video transmission, ensuring that your live broadcasts and recordings always look professional and natural.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## Excellent image quality, even in low-light conditions

The OBSBOT Meet SE features a 1/2.8" CMOS sensor with a pixel size of 2.9  $\mu\text{m}$ , which captures more light for clear and sharp images, even in challenging lighting conditions. Thanks to its wide f/1.8 aperture, the camera performs well in dark rooms, delivering vivid colors and crisp details. What's more, the use of Staggered HDR technology allows for a wider dynamic range, providing excellent image quality in both low and intense light. The camera automatically adjusts ISO to always get the best image quality, regardless of conditions.

## Use of artificial intelligence and gesture control

With OBSBOT Meet SE, you never have to worry about whether you're properly positioned in the frame. With AI Auto Framing, the camera automatically adjusts the frame so you're always in focus. Whether you're broadcasting live, giving a presentation, or attending a meeting, the camera will make sure your image always looks professional. With various modes, such as zoom mode and group mode, the OBSBOT Meet SE is perfect for a variety of scenarios - whether broadcasting solo or in a group. In addition, the innovative gesture control allows for convenient control without touching the camera - a swipe of the hand is all it takes to activate AI framing, while an L-shaped gesture allows for zooming.

## Easy installation and wide compatibility

The OBSBOT Meet SE camera supports plug-and-play mounting, which means installation is quick and easy. Thanks to the magnetic mount, adjusting the viewing angle is convenient, and the tripod mounting option (thanks to a 1/4" thread) allows even more flexibility. OBSBOT Meet SE works with the most popular streaming and conferencing platforms, such as OBS, Zoom, Twitch and Kick, ensuring reliability during live broadcasts. Integration with the OBSBOT ecosystem allows you to easily manage features such as Auto Framing, Auto Focus, and Beauty Mode, further enhancing your image quality.

## Compact and stylish

One of the hallmarks of the OBSBOT Meet SE camera is its compact form factor. It weighs just 33.2 grams, making it the smallest OBSBOT webcam. It can be easily mounted on a laptop without adding

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

unnecessary bulk. The camera has a uniform, elegant color, allowing it to match any style.

## Practicality in any situation

OBSBOT Meet SE is a camera that offers multiple modes to suit different user needs. With the ability to operate in landscape and portrait modes, the camera is ideal for live broadcasting on platforms that support both modes. In addition, with the camera's upside-down mounting capability, users can enjoy creative angles, and the automatic view correction function ensures ease of adaptation.

## Privacy protection

The OBSBOT Meet SE is equipped with a special shield that can be easily mounted on a magnet in the camera. The shield provides full protection for your privacy when the camera is not in use. In addition, the Auto Sleep function, available in the OBSBOT Center software, allows you to configure the camera's sleep time, as well as set the background to black, with a choice of one of the built-in images, or upload your own graphics.

## Included

- OBSBOT Meet SE
- USB-C to USB-A adapter
- USB-C cable
- Cover for privacy
- Magnetic holder
- User manual
- Warranty card

<b>Manufacturer</b>	OBSBOT
<b>Model</b>	Meet SE
<b>Dimensions</b>	Without handle: 45 x 36 x 22.2 mm, with handle: 45 x 36 x 36.7 mm
<b>Weight</b>	Without handle: 33.2 g, with handle: 59.5 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

<b>Camera</b>	CMOS 1/2.8"
<b>Pixels</b>	2M
<b>Aperture</b>	F/1.8
<b>Maximum video resolution</b>	1080p@100fps
<b>Supported resolutions</b>	MJPEG: 1920x1080@[100 60 59.94 50 30 29.97 25 24 20 15], 1280x720@[150 120 60 59.94 50 30 29.97 25 24 20 15]; YUV: 640x480@[30 25 24 20 15], 640x360@[30 25 24 20 15].
<b>Focal range</b>	1-4x digital zoom
<b>Viewing angle (FOV)</b>	78° (16:9)
<b>Equivalent focal length</b>	26 mm
<b>Focus type</b>	AF/MF
<b>Focus distance</b>	10 cm ~ ∞
<b>HDR</b>	Supported
<b>Exposure compensation</b>	±3 EV
<b>ISO</b>	100~6400
<b>Shutter Time</b>	1/6400~1/30 s
<b>White</b>	2000~10000 K
<b>Connection</b>	USB 2.0, UVC
<b>Audio input function</b>	Built-in noise-canceling microphone Noise reduction and automatic gain control
<b>Gesture control</b>	Gesture zoom (zoom factors can be adjusted with OBSBOT Center), Auto Framing on/off
<b>Recording modes</b>	Horizontal, vertical, upside down mode
<b>Background protection</b>	None
<b>AI Auto Framing</b>	Horizontal mode for group, close-up, upper body, vertical mode for group, single person, upper body

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

<b>Additional features</b>	Auto Sleep (sleep time can be set), black frames, background in sleep mode (embedded image), supports uploading custom images
<b>Power supply</b>	5V/0.4A
<b>System requirements</b>	Windows® 10 (64-bit) or later, macOS 11 or later (recommended for 1080p 60fps/100fps)
<b>Recommended Apple computers</b>	MacBook Pro (2018, 8th generation Intel® Core™ i5 or later), MacBook Air (2018, 8th generation Intel® Core™ i5 or later), iMac Retina (2019, 8th generation Intel® Core™ i5 or later)
<b>Recommended PC configuration</b>	CPU: 7th generation Intel® Core™ i5 or later; RAM: 8GB
<b>Operating temperature of the camera</b>	0°C - 40°C
<b>Color</b>	White

Built-in microphone: Yes, GPSR Link: [https://psr-assets.innpro.pl/it\\_accessories/sg\\_it\\_accessories\\_webcams.pdf](https://psr-assets.innpro.pl/it_accessories/sg_it_accessories_webcams.pdf), Gross weight: 190, Box length: 11,00, Box width: 10,50, Box height: 4,50, Net weight: 150, Information about data generation: <https://dataact.innpro.pl/obsbot/6971889230632>