



# Power Bank EcoFlow RAPID 25000 mAh, 170W



Modelis: EFRAPID25K140WB-EU

Gamintojas: ECOFLOW

EAN: 4895251653831

Prekės kodas: 352416

## 109.99€

### EcoFlow RAPID Power Bank 25000 mAh, 170W

The EcoFlow RAPID Powerbank features a 25,000 mAh capacity, which, combined with its compact design, makes it great for work, travel and everyday use. It supports fast charging with up to 140 watts on a single port and 170 watts combined when using multiple outlets simultaneously. Whether you're charging a laptop, phone or tablet, the RAPID delivers full performance without compromise.

### Fast charging for up to three devices

With two USB-C (Universal Serial Bus Type-C, a universal connector for data and power), one USB-A (Universal Serial Bus Type-A, a standard connector for data and charging) ports and a combined power of up to 170 watts, you can charge several devices simultaneously without losing speed. The maximum power of 140 watts on a single USB-C port is even enough to power modern laptops and

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

camera equipment. It's ideal for people who value their time and don't want to wait for a free outlet!

## Capacity that gives you freedom

The 25,000 mAh battery allows you to charge your smartphone, tablet or camera multiple times. That's enough energy to power a laptop on the road, for example. Importantly, the device meets airline safety standards, so you can easily take it on a plane with you.

## Smart TFT display

The built-in TFT (Thin-Film Transistor) screen offers access to the most important information related to the operation of the powerbank. With its help you can quickly check, for example, the charge level, temperature or current power on each port. The display provides a clear, readable image from any angle and in any lighting conditions - even in bright sunlight!

## Advanced protection

The powerbank is equipped with an advanced power management system, used in electric vehicles, among others. The device constantly monitors the charging process, protecting the battery from overheating, overcharging, over-discharging and short-circuiting. This allows you to use it in almost any conditions - without worrying about safety.

## General

|                            |                       |
|----------------------------|-----------------------|
| <b>Manufacturer</b>        | EcoFlow               |
| <b>Model</b>               | EFRAPID25K140WB-EU    |
| <b>Total cell capacity</b> | 25000 mAh             |
| <b>Battery capacity</b>    | 14500 mAh (5 V / 3 A) |
| <b>Dimensions</b>          | 157 x 53.8 x 48.8 mm  |
| <b>Weight</b>              | Approximately 565 g   |
| <b>Color</b>               | Black                 |

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## Battery

**Cell chemistry** Three-component lithium

**Lifetime** Approximately 300 charge cycles (up to 80% capacity)

**Battery type** Changhong Sanjie, INR21700-5000, 5\*5000mAh

**Number of cells** 5 5000mAh 21700 batteries connected in series

## Outputs

**Available output ports** USB-C1 140 watts, USB-C2 140 watts, USB-A 33 watts, max total output power 170 watts.

**USB-A output** 33 W

**USB-C output** 140 W

## Inputs

**Input power** 140 W

**Charging via USB-C** Charging via multiple ports is not supported. The maximum input power per port (USB-C1 / USB-C2) is 140 watts.

## Other

**Management by application** No

**Screen** TFT

**Drop resistance** Up to 1m

**Fire resistance** V0 class housing

**Certification** EMC Class B

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

## Temperature

**Optimum operating temperature** From 20°C to 30°C

**Charging temperature** From 0°C to 45°C

**Discharge temperature** From -10°C to 45°C

Capacity (mAh): 25000, Color: black, Charging power (W): 170, Wireless charging: No, GPSR Link: [https://psr-assets.innpro.pl/gsm\\_accessories/sg\\_gsm\\_accessories\\_powerbanks.pdf](https://psr-assets.innpro.pl/gsm_accessories/sg_gsm_accessories_powerbanks.pdf), Net weight: 570, Box length: 10,20, Box width: 5,70, Box height: 17,50, Gross weight: 700, Information about data generation: <https://dataact.innpro.pl/ecoflow/4895251653831>

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903