



Powerbank EcoFlow RAPID Pro 20000 230W (built-in 100W cable)

Modelis: EF-RAPIDPRO20K-EU

Gamintojas: ECOFLOW

EAN: 4895251641289

Prekės kodas: 352465

140.99€

EcoFlow RAPID Pro 20000 230W powerbank (built-in 100W cable)

The EcoFlow RAPID Pro is a high-performance powerbank designed for heavy use in the field, travel and daily work. With a total capacity of 20,000 mAh (72 Wh), 3 USB-C (Universal Serial Bus, a universal connector for data and power) ports and a built-in cable (100W), it offers maximum flexibility and charging speed. Its compact size (145 × 55 × 56 mm) and ergonomic design make it easily fit mp. in the side pocket of a backpack, and its resistance to drops and fire makes it an ideal companion in various conditions.

Charge several devices simultaneously - up to 230 watts

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

With 3 USB-C outputs and a USB-C cable, the RAPID Pro allows you to charge up to four devices simultaneously at full power - such as two laptops, a smartphone and a tablet. The total output power is as high as 230 watts, allowing you to quickly charge MacBook Pro, Steam Deck, iPhone or other mobile devices. The built-in cable supports bidirectional fast charging of up to 100 watts, and two additional ports offer 65 watts of power.

Fast charging powerbank

The RAPID Pro impresses not only with its performance, but also with its fast charging speed. You can replenish 80% of capacity in just 19 minutes using the dedicated EcoFlow RAPID Pro Desktop Charger (120 W input via pogo pin + USB, Universal Serial Bus, a universal connector for data and power). When charging through a single 100 W USB-C port, it takes only 39 minutes to reach 80%, and only 25 minutes with a 120 W USB input.

Energy that lasts longer

With a usable capacity of 10,718 mAh (at 14.4 V), the RAPID Pro provides energy for about 3.2 charges of an iPhone 16, one full charge of a MacBook Air (49.9 Wh) or one full charge of a Steam Deck (40-50 Wh). The X-VELO technology (X-VELO, a high-density lithium-ion cell technology with silicon and carbon added developed by EcoFlow) further optimizes temperature management and reduces energy loss, resulting in long-lasting and stable operation even in extreme conditions - the device was tested in temperatures as low as -20°C.

Intelligent protection and maximum performance

Thanks to the X-Guard system (X-Guard, EcoFlow's thermal and overload protection system), the RAPID Pro continuously monitors temperature and operational safety, taking up to 10 million measurements per day. Intelligent BMS (Battery Management System) and EMS (Energy Management System) ensure balanced operation of the entire system, preventing overheating, overloading or over-discharge.

Convenient control

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The powerbank features an easy-to-read 1.54-inch LCD (Liquid Crystal Display) screen, which displays charge status, temperature, voltage and mode. You can also customize the appearance of the screen - set your preferred graphics or create your own standby screen through the EcoFlow Power Management app. The app also allows you to activate battery optimization mode, which extends the life of both the powerbank and the devices being charged.

Compact and ready for any challenge

The RAPID Pro combines high power with a compact design and ruggedness. The case is drop-proof from up to 1 meter and fireproof, making it ideal for both everyday use and demanding conditions. Thanks to the built-in USB-C cable (60 cm), you don't have to remember about additional cables.

Included

- powerbank
- case

Manufacturer	EcoFlow
Model	RAPID Pro
Total capacity	20,000 mAh (72 Wh)
Usable capacity	10,718 mAh (14.4V)
Dimensions	145 x 55 x 56 mm
Weight	563.8 g
Cable length	60 cm
Rechargeable battery	lithium
Number of charging cycles	400 cycles up to 80% capacity
Battery type	21700-50 SE
Number of cells	4S1P

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Ports and connectors	x3 USB-C + USB-C cable (total 230 watts)
Output power	USB-C cable: bi-directional fast charging up to 100 watts; (USB-C ports: 65 W)
Input power	USB-C cable: 100 W; Pogo Pin: 120 W; Total USB input power: 120 W; Total Pogo Pin + USB input power: 120 W (0-80% in 47 minutes)
Display	LCD
Drop resistance	Up to 1 m
Fire resistance	yes
Charging temperature	20°C-30°C
Discharge temperature	0°C-45°C
Storage temperature	-10°C-45°C

Color: grey, Charging power (W): 230, Pojemność akumulatora: 20000, Wireless charging: No, Information about data generation: <https://dataact.innpro.pl/EcoFlow/4895251641289>, GPSR Link: https://psr-assets.innpro.pl/energy/sg_energy_powerbanks.pdf, Bezpieczeństwo: Bezpieczeństwo - rodzaj ostrzeżenia, Gross weight: 863, Net weight: 580, Box length: 18,20, Box width: 12,00, Box height: 6,50

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903