Cooler Master Hyper 212 Black X Duo CPU cooler (black)

Modelis: RR-S4KK-25DN-R1

Gamintojas: COOLERMASTER

EAN: 4719512140789

Prekės kodas: 352472

54.99€

Cooler Master Hyper 212 Black X Duo CPU cooler (black)

The Cooler Master Hyper 212 Black X Duo is a revamped version of the iconic CPU cooler, featuring two fans in a push-pull configuration for even better performance. Here, modern, minimalist aesthetics go hand in hand with a real performance boost - it's a product designed for gamers, enthusiasts and users looking for maximum stability.

Double the power with push-pull configuration

The cooling is equipped with two proprietary Cooler Master SickleFlow 120 Edge fans. Their optimized blades provide excellent airflow (up to 120 m³/h) and speeds of 690-2500 RPM. In addition, the use of a push-pull configuration allows better heat dissipation from the heatsink - ideal for high CPU loads.

CryoFuze paste included

In the kit you will additionally find the powerful CryoFuze thermal conductive paste, which is based on nanoparticles, ensuring optimal heat transfer between the CPU and the base of the heatsink. This makes the cooling system work even more efficiently from the moment of installation.

Aluminum heatsink

Hyper 212 Black X Duo uses four heat pipes, a heatsink with aluminum fins and a direct contact solution. As a result, it provides optimal heat transfer and keeps the CPU temperature at the right level. So you can enjoy stable system operation even under heavy load!

Universal compatibility

The Hyper 212 Black X Duo supports the latest Intel and AMD processors. So it will be a great choice both for upgrading older sets and for building new computers.

Manufacturer	Cooler Master
Model	RR-S4KK-25DN-R1
Color	Black
CPU socket	Intel LGA 1700 / 1200 / 1151 / 1150 / 1155 / 1156; AMD AM5 / AM4;
Dimensions	125 x 103 x 152 mm
Number of heat pipes	4
Material of fins	Aluminum
4 heat pipes / direct contact / aluminum fins	Fan dimensions
120 x 120 x 25 mm	Number of fans
2	Speed
690 - 2500 RPM ± 10%	Airflow

120 m³/h (70,7 CFM)	Pressure
3.61 mmH2O	Noise level
32.8 dB(A)	Bearing type
Loop dynamic bearing	Power connector
4-pin PWM	Rated voltage
12 VDC	Current
0,2 A	Safe current
0,3 A	Power consumption
2,4 W	

Color: black, Backlighting: None, GPSR Link: https://psr-assets.innpro.pl/gaming/sg_gaming_computer_cooling.pdf, Gross weight: 1050, Net weight: 860, Box length: 14,80, Box width: 13,60, Box height: 18,20, Bezpieczeństwo: Bezpieczeństwo - rodzaj ostrzeżenia