



# WiFi Shelly Shutter + BLU Button Tough 1 blinds/curtains controller



Modelis: Shutter+BLUB1

Gamintojas: SHELLY

EAN: 3800238071752

Prekės kodas: 352490

## 58.00€

### Shelly Shutter + BLU Button Tough 1 WiFi blinds/curtains controller.

Shelly Shutter Controller together with BLU Button Tough 1 is a compact smart home solution that can be easily installed in a standard electrical box - behind a switch or a button. In addition to convenient shield control, you also gain an energy metering function that allows you to monitor and optimize the operation of appliances in your home. In this way, Shelly Shutter combines comfort, savings and modern design without extensive changes to the installation.

### Full control and intelligence at your fingertips

The controller allows you to remotely manage blinds, shades, awnings or other shades via your smartphone, tablet, computer or home automation system – both locally via Wi-Fi and remotely via

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

the cloud. You can also set operating schedules tailored to sunrise and sunset, and create smart scenarios within the Smart Scenes function. As a result, the Shelly Shutter can work with other Shelly devices to build complex whole-house automations that enhance daily living and save energy.

## **Advanced functionality**

Shelly Shutter has a built-in energy metering module, so you monitor how much electricity your shutters are using and gain knowledge about energy efficiency. Depending on your needs, you can control not only the up/down movement, but also the angle of the Venetian blinds' slats - all within one device.

## **Easy installation and integration**

The controller is placed discreetly just behind the switch, allowing you to maintain interior aesthetics with minimal modifications to the electrical system. Shelly Shutter works over both Wi-Fi and Bluetooth (short-range technology for wireless communication), and supports integrations with Amazon Alexa, Google Smart Home, Samsung SmartThings, KNX (Konnex, a building automation standard) via IP (Internet Protocol, a communication protocol of the Internet network), as well as various automation systems through HTTP (Hypertext Transfer Protocol, a web-based data transfer protocol) API (Application Programming Interface, an application programming interface), MQTT (Message Queuing Telemetry Transport, a lightweight communication protocol), webhooks and UDP (User Datagram Protocol, a data transfer protocol).

## **Reliable and flexible operation**

The device operates with 110-240 V AC at very low power consumption ( 0.3 W), and is equipped with overload and overheating protection - a guarantee of durable and safe operation. The controller has a built-in web interface and the ability to update software "over-the-air" (remotely via the Internet), making it easy to configure and maintain at the highest level.

## **Instant one-button control**

Added to the kit is the Shelly BLU Button Tough1, a solidly built, wireless Bluetooth button that provides instant and intuitive control of the shields. By making one, two or three presses, you can

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

control blinds, shades or awnings without the need for a phone or app. This solution is especially convenient when you need a quick manual response - without being distracted from your daily activities.

## Included

- Controller
- Wireless control button
- Installation/configuration instructions
- Set of mounting components

## General

**Manufacturer** Shelly

**Model** Shutter+BLUB1

## Dimensions and design

**Dimensions (H × W × D).** 37 × 42 × 16 ±0.5 mm

**Weight** 30 g

**Maximum tightening torque of screw terminals** 0.4 Nm

**Cable cross section** 0.2 to 2.5 mm<sup>2</sup> (solid, wire and crimp sleeves)

**Wire stripping length** 6 to 7 mm

**Mounting** Installation box

**Housing material** Plastic

**Housing color** Black

**Clamp color** Black

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

## Environmental conditions

**Ambient operating temperature** -20°C to 40°C

**Humidity** 30% to 70% RH

**Maximum altitude.** 2000 m

## Electrical parameters

**Power supply** 110-240 V~ 50/60 Hz

**Power consumption** 1,4 W

**External protection** Tripping characteristic B or C, max. rated current 16 A, minimum breaking capacity 6 kA, energy limitation class 3

## Output circuits

**Maximum switching voltage** 240 V~

**Maximum AC switching current** 4 A for motors with compensated power factor (inductive loads)

**Supported motor type** AC single-phase motors

**Required limit switches** Electronic or mechanical

## Sensors and measurements

**Voltmeter (AC)** Yes

**Ammeter (AC)** Yes

**Internal temperature sensor** Yes

## Wi-Fi connectivity

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

**Wi-Fi protocol** 802.11 b/g/n

**RF bandwidth (Wi-Fi)** 2412 - 2472 MHz

**Max RF power (Wi-Fi)** 20 dBm

**Wi-Fi range** Up to 30 m indoors/ Up to 50 m outdoors (depending on local conditions)

## Bluetooth connectivity

**Bluetooth protocol** 4.2

**RF bandwidth (Bluetooth)** 2402 - 2480 MHz

**Max RF power  
(Bluetooth)** 4 dBm

**Bluetooth range** Up to 10 m indoors/up to 30 m outdoors (depending on local conditions)

## Microprocessor unit

**CPU** ESP-Shelly-C38F

**Flash memory** 8 MB

## Software and functions

**Schedules** 20

**Webhooks (URL shares)** 20 with up to 5 URLs per webhook

**Scripts** Yes

**MQTT** Yes

Category: Roller shutter controllers, Information about data generation:

<https://dataact.innpro.pl/Shelly/3800238071752>, GPSR Link: <https://psr->

[assets.innpro.pl/smarthome/sg\\_smarthome\\_controls.pdf](https://assets.innpro.pl/smarthome/sg_smarthome_controls.pdf), Gross weight: 80, Net weight: 42, Box

length: 10,50, Box width: 5,50, Box height: 2,50

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903