

TP-Link Archer MR402 wireless router Fast Ethernet Dual-band (2.4 GHz / 5 GHz) 4G Black

Gamintojas: **TP-LINK** · Modelis: **Archer MR402** · EAN: **8885020625752** · Prekės kodas: **354346**



79,90 €

Kaina su PVM

Be PVM: **66,03 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cutting-edge 4G network – share internet access with up to 64 Wi-Fi devices and enjoy download speeds of up to 150 Mbps
- ✓ AC1200 Wi-Fi – creates simultaneous dual band Wi-Fi networks, with maximum speeds of up to 300 Mbps on the 2.4 GHz band and 867 Mbps on the 5 GHz band
- ✓ Plug a SIM card and play – no configurations needed, compatibility for SIM cards in 100+ countries are assured by years of field tests
- ✓ Two detachable advanced LTE antennas – enjoy stable and efficient connections to every device thanks to the two external antennas
- ✓ Wi-Fi router mode – plug an Ethernet cable into the LAN/WAN port for flexible access if you can't get a 4G connection



Aprašymas

4G LTE with AC1200 Wi-Fi to Stream from Everywhere

AC1200 Wireless Dual Band 4G LTE Router Archer MR402

Got SIM Card?

Then Plug and Play!

With an integrated 4G LTE modem and a built-in SIM card slot, all you need to do is insert a nano SIM card and turn on the Router. Enjoying fast, stable Wi-Fi on a 4G LTE network has never been easier.

Share Your 4G LTE Network

Take full of advantage of your cutting-edge 4G LTE network for download speeds of up to 150 Mbps. Share your 4G LTE network with multiple Wi-Fi devices and enjoy uninterrupted HD movies, rapid file downloads, and smooth video chats. Fully compatible with FDD-LTE and TDD-LTE to work with most service providers worldwide.

Wi-Fi Where You Need It

Enjoy unmatched convenience and versatility. Tested in the field for years to ensure universal compatibility with 2 advanced LTE antennas to deliver a smooth connection. Simply plug in a nano SIM card and power on this elegant piece of technology to utilize fast and stable Wi-Fi, whether you're at home or working remotely.

Internet Access for up to 64 Devices Simultaneously

Easily share a 3G/4G connection with up to 64 wireless devices, such as phones, tablets, and laptops, at the same time. 4 LAN ports stand ready to provide internet for wired devices like desktop computers.

Support TP-Link OneMesh

Co-work with TP-Link OneMesh products, to provide a more flexible and cost-effective

Available WAN Connection

The WAN/LAN port enables Archer MR402 to work as a traditional wireless router that is compatible with cable, fiber, and DSL modems. And when it's set as a wireless router, its 3G/4G connection works as a backup to provide a sustained and reliable internet connection for you.

Easy Setup and Management

Set up the Archer MR402 in minutes thanks to its intuitive web interface and the powerful Tether app. Tether also lets you manage its network settings from any Android or iOS device, including parental controls and access control.

Techninė specifikacija

Specifications	
Sandėlio grupė	Networking and Security > Routers [+0][-0]
WAN connection	
Ethernet WAN	Yes
DSL WAN	No
SIM card slot	Yes
3G/4G USB modem compatibility	Yes
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max)	867 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	300 Mbit/s
WLAN data transfer rate (second band)	867 Mbit/s
Network	

Ethernet LAN	Yes
Ethernet LAN interface type	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Cabling technology	10/100Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Port forwarding	Yes
Port triggering	Yes
Dynamic DNS (DDNS)	Yes
Number of guest networks (2.4 GHz)	1
Number of guest networks (5 GHz)	1
VPN support	PPTP VPN, OpenVPN
Receiver sensitivity	5 GHz: 11a 54M: -77 dBm 11ac VHT20 MCS0: -95.5 dBm 11ac VHT20 MCS8: -73 dBm 11ac VHT40 MCS0: -93 dBm 11ac VHT20 MCS9: -68 dBm 11ac VHT80 MCS0: -90 dBm 11ac VHT20 MCS9: -65 dBm 2.4 GHz: 11g 54M: -74.5 dBm 11n HT20 MCS0: -92 dBm 11n HT20 MCS7: -73 dBm 11n HT40 MCS0: -89 dBm 11n HT40 MCS7: -70 dBm
Mobile network	
Mobile network generation	4G
3G standards	HSPA, UMTS
4G standard	LTE-TDD & LTE-FDD
4G bands supported	700,800,850,900,1800,2100,2300,2500,2600 MHz
3G bands supported	850,900,2100 MHz
SIM card type	NanoSIM
Ports & interfaces	
Ethernet LAN (RJ-45) ports	4
USB port	No
DC-in jack	Yes
Management features	
Wi-Fi Multimedia (WMM)/(WME)	Yes
Quality of Service (QoS) support	Yes
Reset button	Yes
WPS push button	Yes
Security	
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Firewall	Yes
Firewall security	DoS, SPI Firewall, IP Address Filter/Domain Filter, IP and MAC Address Binding
Access Control List (ACL)	Yes

Schedule access	Yes
Parental control	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
Supported network protocols	IPv4, IPv6
Design	
Product type	Tabletop router
Product colour	Black
Certificates	
Compliance certificates	CE, RoHS
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	Yes
Quick installation guide	Yes
Antenna	
Antenna design	External
Antennas quantity	2
Detachable antenna(s)	Yes
Transmit power	23 dBmW
Power	
Power source type	DC
Output voltage	12 V
Output current	1 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
System requirements	
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Linux operating systems supported	Yes
Mac operating systems supported	Yes

Weight & dimensions

Width	174 mm
Depth	124.5 mm
Height	33.5 mm

Packaging data

Package type	Box
Number of products included	1 pc(s)

Matmenys ir svoris

Matmenys (l × P × A)	31,00cm × 22,00cm × 7,00cm
Svoris	0,74kg