



**Monitorius
DAHUA 49 colių
Dual QHD
5120x1440
Išlenktas Ypač
Platus 32:9
120Hz VA USB-C
(65W) DHI-
LM49-EW410CA**

Modelis: DHI-LM49-EW410CA

Gamintojas: DAHUA

EAN: 6939554936623

Prekės kodas: 356654

620.98€

**Ištraukiantis Ypač Platus Ekranas: DAHUA 49" Dual QHD
Išlenktas Monitorius**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

DAHUA DHI-LM49-EW410CA yra novatoriškas 49 colių išlenktas monitorius, sukurtas maksimaliam profesionaliam produktyvumui ir nepakartojamoms pramogoms. Turėdamas „Dual QHD“ raišką (5120 x 1440) ir ypač platų 32:9 kraštinių santykį, šis monitorius efektyviai pakeičia dviejų monitorių sąranką, siūlydamas sklandų kelių užduočių atlikimą, platų matymo lauką žaidimų žemėlapiams ar išsamioms verslo ataskaitoms.

Aukščiausia Vizualinė Kokybė ir Greitis

Mėgaukitės neprilygstamu vizualiniu įsitraukimu dėl gilaus 1800R ekrano išlinkimo, kuris sumažina akių įtampą ir suteikia vaizdams gylio. Monitorius pasižymi sparčiu 120 Hz atnaujinimo dažniu ir 1 ms MPRT atsako laiku, užtikrinančiu, kad greitai judantis turinys, įskaitant veiksmo žaidimus, būtų sklandus ir be liejimosi efekto. Be to, spalvų tikslumas yra išskirtinis, su 99% sRGB ir 85% NTSC aprėptimi bei profesionaliu spalvų tikslumu (vidutinis $\Delta E 2$).

- **Dual QHD (DQHD) Raiška:** Įspūdinga 5120 x 1440 pikselių raiška ypač plačiu 32:9 formatu.
- **1800R Išlenkimas:** Suteikia didelį įtraukimą ir sumažina akių nuovargį.
- **Išskirtinis Spalvų Tikslumas:** Plati spalvų gama ir profesionalus tikslumas ($\Delta E 2$).
- **Greitas Atnaujinimas:** 120 Hz atnaujinimo dažnis ir 1 ms MPRT užtikrina sklandų ir reaktyvų vaizdą.

Išplėstinės Jungtys ir Funkcionalumas

Šis monitorius veikia kaip universali jungčių stotis, palengvindama Jūsų darbo erdvę. Universalus USB-C prievadas leidžia lengvai prijungti nešiojamuosius kompiuterius ir mobiliuosius įrenginius, perduodant vaizdo signalą ir tiekiant iki 65W energijos įkrovimui. Integruotas RJ-45 (Ethernet) prievadas leidžia kompiuteriams be įmontuoto LAN prievado prisijungti prie tinklo signalo tiesiogiai per monitorių.

- **USB-C Energijos Tiekimas (65W):** Vienu kabeliu galima perduoti vaizdą ir įkrauti nešiojamuosius įrenginius.
- **Integruotas RJ-45 Prievadas:** Palaiko tinklo signalo perdavimą, suteikdamas laidinį interneto ryšį.
- **Vaizdas šalia Vaizdo (PBP):** Galimybė vienu metu rodyti signalus iš dviejų skirtingų šaltinių, puikiai tinka daugiafunkciniam darbui.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- **Ergonomiškumas:** Stovas leidžia reguliuoti aukštį ir pasvirimą, užtikrinant komfortą; turi integruotus 2x 3W garsiakalbius.
- **Akių Apsauga:** „Low Blue Light“ (mažos mėlynos šviesos) ir „Flicker-Free“ technologijos sumažina nuovargį.

DAHUA Technology yra pasaulinė lyderė, tiekianti į vaizdą orientuotus išmaniuosius daiktų interneto sprendimus ir paslaugas, žinoma dėl aukštos kokybės ekranų ir stebėjimo technologijų gamybos, naudojamų tiek profesionalioje, tiek vartotojų rinkoje.

Užsisakykite šiandien iš ++SHOP++, nes siūlome geriausias kainas ir greitą profesionalių monitorių, tokių kaip DAHUA DHI-LM49-EW410CA, pristatymą.

- With DQHD resolution, the 32:9 ultra-wide screen offers a broader field of view, making it easy to display game maps and business reports.
- > Designed with a 1800R curvature, the device provides an unparalleled immersive experience with depth in its visuals.
- > With a wide color gamut of 99% sRGB and 85% NTSC, as well as an average color accuracy of $\Delta E 2$, the device ensures that visuals are accurately displayed in rich colors.
- > Equipped with a USB-C port, it easily connects to laptops, smartphones, tablets, and other mobile devices, allowing seamless screen sharing on a large display, while enhancing your web browsing and entertainment experience. It also supports up to 65 W power output for charging mobile devices.
- > The RJ-45 port supports network signal transmission, allowing the device to be connected to laptops that do not have Ethernet ports.
- > Supports Picture-by-Picture (PBP), allowing two signals from channels to be processed and displayed on the screen simultaneously, enabling you to conveniently watch movies, play games, and enjoy other forms of entertainment at the same time.
- > Easily switches to blue light mode to help reduce eye strain and make your viewing experience more comfortable.
- > The ergonomic stand can be adjusted horizontally and tilted forward and backward, providing you with a comfortable entertainment experience.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- With DQHD resolution, the 32:9 ultra-wide screen offers a broader field of view, making it easy to display game maps and business reports.
- > Designed with a 1800R curvature, the device provides an unparalleled immersive experience with depth in its visuals.
- > With a wide color gamut of 99% sRGB and 85% NTSC, as well as an average color accuracy of $\Delta E 2$, the device ensures that visuals are accurately displayed in rich colors.
- > Equipped with a USB-C port, it easily connects to laptops, smartphones, tablets, and other mobile devices, allowing seamless screen sharing on a large display, while enhancing your web browsing and entertainment experience. It also supports up to 65 W power output for charging mobile devices.
- > The RJ-45 port supports network signal transmission, allowing the device to be connected to laptops that do not have Ethernet ports.
- > Supports Picture-by-Picture (PBP), allowing two signals from channels to be processed and displayed on the screen simultaneously, enabling you to conveniently watch movies, play games, and enjoy other forms of entertainment at the same time.
- > Easily switches to blue light mode to help reduce eye strain and make your viewing experience more comfortable.
- > The ergonomic stand can be adjusted horizontally and tilted forward and backward, providing you with a comfortable entertainment experience.

Summary: Dahua Technology LM49-EW410CA. Display diagonal: 124.5 cm (49"), Display resolution: 5120 x 1440 pixels, HD type: Dual QHD, Display technology: LCD, Native aspect ratio: 32:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage:

<https://www.dahuasecurity.com/mena/products/All-Products/Display--Control/Monitors/Gaming-Series/LM49-EW410CA=V1> | Backlight type: Edge LED | Colour depth: 8 | Colour gamut standard: NTSC/sRGB | Contrast ratio (typical): 3000:1 | Display brightness (peak): 400 | Display diagonal: 49 | Display diagonal (metric): 124 | Display resolution: 5120 x 1440 | Display technology: LCD | HD type: Dual QHD | High Dynamic Range (HDR) supported: Yes | LED backlight: Yes | Maximum refresh rate: 120 | Native aspect ratio: 32:9 | NTSC coverage (typical): 85 | Panel type: VA | Pixel density: 108.54 | Pixel pitch: 0.2382 x 0.2382 | Response time (MPRT): 1 | Screen curvature rating: 1800R | Screen shape: Curved | sRGB coverage (typical): 99 | Supported graphics resolutions: 5120 x 1440 | Supported video modes: 1440p | Surface treatment: Haze 25%, 3H | Touchscreen: No | Viewable size, horizontal: 1191.936 | Viewable size, vertical: 335.232 | Viewing angle, horizontal: 178 |

Viewing angle, vertical: 178 | Flicker-free technology: Yes | Low Blue Light technology: Yes | Built-in camera: No | Built-in speaker(s): Yes | Number of speakers: 2 | RMS rated power: 6 | Feet colour: Black | Market positioning: Gaming | Product colour: Black | Refurbished: No | Audio output: Yes | Built-in USB hub: No | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 2.1 | Number of USB Type-B upstream ports quantity: 1 | Number of USB Type-C upstream ports quantity: 1 | USB Type-A downstream ports quantity: 2 | USB Type-C DisplayPort Alternate Mode: Yes | Bluetooth: No | Ethernet LAN: Yes | Wi-Fi: No | Adjustable height (max): 95 | Height adjustment: Yes | Panel mounting interface: 75 x 75 | Plug and Play: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 15 | VESA mounting: Yes | Wall mountable: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 63 | Energy consumption (SDR) per 1000 hours: 42 | Energy efficiency class (HDR): G | Energy efficiency class (SDR): F | Energy efficiency scale: A to G | Power consumption (max): 180 | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power consumption (typical): 72 | Power supply type: Internal | Operating relative humidity (H-H): 10 - 85 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Depth (with stand): 160.2 | Height (with stand): 375.6 | Weight (with stand): 11500 | Width (with stand): 1198.5 | Package depth: 284 | Package height: 486 | Package weight: 15600 | Package width: 1305 | Cables included: DisplayPort/Power/USB Type-C | Quick start guide: Yes | Stand included: Yes | Compliance certificates: CE/Electromagnetic Compatibility (EMC)/Low Voltage Directive (LVD) | Display viewable area (HxV): 1191.9 x 335.2 | E-manual: Yes | Picture-by-Picture (PbP): Yes | Power consumption: 42 | RJ-45 ports quantity: 1 | Speakers: 2 x 3 W | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2187117/fiches?language=EN> | Energy efficiency class: F | EPREL Registration Number: 2187117 | EPREL Version Number: 2 | Model: DHI-LM49-EW410CA | Units per Pallet: 0 | Unit Calculated Volume: 0.1747 | Product Net Weight: 11.5 | Unit Calculated Weight: 16.6

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903