



**Power Supply**  
**MSI MAG**  
**A1000GL PCIE5**  
**II ATX 3.1 1000**  
**Watts Efficiency**  
**80 PLUS GOLD**  
**PFC Active**  
**MAGA1000GLPCIE5II**

Modelis: MAG A1000GL PCIE5 II

Gamintojas: MSI

EAN: 4711377246729

Prekės kodas: 357060

**160.99€**

The MAG series fights alongside gamers in pursuit of honor.

With added military-inspired elements in these gaming products, they were reborn as the symbol of sturdiness and durability.

### **ATX 3.1 Ready**

The gaming power supply can hold up to 2x total power excursion and 3x GPU power excursion,

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

remaining stable when paired with high performing graphics cards.

## **ENERGY EFFICIENCY CERTIFICATION**

The efficiency of your power supply directly influences your system's performance and your power consumption. The 80 PLUS Gold certification promises lower energy consumption and higher efficiency.

## **ONLY WHAT YOU NEED**

The connectors that required by the build need to be used, significantly reducing cable clutter and simplifying the system's overall build. Additionally, the included cable pack provides a storage solution for any unused cables.

## **ALL THE MORE ORGANIZED**

Organizing cables is often the most bothersome part of building a PC. The flat cables make cable management easier and less of a headache! Thanks to the flat cables, the entire system can be more organized and has more room for unobstructed airflow.

## **FLUID DYNAMIC BEARING**

The power supply's fan comes with a fluid dynamic bearing that perfectly balances cooling performance and noise level.

## **Half bridge LLC + SR + DC/DC**

A half-bridge LLC with DC/DC converter combined to achieve higher conversion efficiency, stable output voltage, and quick voltage adjustment for different usage scenarios, thus providing a stable power supply design.

## **THE POWER YOU HAVE**

The single rail supply of power can properly deliver the power you need. For high-performance graphics cards and CPUs, this power supply's CPU & PCIe connectors are more than plenty.

## **PROTECTION MECHANISMS**

To make sure the entire system can operate safely and stably at all times, the power supply comes with a number of protection mechanisms to give you the best peace of mind.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- ATX 3.1 ready, native dual-color PCIe CEM 5.1 connector
- Supports NVIDIA® GeForce RTX™ 40 series graphics cards
- Fully modular design, flat cables
- 80 PLUS Gold certified for high efficiency
- Active PFC design
- Protection with OVP / OCP / OPP / OTP / SCP / UVP
- 135 mm fluid dynamic bearing fan
- LLC half bridge topology with DC-to-DC module design

Summary: MSI MAG A1000GL PCIE5 II. Total power: 1000 W, AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz. Motherboard power connector: 24-pin ATX, Motherboard power cable length: 60 cm, SATA power cable length: 150,500 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, Cooling type: Active, Fan diameter: 13.5 cm. Width: 150 mm, Depth: 150 mm, Height: 86 mm | Vendor Homepage: <https://www.msi.com/Power-Supply/MAG-A1000GL-PCIE5-II> | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Combined power (+12V): 999.6 | Combined power (+3.3V): 120 | Combined power (+5V): 120 | Combined power (+5Vsb): 15 | Combined power (-12V): 3.6 | Efficiency: 90 | Max output current (+12V): 83.3 | Max output current (+3.3V): 22 | Max output current (+5V): 22 | Max output current (+5Vsb): 3 | Max output current (-12V): 0.3 | Number of +12V rail(s): 1 | Power Factor Correction (PFC) type: Active | Power protection features: Over current/Over power/Over voltage/Overheating/Short circuit/Under voltage | Total power: 1000 | Cabling type: Fully-Modular | EPS power connector (4+4 pin): Yes | EPS power connector (8-pin): No | Motherboard power cable length: 600 | Motherboard power connector: 24-pin ATX | Number of SATA power connectors: 12 | PCI Express power connectors (16-pin): 1 | PCI Express power connectors (6+2 pin): 4 | Peripheral (Molex) power cable length: 450/500 | Peripheral (Molex) power connectors (4-pin): 1 | SATA power cable length: 150/500 | 80 PLUS certification: 80 PLUS Gold | ATX version: 3.1 | Bearing technology: FDB | Power supply unit (PSU) form factor: ATX | Purpose: PC | Cooling type: Active | Fan diameter: 135 | Fan speed: 500 - 1800 | Illumination: No | Number of fans: 1 | On/off switch: Yes | Product colour: Black | Depth: 150 | Height: 86 | Weight: 169 | Width: 150 | Model name: MAG A1000GL PCIE5 II | Units per Pallet: 0 | Units per Shipping Box: 4 | Unit Calculated Volume: 0.0112 | Unit Calculated Weight: 3.48

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903