



**Mainboard
GIGABYTE AMD
B850 Socket
AM5 micro ATX
RAM DDR5-
SDRAM 4xSlots
Wi-Fi Yes
Bluetooth Yes
2xNumber of
M.2 (M) slots
B850M AORUS
ELITE WIFI6E
(rev. 1.x)
B850MAELTWF6E1.1**

Modelis: B850M A ELT WF6E 1.1

Gamintojas: GIGABYTE

EAN: 4719331871123

Prekės kodas: 357167

203.99€

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

GIGABYTE B850M AORUS ELITE WIFI6E

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

- X3D Turbo Mode : Unleash new era gaming performance
- DDR5 OC up to 8200MT/s
- AMD Socket AM5 : Supports AMD Ryzen 9000 / 8000 / 7000 Series Processors
- Digital twin 12+2+2 phases VRM solution
- Dual Channel DDR5 : 4*DIMMs with AMD EXPO Memory Module Support
- WIFI EZ-Plug : Quick and easy design for Wi-Fi antenna installation
- EZ-Latch Plus : PCIe and M.2 slots with Quick Release & Screwless Design
- EZ-Latch Click : M.2 heatsinks with screwless design
- Sensor Panel Link : Onboard video port for hassle-free in-chassis panel setup
- Friendly UI : Multi-Theme, AIO Fan Control, and Q-Flash Auto Scan in BIOS and SW.
- Ultra-Fast Storage : 2*M.2 slots, including PCIe 5.0 x4
- Efficient Thermal : VRM Thermal Armor Advanced & M.2 Thermal Guard Ext.
- Fast Networking : 2.5GbE LAN & Wi-Fi 6E with directional Ultra-high gain antenna
- Extended Connectivity : HDMI, Displayport
- PCIe UD Slot : PCIe 5.0 x16 slots with 10X strength for graphics card & Better Heat dissipation effect

Summary: GIGABYTE B850M AORUS ELITE WIFI6E Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases Digital VRM, up to 8200MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, WIFI 6E, 2.5GbE LAN, USB 3.2 Gen 2. Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Supported memory types: DDR5-SDRAM, Maximum internal memory: 256 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, PCI Express 4.0, PCI Express 5.0, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10. Maximum resolution: 3840 x 2160 pixels. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Realtek RTL8125, Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Vendor Homepage: <https://www.gigabyte.com/Motherboard/B850M->

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

AORUS-ELITE-WIFI6E-rev-1x | Audio chip: Realtek ALC1220-VB | Audio output channels: 7.1 | Component for: PC | Cooling type: Passive | Motherboard chipset: AMD B850 | Motherboard chipset family: AMD | Motherboard form factor: micro ATX | PC health monitoring: Fan/Temperature/Voltage/Water cooling | Power source type: ATX | Product colour: Black | Windows operating systems supported: Windows 10 x64/Windows 11 x64 | Compatible processor series: AMD Ryzen 7000 Series/AMD Ryzen 8000 Series/AMD Ryzen 9000 Series | Processor manufacturer: AMD | Processor socket: Socket AM5 | Supported processor sockets: Socket AM5 | ECC compatibility: Non-ECC | Maximum internal memory: 256 | Maximum internal memory per slot: 64 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 4 | Supported memory clock speed (max): 8200 | Supported memory clock speeds: 4400/4800/5200/5600/5800/6000/6200/6400/6600/6800/7000/7200/7400/7600/7800/7900/7950/8000/8200 | Supported memory types: DDR5-SDRAM | Unbuffered memory: Yes | Number of HDDs supported: 4 | Number of storage drives supported: 6 | RAID levels: 0/1/10 | RAID support: Yes | Supported storage drive interfaces: M.2,PCI Express 4.0,PCI Express 5.0,SATA III | Supported storage drive types: HDD & SSD | DirectX version: 12.0 | Maximum resolution: 3840 x 2160 | Parallel processing technology support: Not supported | 12V power connector: Yes | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Front panel audio connector: Yes | Front panel connector: Yes | Number of chassis fan connectors: 4 | Number of CPU fan connectors: 2 | Number of EPS power connectors (8-pin): 1 | Number of RGB LED pin headers: 4 | Number of SATA III connectors: 4 | Number of water pump connectors: 2 | RGB LED pin header: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | USB 3.2 Gen 2x2 connectors: 1 | Digital audio optical out: 1 | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | HDMI version: 1.4 | Headphone outputs: 1 | Line-in: Yes | S/PDIF out port: Yes | USB 2.0 ports quantity: 4 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 5 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 2 | USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity: 1 | WiFi-AP antenna jack: 2 | Bluetooth: Yes | Bluetooth version: 5.3 | Ethernet interface type: 2.5 Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Realtek RTL8125 | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Wi-Fi: Yes | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax)/Wi-Fi 6E (802.11ax) | WLAN controller model: Realtek RTL8852CE | 1st M.2 highest PCI Express generation: 5.0 | 1st M.2 largest key size: 25110 | 2nd M.2 highest PCI Express generation: 4.0 | 2nd M.2 largest key size: 22110 | Number of M.2 (M) slots: 2 | PCI Express x16 (Gen 3.x) slots: 1 | PCI Express x16 (Gen 5.x) slots: 1 | ACPI version: 5.0 | BIOS memory size: 256 | BIOS type: UEFI AMI | Clear CMOS jumper: Yes | Desktop Management Interface (DMI) version: 2.7 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

System Management BIOS (SMBIOS) version: 2.7 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Battery type: CR2032 | Battery weight: 3 | Lithium weight per battery: 0.07 | Number of battery cells: 1 | Package depth: 268 | Package height: 68 | Package weight: 1972.5 | Package width: 270 | Products per shipping (inner) case: 1 | Depth: 244 | Height: 35 | Width: 244 | Antenna included: Yes | Batteries included: Yes | Bundled software: Norton® Internet Security (OEM version) LAN bandwidth management software | Screws included: Yes | Warranty period: 3 | Weight: 1780 | Model: B850M AORUS ELITE WIFI6E (rev. 1.x) | Units per Pallet: 0 | Units per Shipping Box: 8 | Unit Calculated Volume: 0.006549 | Unit Calculated Weight: 1.96

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903