



Mainboard GIGABYTE AMD B550 SAM4 Micro-ATX Memory DDR4 Memory slots 4 B550MDS3HR2

Modelis: B550M DS3H R2

Gamintojas: GIGABYTE

EAN: 4719331870454

Prekės kodas: 357173

93.99€

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

- AMD Socket AM4 Supports AMD Ryzen 5000 / 4000 / 3000 Series Processors
- Digital 5+3 phases VRM solution
- Dual Channel DDR4: 4*DIMMs

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- EZ-Latch PCIe slots with Quick Release Design
- Ultra-Fast Storage: 2*M.2 slots, including PCIe 4.0 x1
- Efficient Thermal: VRM Thermal Armor Advanced
- Fast Networking: GbE LAN
- Extended Connectivity: HDMI, Displayport
- PCIe UD Slot: PCIe 4.0 x16 slots with 10X strength for graphics card & Better Heat dissipation effect

Summary: GIGABYTE B550M DS3H R2 Motherboard - AMD Ryzen 5000 CPUs, 5+3 Phases VRM, up to 4733MHz DDR4 (O.C.), 1xPCIe 4.0 + 1xPCIe 3.0 M.2, 1GbE LAN, USB 3.2 Gen 1. Processor manufacturer: AMD, Processor socket: Socket AM4, Compatible processor series: AMD Ryzen 3000 Series, AMD Ryzen 4000 Series, AMD Ryzen 5000 Series. Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, PCI Express 3.0, PCI Express 4.0, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10. Maximum resolution: 5120 x 2880 pixels. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111H | Vendor Homepage: <https://www.gigabyte.com/> | Audio chip: Realtek ALC1220-VB | Audio output channels: 7.1 | Component for: PC | Cooling type: Passive | Motherboard chipset: AMD B550 | Motherboard chipset family: AMD | Motherboard form factor: micro ATX | PC health monitoring: Fan/Temperature/Voltage | Power source type: ATX | Product colour: Dark brown | Windows operating systems supported: Windows 10 x64/Windows 11 x64 | Compatible processor series: AMD Ryzen 3000 Series/AMD Ryzen 4000 Series/AMD Ryzen 5000 Series | Processor manufacturer: AMD | Processor socket: Socket AM4 | Supported processor sockets: Socket AM4 | ECC compatibility: ECC & Non-ECC | Maximum internal memory: 128 | Maximum internal memory per slot: 32 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 4 | Supported memory clock speed (max): 4733 | Supported memory clock speeds: 2133/2400/2667/2933/3200/3400/3466/3600/3733/3866/4000/4133/4266/4400/4600/4733 | Supported memory types: DDR4-SDRAM | Unbuffered memory: Yes | Number of HDDs supported: 4 | Number of storage drives supported: 6 | RAID levels: 0/1/10 | RAID support: Yes | Supported storage drive interfaces: M.2,PCI Express 3.0,PCI Express 4.0,SATA III | Supported storage drive types: HDD & SSD | DirectX version: 12.0 | HDCP: Yes | Maximum resolution: 5120 x 2880 | Parallel processing technology support: Not supported | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Front panel audio connector: Yes | Front panel connector: Yes | Number of chassis fan connectors: 2 | Number of CPU fan connectors: 1 | Number of EPS power connectors (8-pin): 1 | Number of RGB LED pin headers: 5 | Number of SATA III connectors: 4 | RGB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

LED pin header: Yes | Serial port headers: 1 | TPM connector: Yes | USB 2.0 connectors: 1 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 2 | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone outputs: 1 | Line-in: Yes | Microphone in: Yes | PS/2 ports quantity: 1 | USB 2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | Ethernet interface type: Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Realtek RTL8111H | Wi-Fi: No | 1st M.2 highest PCI Express generation: 4.0 | 1st M.2 largest key size: 2280 | 2nd M.2 highest PCI Express generation: 3.0 | 2nd M.2 largest key size: 2280 | Number of M.2 (M) slots: 2 | PCI Express x1 (Gen 3.x) slots: 1 | PCI Express x16 (Gen 3.x) slots: 1 | PCI Express x16 (Gen 4.x) slots: 1 | ACPI version: 5.0 | BIOS memory size: 128 | BIOS type: UEFI AMI | Clear CMOS jumper: Yes | Desktop Management Interface (DMI) version: 2.7 | System Management BIOS (SMBIOS) version: 2.7 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Battery type: CR2032 | Battery weight: 3 | Lithium weight per battery: 0.07 | Number of battery cells: 1 | Package depth: 265 | Package height: 54 | Package weight: 947 | Package width: 265 | Products per shipping (inner) case: 1 | Depth: 244 | Height: 35 | Width: 244 | Batteries included: Yes | Bundled software: Norton® Internet Security (OEM version) LAN bandwidth management software | Screws included: Yes | Warranty period: 3 | Weight: 870 | Model: B550M DS3H R2 | Units per Pallet: 0 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.004628 | Unit Calculated Weight: 0.955

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903