



# Case ARCTIC EATX Black Midi Tower PC ACPCC00015A



Modelis: ACPCC00015A

Gamintojas: ARCTIC

EAN: 4895265000300

Prekės kodas: 358064

---

## 191.99€

---

### Xtend your Cooling

The Xtender is a high-airflow panorama case for maximum air circulation. Five pre-installed fans ensure efficient cooling of high-performance components. The power supply unit (PSU) will be mounted approximately 20 mm above the bottom to ensure an optimal supply of fresh air.

### Compatibility for 120 or 140 mm Fans

Modular, removable fan brackets for installing 140 mm fans at the top or on the side.

### Supports Two 420 mm Radiators

Supports two 420, 360, 280 or 240 mm radiators for high-performance AIOs and custom loops.

### Magnetic Mesh Filters

Easily removable, reinforced filters protect against dust and allow quick cleaning.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## Five preinstalled Fans

### Xtend your Vision

#### Functional I/O Panel

No frills. Only the most important and frequently used ports are included.

#### Tempered Glass Side Panels

Large tempered glass windows provide a clear view of the hardware.

#### A-RGB PSU Cover

Integrated glass panel with 24 A-RGB LEDs illuminates the lower section of the case.

### Xtend your Storage

#### Flexible Mounting for Up to Six Drives

Supports three 2.5" drives behind the motherboard tray. Removable drive cage holds two 3.5"/2.5" and one additional 2.5" drive.

### Xtend your Experience

#### Includes Accessory Box

Includes extra screws, cable ties and space for additional small parts.

#### 3D Cable Pass-Throughs for Improved Aesthetics

For clean cable routing behind the motherboard and a tidy interior.

#### Clean Cable Management

Smart cutouts and optimally placed cable straps for easy cable management.

Summary: ARCTIC Xtender (Black) Premium E-ATX PC Case. Form factor: Midi Tower, Type: PC, Product colour: Black. Power supply location: Bottom, Supported power supply form factors: ATX. Side fans installed: 3x 140 mm, Side fans diameters supported: 120,140 mm, Rear fans installed: 2x 120 mm. Supported HDD sizes: 2.5,3.5". Width: 231 mm, Depth: 529 mm, Height: 529 mm | Vendor

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Homepage: <https://www.arctic.de/en/Xtender-Black/ACPCC00015A#radiatorThickness> | Anti-dust filter: Yes | Cable management: Yes | Form factor: Midi Tower | Illumination: Yes | Illumination colour: Blue/Green | Illumination location: Case fans/Side | Material: Metal/Tempered glass | Maximum CPU cooler height: 171 | Maximum graphics card length: 482 | Maximum PSU length: 318 | Number of 2.5" bays: 4 | Number of 3.5" bays: 2 | Number of expansion slots: 7 | Number of internal 3.5" bays: 2 | Number of storage drives supported: 6 | On/off button: Yes | Product colour: Black | Suitable for: Gaming | Supported motherboard form factors: EATX | Tempered glass panel(s): Yes | Type: PC | Power supply included: No | Power supply location: Bottom | Supported power supply form factors: ATX | Combo headphone/mic port: Yes | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity: 1 | Fan 2 maximum air pressure: 5.1 | Fan 2 maximum airflow: 98 | Fan rated voltage: 5 - 12 | Fan speed: 600 - 3000 | Maximum air pressure: 6.9 | Maximum airflow: 77 | Number of rear fans supported (max): 2 | Number of side fans supported (max): 3 | Number of top fans supported (max): 3 | Rear fans diameters supported: 120 | Rear fans installed: 2x 120 mm | Side fans diameters supported: 120/140 | Side fans installed: 3x 140 mm | Side radiator sizes supported: 240/280/360/420 | Top fans diameters supported: 120/140 | Top radiator sizes supported: 240/280/360/420 | HDD/SSD combo cage: Yes | Supported HDD sizes: 2.5/3.5 | Operating temperature (T-T): 0 - 40 | Depth: 529 | Height: 529 | Weight: 15400 | Width: 231 | Package depth: 624 | Package height: 637 | Package weight: 16800 | Package width: 327 | Bearing type: Fluid bearing | Fan connector: 4-pin | Volume: 64 | Units per Pallet: 0 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.1306 | Unit Calculated Weight: 16.8

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903