

Epson WorkForce DS-1660W Flatbed scanner 1200 x 1200 DPI A4 Black, White

Gamintojas: **EPSON** · Modelis: **B11B244401** · EAN: **8715946605661** · Prekės kodas: **36053**



377,90 €

Kaina su PVM

Be PVM: **312,31 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scanner type: Flatbed scanner 1200 x 1200 DPI
- ✓ Colour scanning Duplex scanning
- ✓ A4
- ✓ Maximum scan size: 210 x 297 mm
- ✓ USB port Wi-Fi Ethernet LAN
- ✓ Power supply type: AC
- ✓ Scanning noise level: 55 dB



Aprašymas

Produktbeschreibung Der WorkForce DS-1660W ist ein multifunktional einsetzbarer Arbeitsplatzscanner, der sowohl über eine Flachbetteinheit als auch über einen Einzug mit Vorlagen befüllt werden kann. Der Einzug verfügt über eine Kapazität von bis zu 50 Blatt. Dieser Scanner ist duplex-fähig und scannt mit einer optischen Auflösung von 600x600 dpi. Durch seine kompakten Abmessungen lässt er sich flexibel in eine Arbeitsumgebung integrieren und kann über WLAN auch über ein Netzwerk angesprochen werden. Der DS-1660W hat eine Vielzahl von Farbanpassungs- und Bildverbesserungsfunktionen und kann Dokumente bis zu einer Länge von 3048 Millimeter scannen. Art.-Nr.: 1335892 Typ: Einzugs- und Flachbettscanner | Farbe: grau/schwarz | EAN: 8715946605661 | Hersteller-Nr.: B11B244401 | Medien: Bücher, Dokumente, Fotos, Visitenkarten | Anschlüsse: 1x USB-B 3.2 Gen 1 (5 Gbit/s), trueX WLAN | Bedienung: 5-zeilige LCD-Anzeige mit Push-Scan-Funktionen | Auflösung: 600 x 600 dpi | Einzugs-Scanner: maximal 3048 x 210 mm | Lichtquelle: LED (RGB) | Vorlagenverarbeitung: Vorlageneinzug, Vorlagenglas | Geschwindigkeit: bis zu 25 Seiten/bis zu 10 Bilder pro Min. (Monochrom, 200 dpi) | Details: Scannen zu JPEG, Scannen zu TIFF, Scannen zu multi-TIFF, Scannen zu PDF,

Scannen zu PDF / batch, Scannen zu durchsuchbare PDF, Duplex-Scan, RGB Farbabfall, Erweiterte Farbausblendung/Optimierung, Leere Seiten überspringen, Lochentfernung, Erweiterte Bildbearbeitung, Automatische Schieflagenkorrektur, RGB -Farbverbesserung, automatische Bilddrehung, Textverbesserung, Kantenglättung, Entraisterung, Barcode-Erkennung, Zonenbezogene OCR-A und B-Unterstützung, Vollständig zonale OCR | Zubehör: Software-CD, Aufstellanleitung, Stromkabel, USB-Kabel | Abmessungen: Breite: 45,1 cm x Höhe: 12 cm x Tiefe/Länge: 31,5 cm | Gewicht: 3,9 kg

Techninė specifikacija

Specifications	
Sandėlio grupė	Scanner > Scanner [+0][-1]
Scanning	
Maximum scan size	210 x 297 mm
Optical scanning resolution	1200 x 1200 DPI
Duplex scanning	Yes
Enhanced scan resolution	1200 x 1200 DPI
Colour scanning	Yes
Input colour depth	30 bit
Output colour depth	24 bit
Input greyscale depth	10 bit
Output greyscale depth	8 bit
ADF scan speed (b/w, A4)	25 ppm
ADF scan speed (colour, A4)	25 ppm
Design	
Scanner type	Flatbed scanner
Built-in display	No
Product colour	Black, White
Performance	
Daily duty cycle (max)	1500 pages
Light source	ReadyScan LED
Scan file formats	JPG, PDF, TIFF
Scan drivers	TWAIN
Password protection	Yes
Scanning noise level	55 dB
Input capacity	
Auto document feeder (ADF) input capacity	50 sheets
Paper handling	
Maximum ISO A-series paper size	A4

ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Letter	Yes
Legal	Yes
Auto Document Feeder (ADF) media weight	50 - 120 g/m ²
Maximum scan area (ADF)	210 x 3048 mm
Minimum scan area (ADF)	89 x 127 mm

Ports & interfaces

USB port	Yes
USB version	3.2 Gen 1 (3.1 Gen 1)
Optional connectivity	Ethernet
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN

Network

Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g
Ethernet LAN	Yes
IPv6 support	Yes
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP

Power

Power supply type	AC
-------------------	----

Weight & dimensions

Width	451 mm
Depth	318 mm
Height	121 mm
Weight	3.9 kg

Packaging data

Quantity per pack	1 pc(s)
Package width	195 mm
Package depth	520 mm
Package height	405 mm
Package weight	4.84 kg

Packaging content

Software CD	Yes
Warranty card	Yes

Cables included	AC
Quick start guide	Yes
Drivers included	Yes
Bundled software	Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2
Sustainability	
Sustainability certificates	ENERGY STAR
System requirements	
Compatible operating systems	Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8 (32/64 Bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Vista, Windows Vista, 64-Bit-Version
Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Operational conditions	
Operating temperature (T-T)	10 - 35 °C
Storage temperature (T-T)	-20 - 80 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%
Other features	
Image formats supported	JPEG, TIFF
Cabling technology	10/100/1000Base-T(X)
Control panel	5-line LCD with Push Scan features
Logistics data	
Products per pallet	40 pc(s)
Country of origin	Indonesia
Pallet gross weight	0 g
Pallet gross length	120 cm
Pallet gross width	80 cm
Pallet gross height	15 cm
Products per pallet layer	8 pc(s)
Products per pallet layer (UK)	10 pc(s)
Products per pallet (UK)	50 pc(s)
Pallet weight (UK)	0 g

Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	15 cm
Harmonized System (HS) code	84716070
Matmenys ir svoris	
Matmenys (l × p × A)	32,00cm × 45,00cm × 12,00cm
Svoris	3,90kg