



TP-Link Archer C80 wireless router Gigabit Ethernet Dual-band (2.4 GHz 5 GHz) Black



Modelis: Archer C80

Gamintojas: TP-LINK

EAN: 6935364088873

Prekės kodas: 363455

45.99€

Windows operating systems supported: Windows Vista Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Package weight: 800 g | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported:

Windows 10 IOT Core | Windows operating systems supported: Windows Vista Enterprise x64 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows 7 Home Basic | Ethernet LAN data rates: 100 | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Ethernet LAN data rates: 1000 Mbit/s | Operating relative humidity (H-H): 10 - 90% | Ethernet LAN data rates: 10 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 98SE | Power source type: DC | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Security algorithms: 128-bit WEP | Stateful Packet Inspection (SPI): Yes | Security algorithms: WPA2-PSK | Security algorithms: WPA | Networking standards: IEEE 802.11a | DHCP client: Yes | Operating temperature (T-T): 0 - 40 °C | Reset button: Yes | Security algorithms: 64-bit WEP | Security algorithms: WPA2 | MAC address filtering: Yes | Networking standards: IEEE 802.11b | Windows operating systems supported: Windows 7 | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Security algorithms: WPA-PSK | Storage relative humidity (H-H): 5 - 90% | Networking standards: IEEE 802.11ac | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Ethernet LAN (RJ-45) ports: 5 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows Vista x64 | Windows operating systems supported: Windows NT | Package width: 350 mm | DC-in jack: Yes | Product

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

colour: Black | Windows operating systems supported: Windows XP | LED indicators: LAN, Power, Status, WLAN, WPS | Storage temperature (T-T): -40 - 70 °C | AC adapter included: Yes | Cables included: AC | Product type: Tabletop router | Cables included: LAN (RJ-45) | Ethernet LAN: Yes | Package depth: 240 mm | WLAN data transfer rate (max): 1300 Mbit/s | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Antennas quantity: 4 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi standards: 802.11g | Cabling technology: 10/100/1000Base-T(X) | Wi-Fi standards: 802.11a | Package height: 82 mm | Quick installation guide: Yes | Output voltage: 12 V | Mac operating systems supported: MacOS | Mac compatibility: Yes | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Ethernet WAN: Yes | On/off switch: Yes | Wi-Fi standards: 802.11b | Ethernet LAN interface type: Gigabit Ethernet | Dynamic DNS (DDNS): Yes | WPS push button: Yes | Firewall: Yes | DMZ support: Yes | Antenna design: External | Port forwarding: Yes | WLAN data transfer rate (first band): 1300 Mbit/s | Memory card slot(s): No | Guest access: Yes | Access Control List (ACL): Yes | Wall mountable: Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Detachable antenna(s): No | WAN connection type: RJ-45 | USB port: No | Browser supported: Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 | Warnings: Do not open the appliance housing - risk of electric shock. | Transmit power: CE: 20dBm(2.4 GHz), 23dBm(5.15 GHz~5.25 GHz), FCC: 30dBm(2.4 GHz & 5 GHz) | DHCP server: Yes | Warnings: The product may emit radio waves that may interfere with other electronic devices. | Warnings: Avoid contact with liquids as this may cause electric shock. | Linux operating systems supported: Yes | Universal Plug and Play (UPnP): Yes | SIM card slot: No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903