



**HP LaserJet Pro
3002dw Printer,
Black and white,
Printer for Small
medium
business, Print,
Dualband Wi-Fi;
Strong Security;
Energy Efficient;
Fast first page
out speeds;
Two-sided
printing; Roam**

Modelis: 3G652F

Gamintojas: HEWLETT-PACKARD

EAN: 195122490874

Prekės kodas: 365044

151.00€

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Box contents: HP LaserJet Pro 3002dw Printer HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages) Setup Guide Reference Guide Regulatory Flyer Warranty Guide Power cord | Compatible operating systems: Windows 11 Windows 10 macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 2 GB available hard disk space Internet connection Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina macOS v11 Big Sur macOS v12 Monterey 2 GB HD Internet required. | Bundled software: No CD inbox (except Indonesia and China Gov) Downloadable Software from www.hp.com/hp-app, in-OS app stores. CD include HP Software Installer, Uninstaller, printer driver and other essential tools | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 | Replacement cartridges: HP 139A Original Black LaserJet Toner Cartridge (~1,500 yield) W1390A HP 139X Original Black LaserJet Toner Cartridge (~4,000 yield) W1390X, | Manufacturer warranty: One year limited warranty. Warranty and support options vary by product, country and local legal requirements. | Sustainability compliance: Yes | Doesn't contain: Mercury | Sustainability certificates: Blue Angel | Sustainable technologies and materials: Forest First product | Maximum input capacity: 250 sheets | Width: 367 mm | Wi-Fi: Yes | Internal memory: 256 MB | Printing: Mono printing | Maximum resolution: 1200 x 1200 DPI | Mobile printing technologies: Apple AirPrint | Ethernet LAN: Yes | Direct printing: Yes | ISO B-series sizes (B0...B9): B5 | Custom media width: 76 - 216 mm | Non-ISO print media sizes: 16K | USB port: Yes | Built-in processor: Yes | Non-ISO print media sizes: Oficio | Non-ISO print media sizes: L | Cabling technology: 10/100Base-T(X) | Depth: 398.2 mm | Non-ISO print media sizes: Hagaki card | Mobile printing technologies: Mopria Print Service | Number of print cartridges: 1 | Maximum ISO A-series paper size: A4 | Height: 216.2 mm | ISO A-series sizes (A0...A9): A5 | Wi-Fi standards: 802.11g | ISO A-series sizes (A0...A9): A6 | Print technology: Laser | ISO A-series sizes (A0...A9): A4 | Printing colours: Black | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi standards: 802.11b | Linux operating systems supported: Yes | Wi-Fi standards: 802.11a | Custom media length: 127 - 356 mm | Cables included: AC | Package height: 466 mm | Print speed (black, normal quality, A4/US Letter): 33 ppm | Market positioning: Business | Server operating systems supported: Windows Server 2012 x64 | Colour: No | Server operating systems supported: Windows Server 2008 R2 x64 | Server operating systems supported: Windows Server 2012 R2 x64 | Maximum print size: 207 x 348 mm | Server operating systems supported: Windows Server 2016 x64 | Bluetooth: Yes | Display diagonal: 7.62 cm (3") | Built-in display: Yes | Mac operating systems supported: Mac OS X 12.0 Monterey | Package width: 438 mm |

Product colour: Grey | Package depth: 278 mm | Ethernet LAN data rates: 10,100 Mbit/s | Mac

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

operating systems supported: MacOS | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Operating temperature (T-T): 15 - 32.5 °C | Storage temperature (T-T): -20 - 60 °C | Power consumption (off): 0.06 W | Processor frequency: 800 MHz | Weight: 7.5 kg | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Operating relative humidity (H-H): 10 - 80% | Windows operating systems supported: Windows 11 | Security algorithms: SNMP | Package weight: 9.8 kg | AC input frequency: 50/60 Hz | Power consumption (PowerSave): 0.06 W | AC input voltage: 110 - 240 V | Windows operating systems supported: Windows 10 | Paper tray 1 input capacity: 250 sheets | Envelopes sizes: C6 | Envelopes sizes: DL | Envelopes sizes: B5 | Envelopes sizes: C5 | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | HP GTIN (EAN/UPC): 886111043361 | Total carbon footprint (kg of CO2e): 14.8 | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429 | Compliance certificates: CE | Compliance certificates: CCC | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: EAC | Compliance certificates: BIS | Total carbon emissions, w/o use phase (kg of CO2e): 499 | Carbon emissions, end-of-life (kg of CO2e): 0.6 | Compliance certificates: BSMI | Compliance certificates: GS mark | Carbon emissions, logistics (kg of CO2e): 50 | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | Carbon emissions, manufacturing (kg of CO2e): 377 | Master (outer) cases per pallet layer: 9 pc(s) | Paper tray media weight: 60 - 163 g/m² | Recommended operating temperature range (T-T): 17.5 - 25 °C | Sound pressure level (printing): 53 dB | Printer fonts: Scalable | Printer fonts: TrueType | Acoustic pressure emissions bystander (ready): 14 dB | Wi-Fi Direct: Yes | Pallet dimensions (W x D x H): 1200 x 1000 x 2015 mm | Recommended duty cycle: 350 - 2500 pages per month | Power consumption (printing): 484 W | Maximum number of input trays: 1 | Paper tray media types: Labels | ISO C-series sizes (C0...C9): C5 | Page description languages: PDF | Maximum duty cycle: 50000 pages per month | Duplex printing mode: Auto | Warranty card: Yes | Print resolution black: 1200 x 1200 DPI | Time to first page (black, normal): 7 s | Maximum output capacity: 150 sheets | Duplex printing: Yes | Photo paper sizes (imperial): 10x15" | Layers per pallet: 4 pc(s) | ISO C-series sizes (C0...C9): C6 | Page description languages: PCL 5c | Page description languages: URF | Photo paper sizes (imperial): 9x13 | Cartridge(s) included: Yes | Pallet gross weight: 362.5 kg | Power consumption (ready): 2.93 W | Duplex print speed (black, normal quality, A4/US Letter): 20 ppm | Energy Star Typical Electricity Consumption (TEC): 0.387 kWh/week | Page description languages: PCLmS | Other operating systems supported: Linux | Paper tray media types: Cut sheet | Paper tray

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

media types: Glossy paper | Maximum internal memory: 256 MB | Paper tray media types: Plain paper | Paper tray media types: Envelopes | Page description languages: PWT | Paper tray media types: Postcard | Total number of input trays: 1 | Included cartridge capacity (black): 1000 pages | Total output capacity: 150 sheets | Harmonized System (HS) code: 8443321010 | Custom media sizes: Width 76 to 216 mm Length 127 to 356mm | Warm-up time: 55 s | Control type: Buttons | Photo paper sizes: 10x15 cm | Acoustic power emissions (ready): 32 dB | UNSPSC-code: 43212105 | Recommended humidity operating range: 30 - 70% | HP Dynamic security: Yes | Total input capacity: 250 sheets | Secure printing: Yes | Sound power level (printing): 6.5 dB | HP segment: Small medium business