HP LaserJet Pro 3002dw Printer, Black and white, Printer for Small medium business, Print, Dualband Wi-Fi; Strong Security; Energy Efficient; Fast first page out speeds; Two-sided printing; Roam

Gamintojas: **HEWLETT-PACKARD** · Modelis: **3G652F** · EAN: **195122490874** · Prekės kodas: **365044**



148,90 €

Kaina su PVM

Be PVM: **123,06 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės


- ✓ Verslui Lazeris
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 33 ppm
- ✓ Abipusis spauzdinimas Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 50000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 1 Bendra įvesties talpa: 250 lapai Bendra išvesties talpa: 150 lapai
- ✓ Vidinė atmintis: 256 MB Integruotas procesorius 800 MHz

















Aprašymas

Powerful productivity. Seamless management. This printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.

Techninė specifikacija

Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm
Warm-up time	55 s
Time to first page (black, normal)	7 s
Secure printing	Yes
Features	
Maximum duty cycle	50000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	PDF, PCLmS, PWG, URF, PCL 5c
Recommended duty cycle	350 - 2500 pages per month
Printer fonts	Scalable, TrueType
Country of origin	Vietnam
Replacement cartridges	HP 139A Original Black LaserJet Toner Cartridge (~1,500 yield) W1390A; HP 139X Original Black LaserJet Toner Cartridge (~4,000 yield) W1390X,
HP segment	Small medium business
Input & output capacity	
Total number of input trays	1

Total input capacity	250 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	250 sheets
Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	150 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Envelopes, Labels, Cut sheet, Postcard
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	207 x 348 mm
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Hagaki card, L, Oficio, 16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Photo paper sizes (imperial)	10x15"
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 163 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi Direct	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth	Yes
Security algorithms	SNMP
Mobile printing technologies	Mopria Print Service, Apple AirPrint

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Performance	
Internal memory	256 MB
Maximum internal memory	256 MB
Built-in processor	Yes
Processor frequency	800 MHz
Sound pressure level (printing)	53 dB
Sound power level (printing)	6.5 dB
Design	
Market positioning	Business
Product colour	Grey, White
Built-in display	Yes
Display diagonal	7.62 cm (3")
Control type	Buttons
Certification	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Power	
Power consumption (printing)	484 W
Power consumption (ready)	2.93 W
Power consumption (PowerSave)	0.06 W
Power consumption (off)	0.06 W
Energy Star Typical Electricity Consumption (TEC)	0.387 kWh/week
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2008 R2 x64
Other operating systems supported	Linux
Operational conditions	
Operating temperature (T-T)	15 - 32.5 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Sustainability	
Sustainability certificates	Blue Angel
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	130
Carbon emissions, manufacturing (kg of CO2e)	87
Carbon emissions, logistics (kg of CO2e)	10
Carbon emissions, end-of-life (kg of CO2e)	13
Total carbon emissions, w/o use phase (kg of CO2e)	24
Weight & dimensions	
Width	367 mm
Depth	398.2 mm
Height	216.2 mm
Weight	7.5 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2015 mm
Packaging data	
Package width	438 mm
Package depth	278 mm
Package height	466 mm
Package weight	9.8 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	1000 pages
Warranty card	Yes
Cables included	AC
Bundled software	No CD inbox (except Indonesia and China Gov) Downloadable Software from www.hp.com/hp-app, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools
Brand-specific features	
HP Dynamic security	Yes
HP Security tools	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change; 802.1x authentication
HP GTIN (EAN/UPC) with options	(ABT) 195122490829; (ABY) 195122490836; (B19) 195122490874; (BAZ) 195122490898

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

HP GTIN (EAN/UPC)	195122490829, 195122490836, 195122490874, 195122490898

Logistics data

Harmonized System (HS) code	8443321010
Pallet gross weight	362.5 kg
Layers per pallet	4 pc(s)
Products per pallet	36 pc(s)

Technical details

Master (outer) cases per pallet layer	9 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-pro-3001-3008dn-dw-printer-series/model/35800989?sku=3G652F ; https://kaas.hpcloud.hp.com/pdf-public/pdf_3349061_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_3349061_en-US-1.pdf

Other features

Recommended system requirements	Microsoft Windows 11; 10; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina; macOS v11 Big Sur; macOS v12 Monterey; 2 GB HD; Internet required.
Power supply type	Internal (Built-in) power supply
Electromagnetic compatibility	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Compatible operating systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 15 Sequoia; Linux
Printing	Mono printing
Manufacturer warranty	One year limited warranty. Warranty and support options vary by product, country and local legal requirements.
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C
Custom media sizes	Width 76 to 216 mm ; Length 127 to 356mm
Acoustic power emissions (ready)	32 dB
Acoustic pressure emissions bystander (ready)	14 dB
UNSPSC-code	43212105
Box contents	HP LaserJet Pro 3002dw Printer; HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages); Setup Guide; Reference Guide; Regulatory Flyer; Warranty Guide; Power cord

Matmenys ir svoris

Matmenys (I × P × A)	44,00cm × 28,00cm × 47,00cm
Svoris	9,55kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija