



HP Smart Tank 670 All-in-One Thermal inkjet A4 4800 x 1200 DPI 12 ppm Wi- Fi

Modelis: 6UU48A

Gamintojas: HEWLETT-PACKARD

EAN: 195908303244

Prekės kodas: 365069

212.98€

Certification: CISPR 32:2015/EN 55032:2015+A11:2020 Class B CISPR24:2010+A1:2015/EN 55024:2010+A1:2015 EN55035:2017+A11:2020/CISPR35:2016 EN 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 FCC CFR 47 Part 15 Subpart B ICES-003 Issue 7:2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 | Recommended system requirements: Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer. | Bundled software: HP Printer Software, available online | Total carbon footprint (kg of CO₂e): 0.7 | HP GTIN (EAN/UPC): 195122442972, 195122443030 | HP GTIN (EAN/UPC) with options: (ABB) 195122442972 (ABU) 195122443030 | Maximum duty cycle: 3000 pages per month | Envelopes sizes: DL | Envelopes sizes: C6 | Duplex printing mode: Auto | Print speed (colour, draft quality, A4/US Letter): 21 ppm | UNSPSC-code: 43212110 | Control type: Buttons | All-In-One-multitasking: Yes | Total number of input trays: 1 |

Maximum output capacity: 100 sheets | Time to first page (colour, normal): 18 s | Scan technology:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

CIS | Auto fit function: Yes | Time to first page (black, normal): 15 s | Maximum number of input trays: 1 | Maximum internal memory: 128 MB | Colour display: Yes | Print resolution black: 1200 x 1200 DPI | Number of print heads: 2 | Duplex printing: Yes | HP segment: Home | Sound power level (printing): 6.5 dB | Recommended humidity operating range: 20 - 80% | Total output capacity: 100 sheets | Borderless printing: Yes | Warranty card: Yes | Recommended operating temperature range (T-T): 15 - 30 °C | Page description languages: PCL 3 GUI | Recommended duty cycle: 400 - 800 pages per month | ISO C-series sizes (C0...C9): C6 | Wi-Fi Direct: Yes | Envelope feeder: No | Custom media sizes: 88.9 x 127 mm to 215.9 x 355.6 mm | Total input capacity: 150 sheets | ISO C-series sizes (C0...C9): C5 | Paper tray media weight: 60 - 250 g/m² | Carbon emissions, logistics (kg of CO₂e): 4 | Typical electricity consumption (TEC) number: 0.30 kWh/Week | Carbon emissions, manufacturing (kg of CO₂e): 143 | Print speed (black, draft quality, A4/US Letter): 22 ppm | Print resolution colour: 4800 x 1200 DPI | Document formats supported: PDF | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Paper tray media types: Photo paper | Paper tray media types: Plain paper | Carbon emissions, end-of-life (kg of CO₂e): 17 | Paper tray media types: Recycled paper | Other operating systems supported: ChromeOS | Paper tray media types: Lightweight paper | Print speed (ISO/IEC 24734) colour: 7 ppm | Print speed (ISO/IEC 24734) black: 12 ppm | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Total carbon emissions, w/o use phase (kg of CO₂e): 15 | Warnings: Follow local regulations for the disposal of electronic multifunctional devices. | Warnings: Do not dispose of used appliances and toner cartridges in the regular rubbish bin, they may contain substances harmful to the environment. | Warnings: Avoid contact with ink, may cause skin irritation. | Processor frequency: 800 MHz | PictBridge: No | Built-in display: Yes | Windows operating systems supported: Windows 10 | Cables included: AC | Package width: 484 mm | Windows operating systems supported: Windows 11 | Custom media length: 127 - 355.6 mm | USB 2.0 ports quantity: 2 | Package weight: 9.2 kg | Print technology: Thermal inkjet | Display: LCD | Mac operating systems supported: Mac OS X 13.0 Ventura | Copier resize: 25 - 400% | Operating temperature (T-T): 5 - 40 °C | Maximum print size: 216 x 355.6 mm | Mac operating systems supported: Mac OS X 10.14 Mojave | AC input frequency: 50/60 Hz | Windows operating systems supported: Windows 7 | Printing: Colour printing | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Depth: 364 mm | Weight: 6.38 kg | Power consumption (off): 0.1 W | Package depth: 239 mm | Height: 198.6 mm | Storage temperature (T-T): -40 - 60 °C | Borderless printing media sizes: Letter | Maximum scan area: 216 x 297 mm | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur |

Built-in processor: Yes | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

systems supported: Mac OS X 10.15.3 Catalina | Mac operating systems supported: MacOS | Package height: 410 mm | Custom media width: 88.9 - 215.9 mm | Mac operating systems supported: Mac OS X 14.0 Sonoma | Display diagonal: 1.02 cm (0.4") | Internal memory: 128 MB | Borderless printing media sizes: A4 | Width: 427.5 mm | AC input voltage: 100 - 240 V | Copying: Colour copying | Optical scanning resolution: 1200 x 1200 DPI | Image formats supported: JPG | Image formats supported: TIFF | Image formats supported: BMP | JIS B-series sizes (B0...B9): B5 | Printing colours: Black, Cyan, Magenta, Yellow | Number of print cartridges: 4 | Maximum number of copies: 99 copies | Image formats supported: PNG | Maximum ISO A-series paper size: A4 | USB port: Yes | Input colour depth: 24 bit | Scan drivers: TWAIN | Maximum input capacity: 150 sheets | Envelopes sizes: C5 | Scan to: Software | Maximum resolution: 4800 x 1200 DPI | Power consumption (sleep): 2 W | Non-ISO print media sizes: Legal | Greyscale levels: 256 | Print speed (colour, normal quality, A4/US Letter): 7 ppm | ISO A-series sizes (A0...A9): A6 | Print speed (black, normal quality, A4/US Letter): 12 ppm | Number of users: 3 user(s) | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A5 | Mobile printing technologies: Apple AirPrint | Mobile printing technologies: Mopria Print Service

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903