



HP LaserJet Pro MFP 4102fdn Printer Laser A4 1200 x 1200 DPI 40 ppm

Modelis: 2Z623F

Gamintojas: HEWLETT-PACKARD

EAN: 195161936203

Prekės kodas: 365075

407.99€

Compatible operating systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Chrome OS | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet browser. | Box contents: HP LaserJet Pro MFP 4102fdn Printer Preinstalled HP Black Original LaserJet Toner Cartridge (2,900 pages) Getting Started Guide Support Flyer Warranty Guide Regulatory Flyer Power cord | Certification: CISPR 32:2015 Class B / EN 55032:2015 Class B CISPR 35:2016 / EN 55035:2017 Class B EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B | Replacement cartridges: HP 149A Black Original LaserJet Toner Cartridge (~2,900 pages), W1490A HP 149X Black Original LaserJet Toner Cartridge (~9,500 pages), W1490X | Manufacturer warranty: One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. | Acoustic power

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

emissions (ready): Inaudible | Custom media sizes: Tray 1: 76.2 x 127 to 215.9 x 355.6 mm Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm | Duplex scan speed (colour): 34 ppm | Other operating systems supported: ChromeOS | Scan speed (black): 29 ppm | Page description languages: PCL 6 | Colour display: Yes | Document formats supported: PDF | Total input capacity: 350 sheets | Total output capacity: 150 sheets | Paper tray media types: Letterhead | Typical electricity consumption (TEC) number: 0.40 kWh/Week (Blue Angel) | ISO C-series sizes (C0...C9): C5 | Page description languages: PostScript 3 | Page description languages: PDF | Page description languages: URF | Booklet printing function: Yes | Paper tray 2 input capacity: 250 sheets | Duplex scan speed (black): 46 ppm | Duplex copying: Yes | Page description languages: PCL 5e | Other operating systems supported: Android | Paper tray media types: Recycled paper | Scan speed (colour): 20 ppm | N-in-1 copy function: Yes | Recommended humidity operating range: 30 - 70% | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Sustainable technologies and materials: Recyclable through HP Planet Partners Compatible with Accessibility Accessories Contains post-consumer recycled plastic | Paper tray media types: Plain paper | Other operating systems supported: iOS | Paper tray media types: Labels | Printer fonts: TrueType | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Printer fonts: Scalable | Paper tray media types: Lightweight paper | Page description languages: PWG | Paper tray media types: Bond paper | Auto fit function: Yes | Print resolution black: 1200 x 1200 DPI | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | All-In-One-multitasking: Yes | N-in-1 print function: Yes | Power consumption (ready): 7.5 W | Cartridge(s) included: Yes | Time to first page (black, normal): 6.3 s | Carbon emissions, manufacturing (kg of CO2e): 377 | UNSPSC-code: 43212110 | Total carbon emissions, w/o use phase (kg of CO2e): 499 | Fax resolution (black): 300 x 300 DPI | Envelope feeder: No | Warranty card: Yes | Warnings: The product requires special disposal - do not dispose of in normal waste. | Control type: Touch | Watermark printing: Yes | ID-card copy function: Yes | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Recommended operating temperature range (T-T): 15 - 27 °C | Warm-up time: 45 s | HP Auto-On/Auto-Off: Yes | HP Dynamic security: Yes | Warnings: Be careful when handling the device, it may contain live parts. | Sustainability compliance: Yes | Power consumption (printing): 510 W | Paper tray media weight: 60 - 200 g/m² | Speed dialling: Yes | Included cartridge capacity (black): 2900 pages | Total number of input trays: 2 | Maximum number of input trays: 3 | Total carbon footprint (kg of CO2e): 14.8 | Secure printing: Yes | HP segment: Small medium business | Maximum output capacity: 150 sheets | Paper tray 1 input capacity: 100 sheets | Sound power level (printing): 6.7 dB | Sound pressure level

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

(scanning): 48 dB | Sound pressure level (printing): 54 dB | Carbon emissions, end-of-life (kg of CO2e): 0.6 | Copying: Mono copying | Custom media length: 127 - 355.6 mm | Maximum scan resolution: 1200 x 1200 DPI | N-in-1 copy function (N=): 2 | Carbon emissions, logistics (kg of CO2e): 50 | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: CCC | Compliance certificates: BSMI | Compliance certificates: CE | Compliance certificates: EAC | Compliance certificates: BIS | Optical scanning resolution: 1200 x 1200 DPI | Printing: Mono printing | Compliance certificates: GS mark | Custom media width: 76.2 - 215.9 mm | Maximum print size: 207.4 x 347.1 mm | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429 | HP GTIN (EAN/UPC): 886111043361 | Fax forwarding: Yes | Duplex printing: Yes | Number of users: 10 user(s) | Maximum input capacity: 900 sheets | ISO B-series sizes (B0...B9): B5 | Maximum resolution: 1200 x 1200 DPI | Envelopes sizes: 10 | ISO A-series sizes (A0...A9): A4 | Scan to: TWAIN | Maximum scan area: 216 x 297 mm | Scan to: WIA | Scan to: Software | Auto reduction: Yes | Greyscale levels: 256 | Modem speed: 33.6 Kbit/s | Non-ISO print media sizes: 16K | Envelopes sizes: Monarch | Envelopes sizes: B5 | Scan to: E-mail | Non-ISO print media sizes: Oficio | Scan technology: CIS | Non-ISO print media sizes: Hagaki card | Maximum duty cycle: 80000 pages per month | Maximum copy resolution: 600 x 600 DPI | Maximum ISO A-series paper size: A4 | Scan drivers: TWAIN | Envelopes sizes: DL | Internal memory: 512 MB | Scan drivers: WIA | Non-ISO print media sizes: Statement | Mobile printing technologies: Apple AirPrint | Fax memory: 400 pages | Mobile printing technologies: Mopria Print Service | Print speed (black, normal quality, A4/US Letter): 40 ppm | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Number of print cartridges: 1 | Time to first copy (black, normal): 7.2 s | USB port: Yes | Duplex functions: Copy | ISO A-series sizes (A0...A9): A6 | ISO A-series sizes (A0...A9): A5 | Input colour depth: 24 bit | Economical printing: Yes | Maximum number of copies: 9999 copies | Duplex functions: Print | Power consumption (sleep): 0.9 W | Fax transmission speed: 6 sec/page | Scanning: Colour scanning | Envelopes sizes: C5 | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Built-in processor: Yes | Mobile operating systems supported: Android | Printing colours: Black | Duplex scanning: Yes | Auto-redialing: Yes | Recommended duty cycle: 750 - 4000 pages per month | Faxing: No | Power supply type: Internal (Built-in) power supply | Duplex printing mode: Auto | Fax delayed sending: No | Photo paper sizes (imperial): 4x6 | Auto document feeder (ADF) input capacity: 50 sheets | Photo paper sizes (imperial): 5x8" | Maximum internal memory: 512 MB | Package width: 497 mm | Built-in display: Yes | Print technology: Laser | Width: 420 mm | Product colour: White | Operating temperature (T-T): 10 - 32.5 °C | Power consumption (off): 0.06 W | Package depth: 398 mm | Storage temperature (T-T): -20 - 40 °C | Package weight: 15.5 kg | USB 2.0 ports quantity: 2 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Display diagonal: 6.86 cm (2.7") | Wi-Fi: No | Depth: 390 mm | AC input frequency: 50/60 Hz | Height: 323 mm | Ethernet LAN: Yes | Mac operating systems supported: MacOS | AC input voltage: 220 - 240 V | Ethernet LAN data rates: 10,100,1000 Mbit/s | Display: CGD | Mac operating systems supported: Mac OS X 13.0 Ventura | Cabling technology: 10/100/1000Base-T(X) | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Processor frequency: 1200 MHz | Package height: 490 mm | Windows operating systems supported: Windows 11 | Power consumption (PowerSave): 0.9 W | Weight: 12.6 kg | Copier resize: 25 - 400% | Windows operating systems supported: Windows 10 | Cables included: AC | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Security algorithms: LEAP | Security algorithms: WPA2 | Security algorithms: SSL/TLS | Security algorithms: HTTPS | Security algorithms: EAP-PEAP | Security algorithms: EAP-TLS