



# HP LaserJet Enterprise M430f Multifunction Printer

Modelis: 3PZ55A

Gamintojas: HEWLETT-PACKARD

EAN: 193905205479

Prekės kodas: 365078

---

## 439.99€

---

Replacement cartridges: HP 59A Black Original LaserJet Toner Cartridge (3,000 pages) CF259A, HP 59X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) CF259X | Manufacturer warranty: One-year, On-site Repair 24-hour / 7 day a week phone support | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. | Certification: CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries. | Weight: 13 kg | Processor frequency: 800 MHz | Built-in display: Yes | Power consumption (PowerSave): 0.08 W | Power consumption (off): 0.08 W | Operating temperature (T-T): 15 - 32.5 °C | Storage temperature (T-T): -20 - 40 °C | Windows operating systems supported: Windows 11 | Package weight: 14.7 kg | Windows operating systems supported: Windows 10 | Display diagonal: 10.9 cm (4.3") | Package width: 497 mm | Product colour: White | Ethernet LAN

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

data rates: 10,100,1000 Mbit/s | AC input frequency: 50/60 Hz | Display: LCD | Security algorithms: SSL/TLS | Security algorithms: FIPS 140 | Operating relative humidity (H-H): 10 - 90% | AC input voltage: 110 - 240 V | USB 2.0 ports quantity: 3 | Security algorithms: EAP-TLS | Security algorithms: SNMPv3 | Security algorithms: IPSEC | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 8 | Security algorithms: HTTPS | Security algorithms: EAP-PEAP | Windows operating systems supported: Windows 8.1 | Optical scanning resolution: 600 x 600 DPI | Maximum resolution: 1200 x 1200 DPI | Control type: Touch | Envelopes sizes: DL | Copy speed (black, normal quality, A4): 38 cpm | Maximum scan area: 216 x 297 mm | Card reader integrated: No | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Mac operating systems supported: Mac OS X 10.13 High Sierra | Warm-up time: 180 s | Auto-redialing: Yes | Internal storage capacity: 16 GB | Input colour depth: 24 bit | Time to first page (black, normal): 6.5 s | Cables included: AC | Printing: Mono printing | Printer fonts: Windows | Printer fonts: TrueType | Mac operating systems supported: Mac OS X 10.14 Mojave | Printer fonts: Scalable | HP Dynamic security: Yes | Scan drivers: TWAIN | Duplex functions: Scan | Watermark printing: Yes | Maximum ISO A-series paper size: A4 | Duplex printing mode: Auto | HP GTIN (EAN/UPC): 195122442972, 195122443030 | Paper tray media types: Bond paper | Fax resolution (black): 300 x 300 DPI | Scanner type: Flatbed & ADF scanner | Paper tray media types: Letterhead | ISO A-series sizes (A0...A9): A4 | Digital sender: Yes | Paper tray media types: Envelopes | Other operating systems supported: iOS | Cartridge(s) included: Yes | Depth: 390 mm | Mac operating systems supported: Mac OS X 10.15 Catalina | Built-in processor: Yes | Fax transmission speed: 3 sec/page | Power consumption (sleep): 1.2 W | Height: 323 mm | Time to first copy (black, normal): 7.2 s | Package height: 490 mm | Maximum internal memory: 2048 MB | Maximum duty cycle: 100000 pages per month | Direct printing: No | Paper tray media types: Labels | Paper tray media types: Recycled paper | Other operating systems supported: Android | Auto document feeder (ADF): Yes | Cabling technology: 10/100/1000Base-T(X) | General Product Safety Regulation (GPSR) URL: [https://support.hp.com/us-en/document/ish\\_6126692-6126777-16?openCLC=true](https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true) | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Maximum input capacity: 10 sheets | Paper tray 2 input capacity: 250 sheets | Wi-Fi Direct: Yes | Ethernet LAN: Yes | Scanning: Colour scanning | Printing colours: Black | Printer fonts: PostScript | Print speed (black, normal quality, A4/US Letter): 38 ppm | Duplex functions: Copy | ISO A-series sizes (A0...A9): A6 | Number of users: 10 user(s) | Recommended duty cycle: 900 - 4800 pages per month | Duplex functions: Print | Multi-Purpose Tray media weight: 60 - 120 g/m<sup>2</sup> | Sound pressure level (printing): 54 dB | Wi-Fi: No | Paper tray media types: Plain paper | N-in-1 print function: Yes | Power consumption (average operating): 525 W | Fax forwarding: Yes | All-In-One multitasking: Yes | **Print resolution black: 1200 x 1200 DPI | Duplex printing: Yes | Total number of**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

input trays: 2 | Print technology: Laser | Number of print cartridges: 1 | Page description languages: PCL 5 | Page description languages: PostScript 3 | ISO C-series sizes (C0...C9): C5 | Scan technology: CIS | Auto fit function: Yes | Page description languages: PCL 6 | Scan speed (black): 29 ppm | USB port: Yes | Duplex scanning: Yes | Carbon emissions, end-of-life (kg of CO2e): 17 | Package depth: 398 mm | Carbon emissions, manufacturing (kg of CO2e): 143 | HP GTIN (EAN/UPC) with options: (ABB) 195122442972 (ABU) 195122443030 | Fax delayed sending: No | Total carbon footprint (kg of CO2e): 0.7 | HP Auto-On/Auto-Off: Yes | Paper tray media weight: 60 - 200 g/m<sup>2</sup> | Maximum number of input trays: 3 | ISO C-series sizes (C0...C9): C6 | Mobile printing technologies: HP ePrint | Mac operating systems supported: Mac OS X 10.12 Sierra | Included cartridge capacity (black): 3000 pages | Speed dialling: Yes | Maximum scan resolution: 600 x 600 DPI | Paper tray media types: Pre-printed | Paper tray media types: Thick paper | ISO A-series sizes (A0...A9): A5 | Faxing: Mono faxing | Maximum print size: 212 x 352 mm | Auto document feeder (ADF) input capacity: 50 sheets | Sound power level (printing): 6.4 dB | Sound pressure level (scanning): 48 dB | Duplex copying: Yes | Colour display: Yes | Scan speed (colour): 20 ppm | Maximum copy resolution: 600 x 600 DPI | Custom media width: 76 - 216 mm | Greyscale levels: 256 | Width: 420 mm | Modem speed: 33.6 Kbit/s | Envelopes sizes: B5 | Duplex scan speed (colour): 37 ppm | Envelopes sizes: C5 | Total input capacity: 350 sheets | Total output capacity: 150 sheets | Internal memory: 2048 MB | Page description languages: PDF 1.7 | Harmonized System (HS) code: 84433100 | Power consumption (printing): 525 W | Mobile printing technologies: Mopria Print Service | Mobile printing technologies: Apple AirPrint | Total carbon emissions, w/o use phase (kg of CO2e): 15 | HP segment: Business | Power consumption (ready): 10.1 W | ISO B-series sizes (B0...B9): B5 | Maximum output capacity: 150 sheets | Custom media length: 127 - 356 mm | Copying: Mono copying | Carbon emissions, logistics (kg of CO2e): 4 | Non-ISO print media sizes: 16K | Envelopes sizes: C6 | Recommended humidity operating range: 30 - 70% | Secure printing: Yes | Photo paper sizes: 10x15 | Auto reduction: Yes | Sustainable technologies and materials: Arsenic-free display glass Mercury-free display backlights Low halogen | Doesn't contain: Mercury | Sustainability compliance: Yes | Paper tray 1 input capacity: 100 sheets

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903