



# HP LaserJet MFP M234d Printer Laser A4 600 x 600 DPI 29 ppm



Modelis: 8J9K4F

Gamintojas: HEWLETT-PACKARD

EAN: 197961892970

Prekės kodas: 365079

---

## 123.99€

---

Replacement cartridges: Regular Replacement Cartridge for DM1: HP 134A Black LaserJet Toner Cartridge, W1340A (~1100), HP 134X Black LaserJet Toner Cartridge, W1340X (~2400) Regular Replacement Cartridge for DM2: HP 135A Black LaserJet Toner Cartridge, W1350A (~1100), HP 135X Black LaserJet Toner Cartridge, W1350X (~2400) | Compatible operating systems: Windows 11 Windows 10 Windows 8 Windows 8.1 macOS 10.14 Mojave macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 32-bit or 64-bit 2 GB available hard disk space Internet connection Microsoft Internet Explorer USB Port. macOS v14 Sonoma macOS v13 Ventura macOS v12 Monterey 2 GB HD Internet required USB. | Box contents: HP LaserJet MFP M234d Preinstalled HP Black Original LaserJet Toner Cartridge Dust cover Power Cord Reference Guide Setup Poster Regulatory Flyer USB cable. | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6. | Windows operating systems supported: Windows 10 | Windows operating systems

supported: Windows 8.1 | Package weight: 9.5 kg | Windows operating systems supported: Windows

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

8 | Operating relative humidity (H-H): 10 - 80% | Security algorithms: TLS | Power consumption (off): 0.04 W | Package depth: 298 mm | Display diagonal: 3.23 cm (1.27") | AC input frequency: 50/60 Hz | Windows operating systems supported: Windows 11 | Power consumption (PowerSave): 0.6 W | AC input voltage: 220 - 240 V | Package width: 497 mm | USB 2.0 ports quantity: 1 | Storage temperature (T-T): -20 - 60 °C | Security algorithms: SNMP | Security algorithms: SNMPv3 | Built-in display: Yes | Product colour: Grey | Security algorithms: SSL/TLS | Processor frequency: 500 MHz | Weight: 7.6 kg | Security algorithms: SNMPv2 | Display: LCD | Mac operating systems supported: Mac OS X 10.14 Mojave | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Operating temperature (T-T): 15 - 32.5 °C | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Mac operating systems supported: MacOS | Faxing: No | Image formats supported: BMP | Built-in processor: Yes | Image formats supported: JPEG | Cables included: AC, USB | Time to first copy (black, normal): 14.2 s | JIS B-series sizes (B0...B9): B5 | Power consumption (sleep): 0.6 W | Scan drivers: TWAIN | Printing: Mono printing | Image formats supported: PNG | Image formats supported: TIF | Duplex functions: Print | Wi-Fi: No | Input colour depth: 24 bit | Maximum copy resolution: 300 x 300 DPI | Height: 241.9 mm | Scan to: Software | Package height: 388 mm | Ethernet LAN: No | Direct printing: Yes | Scanning: Colour scanning | Maximum print size: 216 x 354 mm | Maximum resolution: 600 x 600 DPI | Width: 368 mm | Maximum input capacity: 150 sheets | Mobile printing technologies: Apple AirPrint | Total carbon emissions, w/o use phase (kg of CO2e): 15 | Control type: Buttons | Maximum internal memory: 64 MB | Compliance certificates: BSMI | Maximum ISO A-series paper size: A4 | Depth: 298.6 mm | Scan to: TWAIN | Custom media width: 101.6 - 216 mm | Internal memory: 64 MB | Greyscale levels: 256 | Compliance certificates: CE | Compliance certificates: GS mark | Warm-up time: 45 s | Compliance certificates: CCC | Maximum number of copies: 99 copies | Copy speed (black, normal quality, A4): 14 cpm | Printing colours: Black | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: BIS | Scanner type: Flatbed scanner | Paper tray media types: Postcard | Duplex printing: Yes | Paper tray media types: Card stock | Carbon emissions, end-of-life (kg of CO2e): 17 | Paper tray media types: Envelopes | Compliance certificates: EAC | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Labels | Number of users: 5 user(s) | Paper tray media types: Plain paper | ISO A-series sizes (A0...A9): A4 | Recommended humidity operating range: 30 - 70% | Paper tray media types: Rough paper | Custom media sizes: 101.6 x 152.4 to 216 x 356 mm | ISO A-series sizes (A0...A9): A5 | Other operating systems supported: Linux | Optical scanning resolution: 600 x 600 DPI | Maximum scan area: 297 x 216 mm | Sound pressure level (printing): 51 dB | Duplex printing mode: Auto | Acoustic power emissions (ready): 26 dB | Custom media length: 152.4 - 356 mm | Total output

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

capacity: 100 sheets | Carbon emissions, logistics (kg of CO<sub>2</sub>e): 4 | Doesn't contain: Mercury | Copier  
resize: 25 - 400% | Time to first page (black, normal): 7 s | Recommended operating temperature  
range (T-T): 17.5 - 25 °C | Print speed (black, normal quality, A4/US Letter): 29 ppm | Total number of  
input trays: 1 | Carbon emissions, manufacturing (kg of CO<sub>2</sub>e): 143 | Total input capacity: 150 sheets  
| HP GTIN (EAN/UPC): 195122442972, 195122443030 | Maximum output capacity: 100 sheets | Print  
technology: Laser | Maximum duty cycle: 20000 pages per month | HP Auto-On/Auto-Off: Yes | Paper  
tray 1 input capacity: 150 sheets | Page description languages: PWG | Page description languages:  
PCLmS | Total carbon footprint (kg of CO<sub>2</sub>e): 0.7 | Auto fit function: Yes | Page description languages:  
URF | Duplex copying: Yes | Number of print cartridges: 1 | Copying: Mono copying | Power  
consumption (printing): 453 W | Sound power level (printing): 6.6 dB | Recommended duty cycle:  
200 - 2000 pages per month | Acoustic pressure emissions bystander (ready): 16 dB | Typical  
electricity consumption (TEC) number: 0.267 kWh/Week (Blue Angel) | All-In-One-multitasking: Yes |  
Print resolution black: 600 x 600 DPI | Maximum number of input trays: 1 | Sustainability compliance:  
Yes | Paper tray media weight: 60 - 163 g/m<sup>2</sup> | USB port: Yes | Power consumption (ready): 3.3 W |  
UNSPSC-code: 43212110 | HP segment: Home office | Sound pressure level (scanning): 45 dB |  
Secure printing: Yes | Duplex scanning: No | Document formats supported: PDF

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be  
išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš  
įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903