



Xerox WorkCentre 3025/BI Laser 600 x 600 DPI 20 ppm A4 Wi-Fi

Modelis: 3025V_BI

Gamintojas: XEROX

EAN: 095205863130

Prekės kodas: 365231

144.99€

Printing: Mono printing | Display: LCD | Management protocols: SNMPv3 | Supported network protocols (IPv6): IPv6 | Supported network protocols (IPv4): IPv4 | Faxing: N | Certification: UL 60950-1/CSA 60950-1-07, FDA/CDRH, FCC Part 15, ICES-003, CE, Low Voltage Directive 2006/95/EC, EN 60950-1, EN 60825-1, EMC 2004/108/EC, EN 55024, EN 55022, Class B, WEEE Directive 2012/19/EU, Citrix Ready, NOM, EAC (GOST), GS Mark, Green World Alliance, WHQL | Scanning: Colour scanning | Copying: Mono copying | Certification: UL 60950-1/CSA 60950-1-07, FDA/CDRH, FCC Part 15, ICES-003, CE, Low Voltage Directive 2006/95/EC, EN 60950-1, EN 60825-1, EMC 2004/108/EC, EN 55024, EN 55022, Class B, WEEE Directive 2012/19/EU, Citrix Ready, NOM, EAC (GOST), GS Mark, Green World Alliance, WHQL | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows Vista Business | Windows operating

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista Enterprise x64 | Product colour: Blue | Built-in display: Yes | Product colour: White | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows XP Professional | AC input frequency: 50 - 60 Hz | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows XP Home x64 | Processor frequency: 600 MHz | AC input voltage: 110 - 240 V | Weight: 7.5 kg | Windows operating systems supported: Windows Vista Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 8 | Operating relative humidity (H-H): 20 - 80% | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Security algorithms: WPA2 | Power consumption (PowerSave): 2.3 W | Energy Star certified: Y | Operating temperature (T-T): 10 - 32 °C | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Custom media width: 76 - 216 mm | Mac operating systems supported: Mac OS X 10.5 Leopard | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Mac operating systems supported: Mac OS X 10.9 Mavericks | Mac operating systems supported: Mac OS X 10.7 Lion | Card reader integrated: No | Custom media length: 127 - 356 mm | Wi-Fi standards: 802.11b | Wi-Fi standards: Wi-Fi 4 (802.11n) | Height: 257 mm | Print technology: Laser | Wi-Fi standards: 802.11g | Depth: 360 mm | Wi-Fi: Yes | Width: 406 mm | Ethernet LAN: No | Optical scanning resolution: 1200 x 1200 DPI | Warnings: Be careful when handling the device, it may contain live parts. | Warnings: The product requires special disposal - do not dispose of in normal waste. | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Mobile printing technologies: Apple AirPrint | Scan to: WIA | Scan to: TWAIN | USB port: Yes | Power consumption (standby): 37 W | Paper tray media weight: 60 - 163 g/m² | Output colour depth: 8 bit |

Linux operating systems supported: Ubuntu 13.04 | Internal memory: 128 MB | Linux operating

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

systems supported: RedHat EL Linux 6.0 | Printing colours: Black | Scanner type: Handheld scanner | Linux operating systems supported: Ubuntu 11.10 | Paper tray media types: Thin paper | Paper tray media types: Bond paper | Document formats supported: PDF | Number of print cartridges: 1 | Time to first copy (black, normal): 10 s | Duplex printing: No | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Maximum ISO A-series paper size: A4 | Linux operating systems supported: Ubuntu 12.04 | Warm-up time: 30 s | Server operating systems supported: Windows Server 2012 | Standard interfaces: USB 2.0 | Linux operating systems supported: SuSE Linux 11 | Auto Document Feeder (ADF) media weight: 60 - 105 g/m² | Paper tray media types: Pre-printed | Paper tray media types: Thick paper | Linux operating systems supported: Ubuntu 11.04 | Sound pressure level (printing): 50 dB | Mobile printing technologies: Xerox PrintBack | Total number of input trays: 1 | Power consumption (average operating): 313 W | Duplex scanning: No | Print speed (black, normal quality, A4/US Letter): 20 ppm | Total output capacity: 100 sheets | Maximum output capacity: 100 sheets | Linux operating systems supported: RedHat EL Linux 5.0 | Time to first page (black, normal): 8.5 s | Maximum resolution: 600 x 600 DPI | Sound power level (standby): 26 dB | Maximum duty cycle: 15000 pages per month | Linux operating systems supported: Ubuntu 10.04 | Page description languages: GDI | Paper tray media types: Recycled paper | Paper tray media types: Plain paper | Linux operating systems supported: Ubuntu 12.10 | Linux operating systems supported: Ubuntu 10.10 | Maximum scan resolution: 4800 x 4800 DPI | Digital sender: No | Image formats supported: JPG | Server operating systems supported: Windows Server 2008 | Maximum input capacity: 150 sheets | Duplex copying: No | Duplex faxing: No | Image formats supported: TIF | ISO A-series sizes (A0...A9): A4 | Auto document feeder (ADF) input capacity: 40 sheets | Paper tray media types: Labels | Paper tray media types: Card stock | Total input capacity: 150 sheets | Paper input type: Paper tray | Maximum copy resolution: 600 x 600 DPI | Server operating systems supported: Windows Server 2003 | Linux operating systems supported: SuSE Linux 10 | Paper tray media weight (imperial): 7.26 - 19.5 kg (16 - 43 lbs)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903