



**GIGABYTE B650
EAGLE
Motherboard -
AMD Ryzen 9000
Series CPUs,
12+2+2 Phases
VRM, up to
7600MHz DDR5
(OC), 1xPCIe 5.0
+ 2xPCIe 4.0
M.2, GbE LAN,
USB 3.2 Gen 2**

Modelis: B650 EAGLE

Gamintojas: GIGABYTE

EAN: 4719331863081

Prekės kodas: 365354

123.99€

Bundled software: Norton Internet Security (OEM version) LAN bandwidth management software |

Number of SATA III connectors: 4 | Number of memory slots: 4 | Package height: 80 mm | Maximum

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be

išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

internal memory: 256 GB | DisplayPort version: 1.4 | Number of chassis fan connectors: 3 | Supported processor sockets: Socket AM5 | RAID levels: 10 | Number of storage drives supported: 7 | Line-in: Yes | Parallel processing technology support: Not supported | Batteries included: Yes | DisplayPorts quantity: 1 | USB 2.0 connectors: 3 | Number of M.2 (M) slots: 3 | Motherboard chipset: AMD B650 | Unbuffered memory: Yes | Serial port headers: 1 | Screws included: Yes | PS/2 ports quantity: 1 | Motherboard form factor: ATX | Supported memory types: DDR5-SDRAM | Supported storage drive types: HDD & SSD | PCI Express x16 (Gen 3.x) slots: 3 | Number of battery cells: 1 | Package width: 335 mm | Country of origin: China | Maximum resolution: 4096 x 2160 pixels | Depth: 244 mm | RAID support: Yes | Clear CMOS jumper: Yes | HDMI ports quantity: 1 | RGB LED pin header: Yes | PC health monitoring: Water cooling | Wi-Fi: No | PC health monitoring: Fan | PC health monitoring: Temperature | Battery technology: Lithium-Manganese Dioxide (LiMnO₂) | Width: 305 mm | Number of HDDs supported: 4 | Supported storage drive interfaces: M.2, SATA III | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | DirectX version: 12.0 | Battery weight: 3 g | Processor manufacturer: AMD | Compatible processor series: AMD Ryzen 7000 Series | USB 2.0 ports quantity: 6 | Compatible processor series: AMD Ryzen 9000 Series | RAID levels: 0 | Battery type: CR2032 | Ethernet LAN: Yes | Motherboard chipset family: AMD | Front panel connector: Yes | CPU fan connector: Yes | PC health monitoring: Voltage | Windows operating systems supported: Windows 11 x64 | Height: 35 mm | PCI Express x16 (Gen 4.x) slots: 1 | EPS power connector (8-pin): Yes | Memory channels: Dual-channel | USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity: 1 | Desktop Management Interface (DMI) version: 2.7 | BIOS type: UEFI AMI | Warranty period: 3 year(s) | Products per shipping (inner) case: 1 pc(s) | Memory slots type: DIMM | Headphone outputs: 1 | ATX Power connector (24-pin): Yes | Windows operating systems supported: Windows 10 x64 | Power source type: ATX | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 2 | Ethernet interface type: Gigabit Ethernet | Audio output channels: 7.1 channels | Compatible processor series: AMD Ryzen 8000 Series | Package weight: 1.82 kg | USB 3.2 Gen 2 (3.1 Gen 2) connectors: 1 | Microphone in: Yes | HDMI version: 2.1 | HDCP: Yes | Ethernet LAN (RJ-45) ports: 1 | RAID levels: 1 | Supported memory clock speed (max): 7600 MHz | Processor socket: Socket AM5 | Front panel audio connector: Yes | Package depth: 270 mm | Audio chip: Realtek ALC897 | TPM connector: Yes | Product colour: Bronze | 12V power connector: Yes | LAN controller: Realtek RTL8111H | Supported memory clock speeds: 6200 | Supported memory clock speeds: 6000 | Supported memory clock speeds: 7000 | Supported memory clock speeds: 5200 | Supported memory clock speeds: 6600 | Supported memory clock speeds: 6800 | Supported memory clock speeds: 6400 | Supported memory clock speeds: 5600 | Supported memory clock speeds: 7200 | Supported memory clock speeds: 7600 | Supported memory clock speeds: 4800 | Supported

memory clock speeds: 4400 MHz | 2nd M.2 largest key size: 22110 | Number of CPU fan connectors:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

2 | Lithium weight per battery: 0.07 g | 3rd M.2 largest key size: 22110 | Number of water pump connectors: 2 | 1st M.2 highest PCI Express generation: 5.0 | Number of RGB LED pin headers: 4 | Maximum internal memory per slot: 64 GB | Warnings: Dispose of in accordance with local regulations for electronic waste. | 2nd M.2 highest PCI Express generation: 4.0 | Warnings: Do not disassemble to avoid damage to internal components and loss of warranty. | Warnings: Avoid contact with liquids to prevent electronic damage. | 1st M.2 largest key size: 25110 | 3rd M.2 highest PCI Express generation: 4.0 | ECC compatibility: Non-ECC

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903