



TP-Link TL- WN821N network card WLAN 300 Mbit/s



Modelis: TL-WN821N

Gamintojas: TP-LINK

EAN: 6935364050368

Prekės kodas: 365635

13.00€

Internal: No | Modulation: CCK | Product colour: Black | Modulation: DBPSK | Quick installation guide: Yes | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Height: 12 mm | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Cables included: USB | Windows operating systems supported: Windows 7 Professional x64 | Package weight: 150 g | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Professional | Windows operating systems supported: Windows XP | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows 7 x64 | Interface: WLAN | Package height: 42 mm | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Operating relative humidity (H-H): 10 - 90% | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Wi-Fi band: Single-band (2.4 GHz) | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Antenna: Yes | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Modulation: DQPSK | Product colour: White | Modulation: 64-QAM | Windows operating systems supported: Windows 7 | Wi-Fi: Yes | Package width: 148 mm | Storage temperature (T-T): -40 - 70 °C | Top Wi-Fi standard: Wi-Fi 4 (802.11n) | Host interface: USB | Wi-Fi standards: 802.11b | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Frequency range: 2.4 - 2.4835 GHz | Modulation: 16-QAM | Wi-Fi standards: Wi-Fi 4 (802.11n) | Operating modes: Infrastructure mode | WLAN data transfer rates supported: 11 | Maximum data transfer rate: 300 Mbit/s | Quick start guide: Yes | Wi-Fi standards: 802.11g | Connectivity technology: Wireless | USB powered: Yes | WLAN data transfer rates supported: 54 | Resource CD: Yes | Antenna design: Internal | Operating temperature (T-T): 0 - 40 °C | Depth: 26 mm | Sustainability compliance: Yes | Supported network protocols: CSMA/CA, ACK | Component for: PC/Laptop | Modulation: OFDM | Package depth: 137 mm | WLAN data transfer rates supported: 300 Mbit/s | Width: 86 mm | Harmonized System (HS) code: 85176990 | Linux operating systems supported: Yes | Mac operating systems supported: Mac OS X 10.15 Catalina | WPS push button: Yes | Transmitting power (CE): 20 dBm | Transmitting power (FCC): 20 dBm | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Storage relative humidity (H-H): 5 - 95% | Networking standards: IEEE 802.11b | Warnings: Do not disassemble or modify the device to avoid damage or electric shock. | Compliance certificates: Federal Communications Commission

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

(FCC) | Warnings: Protect the device from moisture and extreme temperatures. | Compliance certificates: RoHS | Compliance certificates: CE

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903