



**Monitor HP E-
Series E27m G4
27 inch QHD
(2560x1440)
USB-C
Conferencing
Monitor, IPS,
Integrated 5MP
Webcam, 65W
Power Delivery,
Zoom Certified**

Modelis: 40Z29AA

Gamintojas: HEWLETT-PACKARD

EAN: 195908730255

Prekės kodas: 367158

360.99€

HP E27m G4 QHD USB-C Conferencing Monitor

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The HP E27m G4 is a fully integrated, Zoom Certified conferencing monitor designed to streamline your workspace and professional virtual meetings. This 27-inch display combines stunning Quad HD (QHD) resolution with an advanced collaboration ecosystem, featuring an integrated 5MP tilt-adjustable webcam, noise-canceling dual microphones, and powerful front-firing speakers (10W RMS).

Simplify your setup and connect with confidence using a single USB-C cable that transmits data and video while providing up to 65W of power delivery (PD) to charge your connected laptop. The premium IPS panel ensures wide 178° viewing angles and 99% sRGB color coverage, delivering vibrant, accurate visuals for both work and conferencing.

Professional Conferencing Features

Built for the hybrid workplace, the E27m G4 eliminates clutter and complexity, offering professional-grade conferencing tools right out of the box. The integrated 5-megapixel camera ensures sharp, clear video quality, while the dual microphones capture your voice clearly. Adjustability features like pivot, swivel, tilt, and 15 cm height adjustment ensure optimal viewing and collaboration angles.

- **Zoom Certified Performance:** Guaranteed reliability and functionality in Zoom calls.
- **Integrated 5MP Webcam:** Provides superior image quality compared to standard built-in webcams.
- **Single Cable Connectivity:** USB Type-C delivers QHD video, data transfer, and 65W power delivery simultaneously.
- **Immersive Audio:** Dual 5W speakers (10W total RMS power) and dedicated audio input/output ports.
- **Flicker-Free and Low Blue Light:** Protect your eyes during long working sessions with advanced viewing comfort technologies.

Connectivity and Ergonomics

This monitor acts as a powerful docking station for your modern office. The built-in USB 3.2 Gen 1 hub includes four USB Type-A downstream ports and dedicated Ethernet LAN (RJ-45) connection, ensuring seamless network access and connection of peripherals. The slim, micro-edge bezel design maximizes screen real estate, while VESA compatibility allows for customized mounting solutions.

- **Display Diagonal:** 68.6 cm (27 inches)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- Resolution: 2560 x 1440 pixels (QHD)
- Panel Type: IPS with 178° viewing angles
- Maximum Refresh Rate: 75 Hz
- Ports: 1x USB-C (Upstream/PD), 1x HDMI 1.4, 1x DisplayPort 1.2, 1x Ethernet LAN (RJ-45), 4x USB Type-A Downstream
- Ergonomics: Height adjustment (150 mm), Swivel (-45° to 45°), Pivot (90°), Tilt (-5° to 23°)

HEWLETT-PACKARD (HP) is a global leader in computing and printing solutions, known for delivering high-performance, secure, and sustainable products tailored for enterprise and modern professional needs.

Order today from ++SHOP++ as we offer the best deals and fast shipping on professional HP monitors.

Connect with Confidence. Conference with Ease.

Conference and connect with ease with the Zoom Certified HP E27m G4 USB-C Conferencing Monitor that has an integrated 5MP, tilt-adjustable webcam, front-firing speakers, and dual mics. Work effortlessly and simplify your set up with one USB-C cable^[1] that delivers data, video, and up to 65W of laptop charging.

Manufacturer warranty: 3 year limited warranty including 3 year of parts and labour. Certain restrictions and exclusions apply. | Bundled software: HP Display Center HP Display Manager | Certification: BIS BSMI CB CCC CE CECP cTUVus EAC ENERGY STAR® E-standby FCC ISO 9241-307 KC/KCC NOM PSB RCM SEPA TUV-S VCCI WEEE ISC Mexico Energy ICE UAE TGM TUV-GS Ukraine certificates NRCS of South Africa Belarus Energy CEL Grade 2 | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Infrared (IR) sensor: Yes | Adjustable height (max): 15 cm | Response time measurement type: GTG (Gray to Gray) | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Depth (with stand): 216 mm | Power consumption (max): 160 W | Display brightness (typical): 300 cd/m² | Product colour: Black | Horizontal scan range: 30 - 115 kHz | Height (with stand): 551 mm | Viewing angle, vertical: 178° | Native aspect ratio: 16:9 | Response time: 5 ms | AC input voltage: 100 - 240 V | Charging port type:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

USB Type-C | DisplayPorts quantity: 1 | Screen shape: Flat | Built-in USB hub: Yes | Contrast ratio (dynamic): 10000000:1 | DisplayPort version: 1.2 | Storage relative humidity (H-H): 20 - 80% | Operating temperature (T-T): 5 - 35 °C | HDMI version: 1.4 | Power consumption (off): 0.3 W | HDCP: Yes | Tilt angle range: -5 - 23° | Cable lock slot: Yes | Pixel pitch: 0.2331 x 0.2331 mm | Width (with stand): 612.8 mm | Ethernet LAN (RJ-45) ports: 1 | Quick start guide: Yes | Weight: 8.52 kg | Display number of colours: 16.7 million colours | Package width: 695 mm | Vertical scan range: 50 - 75 Hz | Cables included: AC | Aspect ratio: 16:9 | Cables included: USB Type-C to USB Type-C | Package weight: 12 kg | Display surface: Matt | Power consumption (typical): 51 W | Display diagonal: 68.6 cm (27") | Built-in microphone: Yes | Package type: Box | Package height: 483 mm | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | HDMI ports quantity: 1 | Supported graphics resolutions: 1280 x 720 (HD 720) | Supported graphics resolutions: 1600 x 1200 (UXGA) | Supported graphics resolutions: 1280 x 800 | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 1920 x 1200 (WUXGA) | Display resolution: 2560 x 1440 pixels | AC input frequency: 50/60 Hz | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Supported graphics resolutions: 1280 x 1024 (SXGA) | Supported graphics resolutions: 2560 x 1440 | Supported graphics resolutions: 2560 x 1400 | Supported graphics resolutions: 720 x 400 | Supported graphics resolutions: 1600 x 900 | HD type: Quad HD | Viewing angle, horizontal: 178° | Package depth: 190 mm | Operating relative humidity (H-H): 5 - 95% | NVIDIA G-SYNC: No | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Headphone out: Yes | Headphone outputs: 1 | Built-in speaker(s): Yes | Pivot: Yes | Stand included: Yes | Viewable size, horizontal: 59.7 cm | Height: 396.6 mm | USB upstream port type: USB Type-C | Number of speakers: 2 | Flicker-free technology: Yes | Viewable size, vertical: 33.6 cm | Weight (with stand): 8.52 kg | Swivelling: Yes | Panel mounting interface: 100 x 100 mm | AMD FreeSync: No | Headphone connectivity: 3.5 mm | Height adjustment: Yes | Maximum refresh rate: 75 Hz | Height (without stand): 396.6 mm | Display technology: LCD | On Screen Display (OSD): Yes | Depth (without stand): 47 mm | Depth: 47 mm | Power supply type: Internal | Built-in camera: Yes | Power consumption (standby): 0.5 W | Swivel angle range: -45 - 45° | Tilt adjustment: Yes | Audio output: Yes | Width (without stand): 612.8 mm | VESA mounting: Yes | Microphone in: Yes | Feet colour: Silver | HDMI: Yes | Panel type: IPS | Ethernet LAN: Yes | Touchscreen: No | Audio input: Yes | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Contrast ratio (typical): 1000:1 | USB Type-A downstream ports quantity: 4 | Pivot angle: -90 - 90° | Width: 612.8 mm | RMS rated power: 10 W | Colour gamut: 99% | Harmonized System (HS) code: 85285210 | Display diagonal (metric): 68.6 cm | Market positioning: Business | HP GTIN (EAN/UPC): 883585705566,

883585705597, 884962754504, 883585705559, 883585705504, 883585705528, 883585705511,

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

883585705535 | Carbon emissions, manufacturing (kg of CO2e): 22 | Carbon emissions, logistics (kg of CO2e): 2 | Total carbon emissions, w/o use phase (kg of CO2e): 1 | Carbon emissions, end-of-life (kg of CO2e): 2 | Compliance certificates: VCCI | Compliance certificates: KCC | Compliance certificates: WEEE | Compliance certificates: RCM | Compliance certificates: BIS | Compliance certificates: CE | Compliance certificates: CCC | European Product Registry for Energy Labelling (EPREL) code: 846651 | Total carbon footprint (kg of CO2e): 20 | Compliance certificates: cTUVus | Compliance certificates: CECP | Compliance certificates: Norma Oficial Mexicana (NOM) | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: CB | Compliance certificates: EAC | Pixel density: 109 ppi | USB Type-C DisplayPort Alternate Mode: Yes | Detachable stand: Yes | Compliance certificates: BSMI | HP segment: Business | Surface hardness: 3H | USB Power Delivery up to: 65 W | Fast charging: Yes | Colour gamut standard: sRGB | UNSPSC-code: 43211902 | USB Type-C downstream ports quantity: 1 | sRGB coverage (typical): 99% | Megapixel (approx.): 5 MP | Low Blue Light technology: Yes | Anti-glare screen: Yes | Energy efficiency scale: A to G | USB Power Delivery (USB PD): Yes | Display bezel technology: Micro-Edge | Colour depth: 8 bit | Sustainable technologies and materials: No | Number of USB Type-C upstream ports quantity: 1 | Sustainability certificates: ENERGY STAR | Sustainability compliance: Yes | Sustainability certificates: EPEAT Gold | Energy efficiency class (SDR): F | Energy efficiency class (HDR): Not available

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903