



# Power Supply BE QUIET ATX PC 100 - 240 V 850 W BP019EU



Modelis: BP019EU

Gamintojas: BE QUIET

EAN: 4260052192016

Prekės kodas: 369800

---

## 224.00€

---

### No compromise silence and performance

Dark Power 14 850W claims nothing less than the top spot. This powerhouse features a high-performance heat sink design with an integrated fan and can be operated in either active or semi-passive mode.

- 80 PLUS® Titanium efficiency (up to 95.57 %)
- ATX 3.1 PSU with full support for PCIe 5.1 GPUs and GPUs with 6+2-pin connector
- Active and semi-passive cooling can be selected with the push of a button
- Aluminum heat sink to support the semi-passive cooling concept and improve the longevity of the components
- Silent Wings fan for virtually inaudible operation
- Full bridge + Synchronous Rectifier + LLC technology provides unmatched signal stability and extremely high efficiency

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- Button to switch between single and multi-rail operation
- Full-mesh front with funnel-shaped air inlet upholds the high air circulation abilities
- Modular cable management for maximum convenience
- Product conception, design and quality control in Germany

Summary: be quiet! Dark Power 14 850 W - 80 Plus Titanium. Total power: 850 W, AC input voltage: 100 - 240 V, Peak power: 950 W. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 60 cm, SATA power cable length: 600,750,900,1050 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Titanium. Product colour: Black, Cooling type: Active, Fan diameter: 13.5 cm. Compliance certificates: CB, Federal Communications Commission (FCC), RoHS, TÜV mark, UKCA, WEEE, cTUVus | Vendor Homepage:

<https://www.bequiet.com/en/download/products> | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Combined power (+12V): 850 | Combined power (+3.3V): 120 | Combined power (+5V): 120 | Efficiency: 93.8 | Hold time: 20.7 | Max output current (+12V1): 30 | Max output current (+12V2): 30 | Max output current (+12V3): 35 | Max output current (+12V4): 35 | Max output current (+3.3V): 24 | Max output current (+5V): 24 | Max output current (+5Vsb): 3 | Max output current (-12V): 0.5 | Maximum input current (@110V): 10 | Maximum input current (@220V): 5 | Number of +12V rail(s): 4 | Peak power: 950 | Power factor: 0.98 | Power protection features: Over current/Over voltage/Overheating/Overload/Short circuit/Surge & inrush protection (SIP)/Under voltage | Total power: 850 | ATX power connector (20+4 pin): Yes | Cabling type: Fully-Modular | CPU power cable length: 700 | CPU power connector (4+4 pin): Yes | EPS power connector (4+4 pin): Yes | EPS power connector (8-pin): Yes | Motherboard power cable length: 600 | Motherboard power connector: 20+4 pin ATX | Number of SATA power cables: 4 | Number of SATA power connectors: 13 | PCI Express connector: Yes | PCI Express power cable length: 600 | PCI Express power connectors (12-pin): 1 | PCI Express power connectors (6+2 pin): 4 | Peripheral (Molex) power cable length: 1050/900 | Peripheral (Molex) power connectors (4-pin): 2 | SATA power cable length: 1050/600/750/900 | 80 PLUS certification: 80 PLUS Titanium | ATX version: 3.1 | Bearing technology: FDB | EPS version: 2.92 | Mean time between failures (MTBF): 100000 | Noise level: 16 | Power supply unit (PSU) form factor: ATX | Purpose: PC | Cooling type: Active | Fan diameter: 135 | Fan speed: 0 - 2100 | Number of fans: 1 | On/off fan switch: Yes | On/off switch: Yes | Product colour: Black | Operating temperature (T-T): 0 - 40 | Compliance certificates: CB/cTUVus/Federal Communications Commission (FCC)/RoHS/TÜV mark/UKCA/WEEE | Depth: 175 | Height: 86 | Weight: 2200 | Width: 150 | Manual: Yes | Manual languages: English/French/German/Italian/Japanese/Polish/Russian/Simplified Chinese/Spanish/Thai/Ukrainian | Package depth: 126 | Package height: 355 | Package weight: 3500 |

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

Package width: 230 | Sustainability certificates: ENERGY STAR/ErP/Triman | Products per shipping (inner) case: 4 | Shipping (inner) case height: 260 | Shipping (inner) case length: 528 | Shipping (inner) case net weight: 19340 | Shipping (inner) case width: 368 | Cable ties included: Yes | Screws included: Yes | Units per Pallet: 0 | Units per Shipping Box: 4 | Unit Calculated Volume: 0.01328 | Unit Calculated Weight: 4.81

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903