



**Monitorius DELL
P3424WEB 34.1"
WQHD
(3440x1440)
Lenktas IPS,
21:9, 60Hz, 4MP
Kamera, 90W
USB-C PD,
Garsiakalbiai,
Ergonomiškas**

Modelis: 210-BFOB

Gamintojas: DELL

EAN: 5397184657072

Prekės kodas: 37000

725.99€ ~~753.99€~~

DELL P3424WEB 34.1" WQHD Lenktas Monitorius Bendradarbiavimui

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

DELL P3424WEB monitorius yra meistriškai sukonstruotas profesionaliam bendradarbiavimui ir įtraukiančiam produktyvumui. Šis platus 34.1 colio WQHD (3440 x 1440) lenktas ekranas naudoja IPS technologiją, užtikrindamas išskirtinį spalvų tikslumą (99% sRGB) ir plačius žiūrėjimo kampus (178°/178°). 21:9 itin platus formatas žymiai padidina kelių užduočių atlikimo efektyvumą, leidžiant vienu metu matyti kelis dokumentus ir programas be poreikio naudoti antrą ekraną.

Prisijunkite akimirksniu ir aiškiai, naudodami integruotas bendradarbiavimo priemones. Įmontuota didelės raiškos 4 megapikselių kamera užtikrina ryškias vaizdo konferencijas, o galingi dvigubi 5W (10W RMS) integruoti garsiakalbiai ir mikrofonas padaro virtualius susitikimus asmeniškus ir sklandžius.

Sklandus Prijungimas ir Galios Tiekimas

Supaprastinkite savo darbo vietą su puikiomis prijungimo galimybėmis. Integruotas USB Type-C šakotuvus ne tik apdoroja vaizdo, garso ir duomenų perdavimą, bet ir tiekia iki 90W maitinimo (Power Delivery), įkraunant jūsų suderinamą nešiojamąjį kompiuterį ir sumažinant kabelių netvarką. Pridėtas Ethernet LAN prievadas užtikrina stabilų, patikimą tinklo prieigą tiesiai per monitorių, idealiai tinkančią saugioms profesionalioms aplinkoms.

- **Ekranas Specifikacijos:** 34.14 colio (86.7 cm) lenkta IPS panelė su WQHD raiška (3440 x 1440) ir 21:9 kraštinių santykiu.
- **Paruoštas Bendradarbiavimui:** Integruota 4MP didelės raiškos internetinė kamera, mikrofonas ir galingi dvigubi 5W garsiakalbiai (10W RMS).
- **Aukščiausios Kokybės Vaizdas:** 1000:1 kontrasto santykis, 300 cd/m² ryškumas, 99% sRGB spalvų erdvės aprėptis ir 60 Hz atnaujinimo dažnis.
- **USB-C Maitinimo Šakotuvus:** Iki 90W galios tiekimas per USB Type-C, kartu su integruotu USB 3.2 šakotuvu ir Ethernet LAN prievadu.
- **Ergonomiškas Dizainas:** Visiškai reguliuojamas stovas, leidžiantis reguliuoti aukštį (150 mm), pasukti (-30° iki 30°) ir palenkti (-5° iki 21°).
- **Akių Apsauga:** Turi „Flicker-free“ (be mirgėjimo) ir Mažos mėlynos šviesos (Low Blue Light) technologijas, užtikrinančias didesnę akių komfortą.
- **Reakcijos Laikas:** Greitas 5 ms reakcijos laikas.

Produktyvumas ir Patogumas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsijyngant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

P3424WEB yra sukurtas šiuolaikinei hibridinei darbo vietai, siūlantis VESA suderinamumą ir tvirtas kabelių valdymo parinktis. Jo danga nuo atspindžių sumažina trukdžius, užtikrinant maksimalų susikaupimą, nesvarbu, ar projektuojate, ar analizuojate duomenis, ar bendradarbiaujate.

DELL yra pasaulinė kompiuterijos ir technologijų lyderė, žinoma dėl patikimos, aukštos kokybės profesionalios įrangos gamybos ir tvarumo prioritizavimo diegiant naujoviškus projektavimo ir gamybos procesus.

Užsisakykite šiandien iš ++SHOP++, nes mes siūlome geriausias pasiūlymus ir garantuojame autentiškus DELL produktus.

Connect like you're there with a 34-inch WQHD IPS curved display built for immersive experiences and effortless collaboration.

Connect like you're there with a 34-inch WQHD IPS curved display built for immersive experiences and effortless collaboration.

- (34.14") 4K Ultra HD 3440 x 1440 LED IPS
- 8ms, 21:9, 300cd/m², 1000:1
- USB, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
 6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the calculations.
 7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.
 8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.
 9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.
 10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.
 11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.
 12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).
 13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.
 14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).
 15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.
- Summary: DELL P Series P3424WEB. Display diagonal: 86.7 cm (34.1"), Display resolution: 3440 x 1440 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

<https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: LED | Colour gamut: 99 | Colour gamut standard: sRGB | Contrast ratio (typical): 1000:1 | Display brightness (typical): 300 | Display diagonal: 34.14 | Display diagonal (metric): 86.71 | Display number of colours: 1.07 billion colours | Display resolution: 3440 x 1440 | Display technology: LCD | HD type: 4K Ultra HD | High Dynamic Range (HDR) supported: No | Horizontal scan range: 30 - 90 | Maximum refresh rate: 60 | Native aspect ratio: 21:9 | Panel type: IPS | Pixel density: 109.68 | Pixel pitch: 0.2325 x 0.2325 | Response time: 8 | Response time (fast): 5 | Screen curvature rating: 3800R | Screen shape: Curved | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1600 x 1200 (UXGA)/1920 x 1080 (HD 1080)/2048 x 1080/2560 x 1440/3440 x 1440/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080i/1080p/480p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 56 - 76 | Viewable size, horizontal: 799.8 | Viewable size, vertical: 334.8 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: Yes | Built-in microphone: Yes | Built-in speaker(s): Yes | Megapixel (approx.): 4 | Number of speakers: 2 | RMS rated power: 10 | Detachable stand: Yes | Feet colour: Silver | Front bezel colour: Black | Market positioning: office | Product colour: Black | AC (power) in: Yes | Built-in USB hub: Yes | DisplayPort version: 1.2 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 2.2 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 2.1 | Headphone connectivity: 3.5 mm | Headphone out: Yes | Microphone in: Yes | Number of upstream ports: 2 | PC Audio in: No | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 90 | USB Type-A downstream ports quantity: 3 | USB Type-C DisplayPort Alternate Mode: Yes | USB Type-C downstream ports quantity: 1 | USB upstream port type: USB Type-B/USB Type-C | Ethernet LAN: Yes | Wi-Fi: No | Adjustable height (max): 150 | Cable lock slot: Yes | Cable lock slot type: Kensington | Height adjustment: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: No | Plug and Play: Yes | Swivel angle range: -30 - 30 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 32 | Energy efficiency class (SDR): F | European Product Registry for Energy Labelling (EPREL) code: 1378998 | Power consumption (max): 210 | Power consumption (off): 0.3 | Power consumption (standby): 0.3 | Power consumption (typical): 31.5 | Power supply type: Internal | Non-operating altitude: 5000 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 21.7 | Bezel width (side): 8.67 | Bezel width (top): 39.2 | Depth (with stand): 242.47 | Depth (without stand): 84.85 | Height (with stand): 595.89 | Height (without

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

stand): 419.99 | Weight (with stand): 10830 | Weight (without stand): 7430 | Width (with stand): 815.65 | Width (without stand): 815.65 | Package weight: 15850 | Cables included: AC/DisplayPort/USB Type-A to USB Type-B/USB Type-C to USB Type-C | DisplayPort cable length: 1.8 | Power adapter included: Yes | Quick start guide: Yes | Remote control included: No | Stand included: Yes | Stylus included: No | Doesn't contain: Arsenic/PVC/BFR | Sustainability certificates: ENERGY STAR | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 9.2 | Carbon emissions, energy usage (kg of CO2e): 233.65 | Carbon emissions, logistics (kg of CO2e): 78.17 | Carbon emissions, manufacturing (kg of CO2e): 466.57 | PAIA version: 1.3.2, 2022 | Total carbon emissions, standard deviation (kg of CO2e): 187 | Total carbon footprint (kg of CO2e): 788 | Compliance certificates: RoHS | Ethernet LAN (RJ-45) ports: 1 | Heavy metals free: Hg (mercury) | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1378998/fiches?language=EN> | Energy efficiency class: F | EPREL Registration Number: 1378998 | EPREL Version Number: 2 | Model: P3424WEB | Included Accessories: Monitor panel, Stand riser, Stand base, Quick setup guide, Safety, Environmental, and Regulatory Information; 1x Power cable; 1x DP-to-DP cable (1.8m); 1x USB 3.2 Gen1 Type C-to-C cable (1.8m); 1x USB 3.2 Gen1 Type A-to-B upstream cable (1.8m) | Unit Calculated Volume: 0.1129 | Product Net Weight: 10.83 | Unit Calculated Weight: 15.8

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903