



**Monitorius MSI  
PRO  
MP275QPDG 27  
colių WQHD  
(2560x1440) IPS  
Profesionalus su  
USB-C Doku  
(98W PD)  
100Hz, KVM,  
Daisy Chain,  
Ergonomiškas  
Stovas**

Modelis: PRO MP275QPDG

Gamintojas: MSI

EAN: 4711377238182

Prekės kodas: 37045

**370.99€**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

# MSI PRO MP275QPDG 27 colių WQHD profesionalus monitorius su dokavimo funkcija

MSI PRO MP275QPDG yra sukurtas kaip pagrindinis produktyvumo centras, derinantis aukštos raiškos WQHD ekraną su visapusiškomis prijungimo galimybėmis. Šis 27 colių monitorius turi ryškų IPS skydelį (2560 x 1440 raška), užtikrinantį ryškų vaizdą ir plačius 178° žiūrėjimo kampus. Sukurtas specialiai profesionalioms aplinkoms, jis supaprastina jūsų darbo eigą palaikydamas patikimą vieno kabelio prijungimą.

## Sklandus prijungimas ir galingas dokas

Pakeiskite savo darbo vietą naudodami integruotą dokavimo stotelę. Vienu USB Type-C kabeliu perduokite vaizdo signalus, pasiekite 1 Gbps RJ45 eternetu prievadą stabiliai tinklo jungčiai ir vienu metu įkraukite savo nešiojamąjį ar mobilųjį įrenginį su 98W galios tiekimu (PD). Be to, monitorius palaiko „Daisy Chain“ (nuoseklųjį jungimą) funkcijos palaikymą, leidžiantį lengvai prijungti kelis ekranus ir sukurti plačią, netvarkingą darbo erdvę.

- **WQHD Raiška (2560 x 1440):** Suteikia 77 % daugiau ekrano vietos nei standartinis Full HD, idealiai tinka detaliems darbams ir dabuotojų.
- **100 Hz Atnaujinimo Dažnis:** Užtikrina pastebimai sklandesnį vizualinį potyrį kasdieniauose darbuose (palaikomas 1 ms MPRT reakcijos laikas per Adaptive Sync).
- **KVM funkcija:** Valdykite kelis prijungtus įrenginius (PC, Mac, nešiojamuosius kompiuterius) naudodami tik vieną klaviatūrą, pelę ir MSI monitorių.
- **Integruota Dokavimo Stotelė:** Vienas USB-C kabelis perduoda duomenis, vaizdo signalą, 98W įkrovimą ir užtikrina laidinį LAN ryšį.
- **Integruota Įšorė:** Turi integruotą internetinę kamerą ir garsiakalbius, skirtus vaizdo konferencijoms.

## Ergonomika ir akių komfortas

Teikiant pirmenybę vartotojo sveikatai ilgų darbo sesijų metu, MP275QPDG turi kelias akims draugiškas funkcijas, sertifikuotas TÜV Rheinland Eye Comfort. Tai apima „Mažiau Mėlynosios

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Šviesos“ („Less Blue Light“) ir „Anti-Flicker“ (Apsauga nuo mirgėjimo) technologijas, kurios žymiai sumažina akių nuovargį. Matinis ekranas ir nuo atspindžių apsauganti danga pagerina dėmesio sutelkimą. Per OSD meniu naudotojai taip pat gali pasinaudoti „Eye-Q Check“ funkcija, kad patys įsivertintų akių būklę.

Labai lankstus monitoriaus stovas reguliuojamas 4 kryptimis (Pasukimas, Pakreipimas, Sukiojimas ir Aukštis iki 130 mm), todėl galėsite rasti tobulą ergonomišką žiūrėjimo kampą. Be to, monitorius palaiko 100 mm VESA tvirtinimą.

**MSI (Micro-Star International)** yra pasaulyje pripažinta gamintoja, kurianti aukštos kokybės aparatinę įrangą – nuo galingų žaidimų nešiojamųjų kompiuterių iki patikimų verslo ir produktyvumo sprendimų, skirtų patenkinti griežtus profesionalių vartotojų reikalavimus.

Užsisakykite šį pažangų produktyvumo monitorių šiandien iš ++SHOP++ ir mėgaukitės aukščiausios klasės jungiamumu bei ergonomišku dizainu.

"The MSI PRO MP275QPDG docking monitor features daisy chain support and includes a USB Type-C dock with 98W power delivery, RJ45 1Gbps Ethernet, and display signal through a single cable. This monitor is designed for professional users seeking the ultimate solution to boost productivity. The Eco-friendly monitor is meticulously designed to meet stringent environmental standards, ensuring a cleaner and greener world.

Designed to improve work productivity, the monitor features a high 100Hz refresh rate (1ms MPRT response time, Adaptive Sync supported) and multiple eye-friendly features including TÜV Rheinland Eye Comfort certified Less Blue Light and Anti-Flicker technology, as well as anti-glare screen finishing to reduce eye strain. Moreover, Eye-Q Check functionality (via OSD menu) allows users to self-assess and maintain eye health.

Additional quality features include a 4-way adjustable stand and 100mm VESA mountable design. Display Kit App supports advanced colour & display settings.

Connectivity options include HDMI 2.0b (HDMI-CEC), DisplayPort 1.2a, and Type-C for multi-display setups or multiple device inputs. Built-in LAN port ensures a more stable network connection.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

HDMI™ CEC supports MSI Power Link, allowing connected MSI mini-PC's to power on simultaneously with the monitor. It is compatible with PCs, Macs, laptops, mobile devices, and gaming consoles."

"The MSI PRO MP275QPDG docking monitor features daisy chain support and includes a USB Type-C dock with 98W power delivery, RJ45 1Gbps Ethernet, and display signal through a single cable. This monitor is designed for professional users seeking the ultimate solution to boost productivity. The Eco-friendly monitor is meticulously designed to meet stringent environmental standards, ensuring a cleaner and greener world.

Designed to improve work productivity, the monitor features a high 100Hz refresh rate (1ms MPRT response time, Adaptive Sync supported) and multiple eye-friendly features including TÜV Rheinland Eye Comfort certified Less Blue Light and Anti-Flicker technology, as well as anti-glare screen finishing to reduce eye strain. Moreover, Eye-Q Check functionality (via OSD menu) allows users to self-assess and maintain eye health.

Additional quality features include a 4-way adjustable stand and 100mm VESA mountable design. Display Kit App supports advanced colour & display settings.

Connectivity options include HDMI 2.0b (HDMI-CEC), DisplayPort 1.2a, and Type-C for multi-display setups or multiple device inputs. Built-in LAN port ensures a more stable network connection. HDMI™ CEC supports MSI Power Link, allowing connected MSI mini-PC's to power on simultaneously with the monitor. It is compatible with PCs, Macs, laptops, mobile devices, and gaming consoles."

- **27-INCH WQHD PANEL** - The PRO MP275QPDG features a 27-inch IPS panel (178° wide viewing angle) with WQHD (2560 x 1440) resolution; A high 100Hz refresh rate (1ms MPRT) improves the day-to-day visual experience with smoother, faster frame rates
- **DOCKING MONITOR** - Enhance your workspace with a docking monitor. Simplify connectivity, switch between tasks seamlessly, and boost productivity—all with a single monitor

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- DAISY CHAIN - Simplify setup and streamline connectivity with daisy-chaining. Connect multiple monitors effortlessly for a more organized and productive workspace
- KVM Function Support - Control multiple devices via one set of keyboard, mouse, and MSI monitor
- SIMPLE YET FLEXIBLE - The monitor comes with 100mm VESA brackets for wall or arm mounting (e.g., MSI VESA Arm MT81), while the stand is a 4-way adjustable ergonomic stand

Summary: MSI Pro MP275QPDG 27 Inch Monitor, QHD (2560 x 1440), 100Hz, IPS, 1ms, 2x HDMI 2.0b, 1x DP 1.2a input, 1x DP 1.2a output, 1x Type-C (DP alt.) w/ 98W PD, 1x LAN, 4xUSB 5Gbps Type-A, 1x USB 5Gbps Type-B, Built-in Speakers, Webcam, Daisy Chain, HDR Ready, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, 4-Way adjustable stand, Black. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0. VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage: <https://www.msi.com/Business-Productivity-Monitor/PRO-MP275QPDG/Overview> | Anti-glare screen: Yes | Colour depth: 8 | Colour gamut: 79 | Colour gamut standard: DCI-P3 | Contrast ratio (dynamic): 100000000:1 | Contrast ratio (typical): 1300:1 | DCI-P3 coverage: 79 | Display brightness (typical): 250 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display surface: Matt | Display technology: LCD | HD type: Wide Quad HD | Horizontal scan range: 71.04 - 186.3 | Maximum refresh rate: 100 | Native aspect ratio: 16:9 | NTSC coverage (typical): 100 | Panel type: IPS | Pixel pitch: 0.2331 x 0.2331 | Refresh rate optimizor: Yes | Response time: 4 | Response time (MPRT): 1 | Response time measurement type: GTG (Gray to Gray) | Screen shape: Flat | sRGB coverage (typical): 84 | Supported graphics resolutions: 2560 x 1440 | Supported video modes: 1440p | Touchscreen: No | Vertical scan range: 48 - 100 | Viewable size, horizontal: 596.736 | Viewable size, vertical: 335.664 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | VESA Adaptive Sync support: Yes | Built-in camera: Yes | Built-in speaker(s): Yes | Number of speakers: 2 | RMS rated power: 4 | Colour name: BLACK | Feet colour: Black | Frameless design: Yes | Housing material: Plastic | Market positioning: Business | Product colour: Black | Refurbished: No | Built-in USB hub: Yes | DisplayPort out quantity: 1 | DisplayPort version: 1.2a | DisplayPorts quantity: 1 | HDCP: Yes | HDMI: Yes | HDMI ports quantity: 2 | HDMI version: 2.0b | Headphone out: Yes | Headphone outputs: 1 | Number of upstream ports: 4 | Number of USB Type-B upstream ports quantity: 1 | USB hub version: 2.0 | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 98

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

| USB Type-A downstream ports quantity: 4 | USB Type-C DisplayPort Alternate Mode: Yes | USB upstream port type: USB Type-A/USB Type-B | Ethernet LAN: Yes | Adjustable height (max): 130 | Cable lock slot: Yes | Cable lock slot type: Kensington | Cable management: Yes | Height adjustment: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Picture-in-Picture: Yes | Pivot: Yes | Pivot angle: -90 - 90 | Plug and Play: Yes | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 20 | VESA mounting: Yes | Wall mountable: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 34 | Energy consumption (SDR) per 1000 hours: 26 | Energy efficiency class (HDR): G | Energy efficiency class (SDR): F | Energy efficiency scale: A to G | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power supply type: Internal | Depth (with stand): 223.9 | Depth (without stand): 53.6 | Height (with stand): 578.9 | Height (without stand): 377.4 | Weight (with stand): 7050 | Weight (without stand): 4380 | Width (with stand): 614 | Width (without stand): 614 | Package depth: 150 | Package height: 500 | Package type: Box | Package weight: 10240 | Package width: 850 | Cables included: HDMI/Power/USB Type-A to USB Type-B | Power adapter included: Yes | Quick start guide: Yes | Stand included: Yes | Sustainability certificates: ENERGY STAR | Compliance certificates: CB/CE/UKCA | Country of origin: China | Warranty period: 3 | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2150160/fiches?language=EN> | Energy efficiency class: F | EPREL Registration Number: 2150160 | EPREL Version Number: 3 | Model: PRO MP275QPDG | Unit Calculated Volume: 0.053452 | Product Net Weight: 7.05 | Unit Calculated Weight: 10.24

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903