ASUS TUF Gaming TUF-RTX5090-O32G-GAMING NVIDIA GeForce RTX 5090 32 GB GDDR7

Gamintojas: **ASUS** · Modelis: **90YV0LY0-M0NA00** · EAN: **4711387890325** · Prekės kodas: **370586**



9,297.89€

Kaina su PVM

Be PVM: **7,684.21€**

In Stock

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ NVIDIA GeForce RTX 5090 32 GB GDDR7
- ✓ 7680 x 4320 pixels 512 bit 28 Gbit/s PCI Express 5.0
- ✓ HDMI ports quantity: 2 DisplayPorts quantity: 3
- ✓ OpenGL version: 4.6
- ✓ 1x 16-pin















Aprašymas

Game TUF. Built to Last.

ASUS TUF Gaming GeForce RTX™ 5090

NVIDIA Blackwell architecture is elevated by enhanced cooling and power delivery, fortified with rugged reinforcements for exceptional durability. Lock, load, and dominate with the TUF Gaming GeForce RTX™ 5090, designed to withstand the harshest conditions and deliver unparalleled performance.

Military-Grade Components

TUF Chokes & MOSFETs

Certified military-grade TUF chokes and MOSFETs deliver rock-solid power to the GPU, which can help improve system stability.

TUF Capacitors

TUF 5K black metallic capacitors provide 52% wider temperature tolerance and a 2.5X longer lifespan than standard capacitors.

Phase-Change GPU Thermal Pad

By melting to effectively fill the gaps between the GPU and the thermal module, a premium phase-change GPU thermal pad provides superior thermal conductivity and enhanced heat dissipation, ensuring optimal performance and longevity for graphics cards under heavy loads.

Protective PCB Coating

A protective conformal coating envelops the circuit board to help protect against short-circuits caused by moisture, dust or debris.

Dual-ball Fan Bearings

Dual-ball bearings offer an extensive lifespan of up to 80,000 hours, double the longevity of sleeve bearings and surpassing fluid dynamic bearings. This helps ensure long-lasting, reliable and quiet cooling.

Techninė specifikacija

Processor	
Graphics processor family	NVIDIA
Graphics processor	GeForce RTX 5090
Maximum resolution	7680 x 4320 pixels
CUDA	Yes
Parallel processing technology support	Not supported
CUDA cores	21760
Processor boost clock speed	2550 MHz
Maximum displays per videocard	4
Memory	
Discrete graphics card memory	32 GB
Graphics card memory type	GDDR7
Memory bus	512 bit

Data transfer rate	28 Gbit/s
Ports & interfaces	
Interface type	PCI Express 5.0
HDMI ports quantity	2
DVI-D ports quantity	0
DVI-I ports quantity	0
DisplayPorts quantity	3
Thunderbolt 3 ports quantity	0
Mini HDMI ports quantity	0
HDMI version	2.1b
Mini DisplayPorts quantity	0
DisplayPort version	2.1b
Performance	
TV tuner integrated	No
OpenGL version	4.6
Dual Link DVI	No
HDCP	Yes
HDCP version	2.3
NVIDIA G-SYNC	Yes
NPU performance up to	3352 TOPs
Design	
Cooling type	Active
Cooling technology	ASUS Axial-tech
Number of fans	3 fan(s)
Form factor	Full-Height/Full-Length (FH/FL)
Number of slots	3.6
Illumination	Yes
Illumination colour	Multi
Product colour	Black, Grey
Power	
Minimum system power supply	1000 W
Supplementary power connectors	1x 16-pin
Weight & dimensions	
Weight	2.37 kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Length	348 mm
Depth	72 mm
Height	146 mm
Packaging data	
Package width	425.9 mm
Package depth	266 mm
Package height	99 mm
Package weight	3.43 kg
Package type	Box
Packaging content	
Manual	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	43.00cm × 10.00cm × 27.00cm
Svoris	3.41kg

Gamintojo ir saugos informacija

MANUFACTURER

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

EU RESPONSIBLE PERSON

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt