



# Canon i-SENSYS MF752Cdw II Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi



Modelis: 7185C013

Gamintojas: CANON

EAN: 4549292250411

Prekės kodas: 370666

---

## 447.99€

---

Processor frequency: 1200 MHz | AC input frequency: 50/60 Hz | AC input voltage: 220 - 240 V | Ethernet LAN data rates: 10,100,1000 Mbit/s | Product colour: White | Sound power level (standby): 41 dB | Sound power level (printing): 65 dB | ID-card copy function: Yes | Recommended duty cycle: 750 - 4000 pages per month | Multi-Purpose tray: Yes | Power consumption (printing): 700 W | Paper tray media weight: 60 - 200 g/m<sup>2</sup> | Scan drivers: WIA | Time to first page (black, normal): 7.1 s | Maximum ISO A-series paper size: A4 | Paper tray media types: Heavy paper | Total input capacity: 250 sheets | ISO A-series sizes (A0...A9): A5 | Total output capacity: 150 sheets | Paper tray media types: Recycled paper | Duplex copying: Yes | Warm-up time: 14 s | Speed dialling: Yes | Maximum duty cycle: 50000 pages per month | Control type: Touch | Maximum number of copies: 999 copies | Multi-Purpose tray input capacity: 50 sheets | Power consumption (sleep): 1 W | Maximum input capacity: 850 sheets | Envelopes sizes: Monarch | Paper tray media types: Plain paper | Print speed (black, normal quality, A4/US Letter): 33 ppm | Auto document feeder (ADF): Yes | Paper tray media

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

types: Envelopes | Management protocols: SNMPv1, SNMPv3 (IPv4,IPv6) | Envelopes sizes: DL | Total number of input trays: 1 | Envelopes sizes: C5 | Maximum resolution: 1200 x 1200 DPI | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Thin paper | Paper tray media types: Postcard | Paper tray media types: Coated paper | Envelopes sizes: Com-10 | Non-ISO print media sizes: Letter | Non-ISO print media sizes: Executive | Built-in display: Yes | Maximum copy resolution: 600 x 600 DPI | Colour display: Yes | Non-ISO print media sizes: Statement | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Mac operating systems supported: Mac OS X 10.5 Leopard | Mac operating systems supported: Mac OS X 10.13 High Sierra | Mac operating systems supported: Mac OS X 10.14 Mojave | Mac operating systems supported: Mac OS X 10.9 Mavericks | Mac operating systems supported: Mac OS X 10.3 Panther | Mac operating systems supported: Mac OS X 10.7 Lion | Printing: Colour printing | Display: LCD | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Mac operating systems supported: Mac OS X 10.4 Tiger | Mac operating systems supported: Mac OS X 10.2 Jaguar | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | ISO A-series sizes (A0...A9): A6 | Scan to: USB | Modem speed: 33.6 Kbit/s | Time to first page (colour, normal): 7.1 s | Scan to: E-mail | Width: 425 mm | Scan to: FTP | Wi-Fi standards: 802.11g | Power consumption (max): 1380 W | Wi-Fi standards: Wi-Fi 4 (802.11n) | Scan to: Cloud | Weight: 23.3 kg | Wi-Fi standards: 802.11b | Mac operating systems supported: Mac OS X 10.12 Sierra | Mac operating systems supported: Mac OS X 12.0 Monterey | Input colour depth: 24 bit | Optical scanning resolution: 600 x 600 DPI | USB 2.0 ports quantity: 1 | Security algorithms: WPA2-PSK | Windows operating systems supported: Windows 8.1 | Scan drivers: TWAIN | Scan drivers: ICA | Security algorithms: 64-bit WEP | Security algorithms: WPA2-AES | Operating temperature (T-T): 10 - 30 °C | ISO B-series sizes (B0...B9): B5 | USB port: Yes | Output colour depth: 24 bit | Linux operating systems supported: Yes | Height: 430 mm | Windows operating systems supported: Windows 10 | Power consumption (standby): 24 W | Fax memory: 512 pages | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Server operating systems supported: Windows Server 2012 | Auto document feeder (ADF) input capacity: 50 sheets | Wi-Fi: Yes | Ethernet LAN: Yes | Scanning: Colour scanning | Print technology: Laser | Duplex scanning: Yes | Duplex functions: Scan | Copying: Colour copying | Printing colours: Black, Cyan, Magenta, Yellow | Operating relative humidity (H-H): 20 - 80% | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2016 | Security algorithms: WPA-PSK | Faxing: No | Depth: 461 mm | Scanner type: ADF scanner | Security algorithms: 128-bit WEP | Security algorithms: WPA-TKIP | Security algorithms: WPA2-TKIP | Server operating systems supported: Windows Server 2019 | Copier resize: 25 - 400% | Security algorithms: WPA-AES |

**Windows operating systems supported: Windows 11 | Internal memory: 1024 MB | Greyscale levels:**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903