

Epson EU-M30 (002) 203 x 203 DPI Wired & Wireless Thermal POS printer

Gamintojas: **EPSON** · Modelis: **C31CK01002** · EAN: **8715946700137** · Prekės kodas: **370748**



243,90 €

Kaina su PVM

Be PVM: **201,57 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compact and efficient with easy mounting kit
- ✓ Remote monitoring support for less downtime
- ✓ New bezel option for fewer paper jams
- ✓ Bright LED alerts for quick troubleshooting
- ✓ Security features prevent unauthorized access
- ✓ Available in black and white



Aprašymas

Self-Ordering and Self-Checkout Kiosk Thermal Receipt Printer.

The sleek, new Epson® EU-m30 Kiosk Thermal Receipt Printer offers innovative kiosk friendly features for easy integration into various self-checkout and self-ordering kiosks. With the included easy mounting kit for effortless integration and serviceability, it's ideal for busy retail and hospitality environments. Remote monitoring makes managing and minimizing downtime simple, and the EU-m30's new bezel option helps improve paper path alignment which aids in preventing jams in a kiosk environment. Troubleshooting in the field happens fast thanks to illuminated LEDs for attention and error status. And you can feel confident knowing the EU-m30 is secure with features like restricted front cover access and button cover options to prevent unauthorized printer access. A reliable performer, it features a 150 km printhead life¹ and auto cutter life of 1.5 million cuts¹. Customer lines aren't likely thanks to fast print speeds of up to 250mm/sec. Backed by world-class service and support, the EU-m30 includes a 2-year limited warranty. The Epson® EU-m30 Kiosk Thermal Receipt Printer. Built to keep customers and business moving.

Techninė specifikacija

Specifications	
Sandėlio grupė	POS > Receipt Printer [+0][-0]
Printing	
Print technology	Thermal
Type	POS printer
Maximum resolution	203 x 203 DPI
Print speed (receipt)	250 mm/sec
Printing characters	Text, Graphic, Barcode
Character sets	ANK
Paper handling	
Maximum roll diameter	8.3 cm
Supported paper width	58 mm - 80 mm (Breite)
Ports & interfaces	
Connectivity technology	Wired & Wireless
USB port	Yes
Serial interface	Yes
Near Field Communication (NFC)	Yes
Features	
Sound pressure level (printing)	55 dB
Mean time between failures (MTBF)	360000 h
Half-cutter	Yes
Autocutter durability	1.5 million cuts
Print head life	150 km
Country of origin	Philippines
Mounting position	Horizontal
Built-in sensors details	Paper End Sensor, Papier-Sensor
Design	
Product colour	Black
Power	
Power plug type	Type C
Operational conditions	
Operating temperature (T-T)	5 - 45 °C

Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
System requirements	
Pre-installed software	TMNet WebConfig, ePOS-Device, ePOS-Display, ePOS-Print
Weight & dimensions	
Width	127 mm
Depth	131 mm
Height	127 mm
Weight	1.3 kg
Packaging data	
Quantity per pack	1 pc(s)
Package width	195 mm
Package depth	230 mm
Package height	235 mm
Package weight	1.65 kg
Print technology	
Column capacity	48/57
Logistics data	
Harmonized System (HS) code	84433210
Other features	
Buffer size	12 KB
Mean cycles between failures (MCBF)	65000000
Print head life	150.000.000 Impulse
Technical details	
Font styles	ANK
Lifetime	17000000 lines
Matmenys ir svoris	
Matmenys (I × P × A)	24,00cm × 22,00cm × 20,00cm
Svoris	1,65kg