



Digital Signage Monitor LG 22SM3G-B 21.5" Full HD IPS webOS Wi-Fi 16/7 Operation



Modelis: 22SM3G-B

Gamintojas: LG

EAN: 8806098661039

Prekės kodas: 37096

331.00€

21.5" Full HD IPS Digital Signage Monitor for Commercial Use

The LG 22SM3G-B is a high-utility 21.5-inch Digital Signage Display designed to deliver information and guidance effectively in various commercial environments. Built upon the upgraded webOS platform, this monitor provides a convenient and powerful all-in-one solution for modern business communication.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Superior Performance with webOS Smart Signage Platform

This monitor features a built-in Quad Core System-on-Chip (SoC) capable of executing multiple tasks simultaneously while ensuring smooth, uninterrupted content playback, eliminating the need for an external media player. The LG webOS smart signage platform offers enhanced user convenience with an intuitive graphical user interface (GUI) and simple application development tools.

Key Display Specifications and Design:

- **Screen Technology:** 21.5-inch IPS panel with native Full HD (1920x1080) resolution, offering wide 178° viewing angles both horizontally and vertically.
- **Image Quality:** Crisp display quality with 250 cd/m² typical brightness and a 1000:1 contrast ratio.
- **Slim Profile:** Features a narrow 16.3mm bezel and a slim depth of only 53.8mm, ideal for space-constrained installations.
- **Reliable Operation:** Engineered for demanding commercial use with reliable 16 hours/day, 7 days/week (16/7) operational time.
- **Integrated Sound:** Includes built-in speakers for audio playback.

Connectivity and Management Features:

- **Built-in Wi-Fi:** Provides integrated network connectivity for easy content management and monitoring.
- **USB Plug & Play:** Simplifies content deployment, allowing users to quickly set up playback directly from a USB drive.
- **Versatile Interfaces:** Equipped with dual HDMI ports (HDMI x2), USB 2.0, RS232C, RJ45 (LAN), IR, and Audio interfaces, supporting diverse source connections and failover functionality for uninterrupted service.
- **External Sensor Support:** The webOS platform supports easy connection with external sensors (such as GPIO or temperature sensors) via USB plug-in, potentially reducing installation and maintenance costs.
- **Remote Management:** Supports remote monitoring and control through solutions like Control Manager or the optional LG Signage365Care service.
- **Mounting:** VESA 100 mm x 100 mm compatibility.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

LG is a globally recognized leader in display technology, providing cutting-edge solutions across consumer and commercial markets, known for innovation, quality, and powerful smart platforms.

Order today from ++SHOP++ as we offer the best deals and professional support for your commercial display needs.

22" Signage with More Utility for Commercial Space

22SM3G delivers information and performs guide with more effective ways in various commercial space, which provides more convenient solution thanks to its upgraded webOS platform.

High Performance SoC with webOS

Built-in Quad Core SoC can execute several tasks at once while providing smooth content playback without the need for a media player. Also, LG webOS smart signage platform enhances user convenience with intuitive GUI and simple app development tools.

Various Sensor Applications

LG webOS smart signage platform easily supports connections with external sensors such as GPIO, NFC/RFID, temperature sensors, etc, via USB plug-in. The overall cost for maintenance is reduced as there's no need to purchase additional software or media players.

A Wide Range of Interfaces

Through its diverse interfaces, users can connect the display with various sources for optimal use. Also, the failover function supports users preparing backup sources in case an unexpected error occurs.

USB Plug & Play

22SM3G supports USB Plug & Play feature, so users can easily set content playback using a USB.

Remote Monitoring and Control

Through the Control Manager, the embedded web monitoring solution, you can control and monitor the status of multiple 22SM3G displays in different locations in real-time. It is available on internet-connected devices, allowing you to flexibly and rapidly respond to emergency situations anywhere.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Real-time Care Service with LG Signage365Care

The maintenance gets easier and faster with the optional service Signage365Care*, a cloud service solution provided by LG service. It remotely manages status of displays in client workplaces for fault diagnosis and remote-control services, ensuring stable operation of the client's business.

22SM3G-B

Brightness(Typ.) : 250 cd/m²

Bezel : 16.3mm

Depth : 53.8mm

Interface : HDMI(2) / USB 2.0 / RS232C / RJ45 / IR / Audio

USB Plug & Play, Built-in Wi-Fi

Vendor Homepage: www.lg-informationdisplay.com/product/digital-signage/standard/22SM3G-B |

Audio-In: 1 | HDMI: 1 | RJ45: 1 | RS232: 1 | USB 2.0: 1 | 100 mm x 100 mm: Yes | Depth: 53.8 |

Height: 302.1 | Width: 510.3 | Model: 22SM3G-B | Model name: 22SM3G-B | Screen size: 21.5" | Panel type: IPS | Native resolution: 1920x1080 | Screen form factor: 16:9 | Refresh rate: 60Hz | Brightness:

250 | Contrast: 1000:1 | Response time: 14 | Viewing angle horizontal: 178 | Viewing angle vertical:

178 | Speakers: Yes | Power supply: Inbuilt | Operation time hours/day: 16/7 | Colour: Black | Unit

Calculated Volume: 0.02447 | Product Net Weight: 3.34 | Unit Calculated Weight: 4.65

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903