



Monitor DELL UltraSharp U2424H 23.8- inch Full HD (1920x1080) 120Hz IPS Pivot USB-C Hub Black



Modelis: 210-BLBT

Gamintojas: DELL

EAN: 5397184821411

Prekės kodas: 37153

203.99€ ~~227.99€~~

DELL UltraSharp U2424H 23.8" Full HD 120Hz IPS Monitor

Elevate your workspace with the DELL UltraSharp U2424H monitor, designed for professionals who demand visual clarity, extensive connectivity, and superior eye comfort. This 23.8-inch Full HD display boasts TÜV 4-star eye comfort certification, ensuring reduced eye strain during long working hours. Experience improved visual comfort and enhanced productivity thanks to advanced features built into this sleek design.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Exceptional Visual Performance

The U2424H utilizes advanced IPS panel technology, offering vibrant colors and exceptionally wide 178° viewing angles, ensuring consistency regardless of your perspective. Enjoy smooth, detailed motion with a rapid 120 Hz maximum refresh rate—a significant upgrade for standard business monitors—combined with a fast 5 ms gray-to-gray response time.

- Display Size: 23.8 inches (60.5 cm) with Full HD resolution (1920 x 1080).
- Panel Type: IPS technology for wide viewing angles and consistent color reproduction (100% sRGB, 85% DCI-P3).
- High Refresh Rate: 120 Hz maximum refresh rate for smoother scrolling and improved video playback.
- Response Time: 8 ms (normal) / 5 ms (fast).
- Eye Comfort: TÜV certified for 4-star eye comfort, featuring Flicker-free technology and Low Blue Light mode.
- Anti-glare screen with 3H hardness surface.

Connectivity and Professional Ergonomics

The UltraSharp U2424H serves as a powerful productivity hub. Featuring a built-in USB 3.2 Gen 2 hub, it simplifies cable management and provides high-speed data transfer. The monitor also offers a full range of ergonomic adjustments to perfectly fit any workspace configuration.

- Integrated USB Type-C Upstream port and multiple USB Type-A/Type-C Downstream ports (USB hub version 3.2 Gen 2).
- Video Inputs: Includes HDMI 1.4 and dual DisplayPort 1.4 connections.
- Ergonomic Flexibility: Supports Pivot (rotation), Swivel (-45° to 45°), Tilt (-5° to 21°), and Height adjustment (up to 150 mm) for optimal viewing posture.
- VESA mounting compatibility (100 x 100 mm).

DELL is globally recognized for manufacturing reliable, high-performance technology solutions, from personal computing devices to enterprise servers, known for innovation and quality.

Order today from ++SHOP++ as we offer the best deals and fast delivery on all DELL UltraSharp monitors.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Experience improved visual comfort, enhanced productivity and extensive connectivity with this monitor certified by TÜV for 4-star eye comfort.

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- USB, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the calculations.
7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.
8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.
9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.
10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.
12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).
13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.
14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).
15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL UltraSharp U2424H_WOST. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black, Silver | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: Edge LED | Colour gamut: 85 | Colour gamut standard: DCI-P3 | Contrast ratio (typical): 1000:1 | Display brightness (typical): 250 | Display diagonal: 23.8 | Display diagonal (metric): 60.47 | Display number of colours: 16.7 million colours | Display resolution: 1920 x 1080 | Display technology: LCD | HD type: Full HD | High Dynamic Range (HDR) supported: No | Horizontal scan range: 31 - 135 | Maximum refresh rate: 120 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 92.53 | Pixel pitch: 0.2745 x 0.2745 | Response time: 8 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 100 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1600 x 900/1920 x 1080 (HD 1080)/640 x 480 (VGA)/720 x 400/720 x 480/800 x 600 (SVGA) | Supported video modes: 1080i/1080p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 120 | Viewable size diagonal: 604.7 | Viewable size, horizontal: 527.04 | Viewable size, vertical: 296.46 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): No | Feet colour: Silver | Front bezel colour: Black | Market positioning: Business | Product colour: Black,Silver | AC (power) in: Yes | Built-

in USB hub: Yes | DisplayPort version: 1.4 | DisplayPorts quantity: 2 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4 | Headphone out: Yes | Microphone in: No | Number of USB Type-C upstream ports quantity: 1 | PC Audio in: No | USB hub version: 3.2 Gen 2 (3.1 Gen 2) | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | USB upstream port type: USB Type-C | Wi-Fi: No | Adjustable height (max): 150 | Cable lock slot: Yes | Cable lock slot type: Kensington | Height adjustment: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 24 | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): F | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1591641 | Input current: 1.5 | Power consumption (max): 72 | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power consumption (typical): 13.7 | Power supply type: Internal | Non-operating altitude: 5000 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 8.95 | Bezel width (side): 5.8 | Bezel width (top): 5.8 | Depth (without stand): 181.75 | Height (without stand): 496.53 | Weight (without stand): 3520 | Width (without stand): 538.64 | Cables included: AC/DisplayPort/USB Type-A to USB Type-C | DisplayPort cable length: 1.8 | Power adapter included: Yes | Quick start guide: Yes | Remote control included: No | Stand included: No | Stylus included: No | Doesn't contain: PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 3.52 | Carbon emissions, energy usage (kg of CO2e): 104.36 | Carbon emissions, logistics (kg of CO2e): 30.54 | Carbon emissions, manufacturing (kg of CO2e): 350.87 | PAIA version: 1.3.2, 2022 | Total carbon emissions, standard deviation (kg of CO2e): 117 | Total carbon footprint (kg of CO2e): 489 | Compliance certificates: RoHS | Heavy metals free: Hg (mercury) | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1591641/fiches?language=EN> | Energy efficiency class: F | EPREL Registration Number: 1591641 | EPREL Version Number: 2 | Model: U2424H | Included Accessories: 1 x Power Cable 1 x DisplayPort 1.4 Cable - 1.8 m 1 x USB Type-A to USB Type-C Gen 2 Cable - 1 m | Unit Calculated Volume: 0.0446774 | Product Net Weight: 3.5 | Unit Calculated Weight: 6.4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903