



# GIGABYTE Z790 D Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+ Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCIe 4.0 M.2, 2.5GbE LAN, USB 3.2 Gen 2

Modelis: Z790 D

Gamintojas: GIGABYTE

EAN: 4719331861186

Prekės kodas: 371564

---

## 160.99€

---

Bundled software: Norton® Internet Security (OEM version) LAN bandwidth management software |

Product colour: Bronze | Supported memory module capacities: 2GB | Country of origin: China |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Supported memory module capacities: 32GB | Supported memory module capacities: 12GB |  
Unbuffered memory: Yes | Supported memory module capacities: 8GB | Audio chip: Realtek ALC897 |  
DirectX version: 12.0 | Supported memory module capacities: 48GB | PC health monitoring: Fan |  
Supported memory module capacities: 1GB | PC health monitoring: Voltage | PC health monitoring:  
Temperature | Supported memory module capacities: 4GB | Supported memory clock speeds: 6600 |  
HDCP: Yes | Supported memory clock speeds: 6200 | Motherboard chipset: Intel Z790 Express |  
Thunderbolt headers: 2 | Supported memory clock speeds: 6800 | Supported memory clock speeds:  
5800 | Supported memory clock speeds: 5400 | Supported memory clock speeds: 7600 | S/PDIF out  
port: Yes | Supported memory clock speeds: 4400 | Supported memory clock speeds: 5200 |  
Maximum internal memory: 192 GB | Supported memory clock speeds: 5600 | Supported memory  
clock speeds: 7200 MHz | Supported memory clock speeds: 4800 | Supported memory clock speeds:  
6400 MHz | Supported storage drive types: HDD & SSD | Supported memory clock speeds: 7400 |  
Supported memory clock speeds: 7000 | Audio output channels: 7.1 channels | PC health monitoring:  
Water cooling | Supported storage drive interfaces: M.2, PCI Express 4.0, SATA III | Supported  
memory clock speeds: 6000 | Supported memory module capacities: 16GB | Supported memory  
clock speed (max): 7600 MHz | Width: 305 mm | Compatible processor series: Intel® Core™ i5 |  
Compatible processor series: Intel® Celeron® | Compatible processor series: Intel® Core™ i7 |  
Compatible processor series: Intel® Core™ i9 | Compatible processor series: Intel® Pentium® Gold |  
Number of HDDs supported: 4 | RGB LED pin header: Yes | Processor socket: LGA 1700 | Battery  
technology: Lithium-Manganese Dioxide (LiMnO<sub>2</sub>) | Processor manufacturer: Intel | Depth: 244 mm |  
Compatible processor series: Intel® Core™ i3 | Maximum number of SMP processors: 1 | WiFi-AP  
antenna jack: 2 | USB 3.2 Gen 2x2 Type-C ports quantity: 1 | Ethernet LAN: Yes | ATX Power  
connector (24-pin): Yes | Batteries included: Yes | Number of memory slots: 4 | Battery weight: 3 g |  
Ethernet interface type: 2.5 Gigabit Ethernet | RAID levels: 0 | RAID levels: 1 | Battery type: CR2032 |  
Maximum internal memory supported by processor: 192 GB | Number of SATA III connectors: 4 |  
Ethernet LAN (RJ-45) ports: 1 | Microphone in: Yes | 12V power connector: Yes | Products per shipping  
(inner) case: 1 pc(s) | Headphone outputs: 1 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 1 |  
Total number of SATA connectors: 4 | Number of storage drives supported: 7 | PCI Express x16 (Gen  
4.x) slots: 1 | DisplayPorts quantity: 1 | Supported memory types: DDR5-SDRAM | Motherboard form  
factor: ATX | Memory slots type: DIMM | Front panel audio connector: Yes | Lithium weight per  
battery: 0.07 g | Package depth: 270 mm | Motherboard chipset family: Intel | USB connector type:  
USB Type-C | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | BIOS type: UEFI AMI | USB 3.2 Gen 2 (3.1  
Gen 2) connectors: 1 | TPM connector: Yes | USB connector type: USB Type-A | CPU fan connector:  
Yes | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | Package weight: 1.8 kg | Windows

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

operating systems supported: Windows 10 x64 | HDMI ports quantity: 1 | EPS power connector (8-pin): Yes | Memory channels: Dual-channel | RAID levels: 5 | Antenna included: Yes | Desktop Management Interface (DMI) version: 2.7 | PCI Express x1 (Gen 3.x) slots: 2 | RAID levels: 10 | Supported processor sockets: LGA 1700 | Package height: 80 mm | PCI Express x16 (Gen 5.x) slots: 1 | USB 2.0 connectors: 2 | Power source type: ATX | Cables included: SATA | Number of EATX power connectors: 2 | Front panel connector: Yes | Package width: 335 mm | Wi-Fi: No | Height: 35 mm | RAID support: Yes | ECC compatibility: ECC & Non-ECC | Windows operating systems supported: Windows 11 x64 | Warranty period: 3 year(s) | Number of M.2 (M) slots: 3 | Clear CMOS button: Yes | DisplayPort version: 1.2 | Parallel processing technology support: Not supported | USB 2.0 ports quantity: 2 | Maximum resolution: 4096 x 2304 pixels | Number of battery cells: 1 | Clear CMOS jumper: Yes | PCI Express x16 (Gen 3.x) slots: 1 | HDMI version: 2.1

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903