

Sharp PN-LC862 Digital signage flat panel 2.18 m (86") LCD Wi-Fi 450 cd/m² 4K Ultra HD Black Touchscreen Built-in processor Android 11 16/7

Gamintojas: **SHARP** · Modelis: **60005901** · EAN: **4550556100403** · Prekės kodas: **371706**



4 065,90 €

Kaina su PVM

Be PVM: **3 360,25 €**

Neturime




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Enjoy a natural writing experience – with precise and responsive touch interaction through bonded screen technology
- ✓ Get an out-of-the-box-ready experience – with interactive functionality pre-installed; no external devices needed for an all-in-one solution
- ✓ EShare – boosts participation by wirelessly sharing content from your device to the display, and from the display to multiple devices simultaneously
- ✓ USB-C connectivity – instantly appeals to today's users who favour using their own device. A single cable transmits data, video/ audio output and power delivery for the simplest and seamless connection, even powering the connected device at the same time
- ✓ HDMI-OUT – allows connection of an additional output device such as a projector to present content on a larger canvas to reach a bigger audience



Aprašymas

Boost engagement in learning environments

When you need to engage your audience, you need to make your delivery interactive. NEC/Sharp's expertise in touch screens for education brings forth the LC series, designed to meet the demand for Bring Your Own Device (BYOD) preferences. Equipped with seamless USB-C connectivity, just a single cable connects display to personal device whilst receiving charge in return. Size up your screen area by connecting another display or

projector via HDMI-OUT to be seen by a bigger audience.

An all-in-one solution, the LC series features pre-installed functionality for instant interactivity, and with the EShare feature, content can be wirelessly shared between devices for best collaboration amongst peers and mentors.

For higher education in classrooms and small work groups, the LC series offers low cost, easy to use functionality to boost engagement in learning environments.

Techninė specifikacija

Specifications	
Sandėlio grupė	Displays > Lcd Touchscreen [+0][-0]
Display	
Display diagonal	2.18 m (86")
Display technology	LCD
Display resolution	3840 x 2160 pixels
Display brightness	450 cd/m²
HD type	4K Ultra HD
Touchscreen	Yes
Panel type	IPS
LED backlight	Yes
LED backlighting type	Direct-LED
Touchscreen technology	Infrared
Number of simultaneous touchpoints	20
Multi-touch	Yes
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.073 billion colours
Pixel pitch	0.372 x 0.372 mm
Active display area (W x H)	1895 x 1066 mm
Display diagonal (metric)	217.4 cm
Surface hardness	8
Ports & interfaces	
HDMI ports quantity	4
DVI port	No

DisplayPorts quantity	1
USB port	Yes
HDMI input ports quantity	3
HDMI output ports quantity	1
USB ports quantity	6
USB connector type	USB Type-A, USB Type-B, USB Type-C
USB 2.0 Type-B ports quantity	2
Ethernet LAN (RJ-45) ports	1
Audio (L/R) in	1
RS-232 interface	Yes
OPS module slot	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	30 W
Design	
Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Orientation	Vertical
Screen shape	Flat
Panel mounting interface	800 x 600 mm
Bezel width (bottom)	5.32 cm
Bezel width (side)	2.19 cm
Bezel width (top)	2.19 cm
Mounting type	Wall
Performance	
Purpose	Education
Operating hours (hours/days)	16/7
Pen type	Passive pen
HDCP	Yes
Power	
Power consumption (typical)	500 W

Power consumption (standby)	2 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Computer system	
Computer system	Yes
Built-in processor	Yes
Processor manufacturer	ARM
Processor family	ARM Cortex
Processor architecture	ARM Cortex-A55
Processor cores	4
Internal memory	8 GB
Internal storage capacity	16 GB
Operating system installed	Android 11
Weight & dimensions	
Display width	1967.9 mm
Display depth	87.1 mm
Display height	1170.2 mm
Display weight	65 kg
Packaging data	
Package width	2160 mm
Package depth	225 mm
Package height	1310 mm
Package weight	81 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Stylus pen	Yes
Number of stylus pens	2
Power adapter included	Yes
Cables included	AC, USB
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s

Matmenys ir svoris

Matmenys (l × P × A)	217,00cm × 132,00cm × 22,00cm
----------------------	-------------------------------

Svoris	81,00kg
--------	---------