GIGABYTE A520M DS3H V2 Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, up to 4733MHz DDR4 (OC), PCIe 3.0 x16, GbE LAN, USB 3.2 Gen 1

Modelis: A520M DS3H V2

Gamintojas: GIGABYTE

EAN: 4719331854690

Prekės kodas: 371856

68.99€

Bundled software: Norton Internet Security (OEM version) Realtek 8118 Gaming LAN Bandwidth Control Utility | Cables included: SATA | Number of battery cells: 1 | Battery type: CR2032 | Total number of SATA connectors: 4 | Height: 35 mm | Ethernet LAN: Yes | Warranty period: 3 year(s) |

Memory channels: Dual-channel | Memory slots type: DIMM | HDMI version: 2.1 | Package height: 54 mm | Number of memory slots: 4 | Headphone outputs: 1 | Maximum internal memory supported by processor: 128 GB | Depth: 244 mm | Ethernet interface type: Gigabit Ethernet | Clear CMOS button: Yes | Width: 244 mm | Number of HDDs supported: 4 | Processor socket: Socket AM4 | Supported memory types: DDR4-SDRAM | DVI-D ports quantity: 1 | Products per shipping (inner) case: 1 pc(s) | Number of displays supported: 3 | Package depth: 265 mm | TPM connector: Yes | Processor manufacturer: AMD | Compatible processor series: AMD Ryzen Threadripper 3000 Series | PS/2 ports quantity: 1 | Number of storage drives supported: 5 | 12V power connector: Yes | Clear CMOS jumper: Yes | Number of EATX power connectors: 1 | Batteries included: Yes | Battery weight: 3 g | Drivers included: Yes | Maximum number of SMP processors: 1 | Microphone in: Yes | Desktop Management Interface (DMI) version: 2.7 | Wi-Fi: No | HDMI ports quantity: 1 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Compatible processor series: AMD Ryzen 3000 Series | Compatible processor series: AMD Ryzen Threadripper PRO 3000 WX-Series | Warnings: Dispose of according to local electro-waste regulations. | Warnings: Store away from water and sources of moisture. | Lithium weight per battery: 0.07 g | Warnings: Avoid direct contact with sensitive electronic components. | ECC compatibility: ECC & Non-ECC | Supported memory clock speeds: 4000 | Supported memory clock speeds: 3200 MHz | Supported memory clock speeds: 2133 | Maximum internal memory: 128 GB | Audio output channels: 7.1 channels | Supported memory clock speeds: 2667 | Supported memory clock speeds: 4400 MHz | Supported memory clock speeds: 2400 | Supported memory clock speeds: 2933 | Supported memory clock speeds: 3600 | Supported memory clock speeds: 4733 | Supported memory clock speeds: 3333 | Power fan connector: Yes | Supported memory module capacities: 8GB | PC health monitoring: LED | Supported memory module capacities: 1GB | Supported memory module capacities: 32GB | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | Product colour: Black | Supported memory module capacities: 16GB | Package weight: 810 g | PCI Express x1 (Gen 3.x) slots: 2 | RAID levels: 10 | Front panel audio connector: Yes | CPU fan connector: Yes | DisplayPorts quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | PC health monitoring: Power supply | PC health monitoring: Voltage | Supported memory module capacities: 2GB | Supported memory module capacities: 4GB | Supported processor sockets: Socket AM4 | RAID levels: 1 | Windows operating systems supported: Windows 10 x64 | Supported storage drive interfaces: M.2, SATA III | Digital audio optical out: 1 | Number of M.2 (M) slots: 1 | DisplayPort version: 2.0 | Package width: 265 mm | Cooling type: Active | RAID support: Yes | Supported storage drive types: HDD & SSD | Serial port headers: 1 | Country of origin: China | Maximum resolution: 5120 x 2880 pixels | PC health monitoring: Temperature | USB 2.0 connectors: 1 | Power source type: ATX | PC health monitoring:

CPU | Unbuffered memory: Yes | Number of SATA III connectors: 4 | RAID levels: 0 | USB connector type: USB Type-A | BIOS type: UEFI AMI | Audio chip: Realtek ALC887 | Front panel connector: Yes | Motherboard chipset family: AMD | ATX Power connector (24-pin): Yes | USB 2.0 ports quantity: 2 | Motherboard form factor: micro ATX | HDCP: Yes | PCI Express x16 (Gen 3.x) slots: 1