



# HP Color LaserJet Pro MFP 4302fdn Printer



Modelis: 4RA84F#B19

Gamintojas: HEWLETT-PACKARD

EAN: 196068323226

Prekės kodas: 372063

---

## 463.99€

---

Replacement cartridges: HP 220A Black Original LaserJet Toner Cartridge (~2,000 pages) W2200A  
HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A HP 220A Yellow Original  
LaserJet Toner Cartridge (~1,800 pages) W2202A HP 220A Magenta Original LaserJet Toner  
Cartridge (~1,800 pages) W2203A HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages)  
W2200X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X HP 220X Yellow  
Original LaserJet Toner Cartridge (~5,500 pages) W2202X HP 220X Magenta Original LaserJet Toner  
Cartridge (~5,500 pages) W2203X | Manufacturer warranty: One-year, onsite repair. Warranty and  
support options vary by product, country and local legal requirements. | Compatible operating  
systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina  
macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Linux Citrix Chrome  
OS | Recommended system requirements: 2 GB available hard disk space Internet connection or USB  
port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet  
browser. | Box contents: HP Color LaserJet Pro 4302fdn Printer 4 preinstalled HP LaserJet Toner  
cartridges (Black: 2,000 pages, Introductory-Cyan, Magenta, Yellow: 1000 pages) In-box

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be  
išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

documentation (Reference Guide, Setup Card) Warranty card (Where required) HP printer software is available at <https://www.hp.com/support> Power cord Fax cable (Switzerland only). | Certification: CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries. | Sound pressure level (scanning): 48 dB | Typical electricity consumption (TEC) number: 1.423 kWh/Week (Blue Angel) | Total input capacity: 300 sheets | Total output capacity: 150 sheets | Sustainability compliance: Yes | Page description languages: PCL 6 | Printer fonts: Scalable | Paper tray media weight: 60 - 200 g/m<sup>2</sup> | Page description languages: PostScript 3 | Page description languages: PDF | Page description languages: URF | Paper tray 2 input capacity: 250 sheets | Page description languages: PCL 5c | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Maximum number of input trays: 3 | Page description languages: PWG | Total number of input trays: 2 | Compliance certificates: BSMI | Compliance certificates: CE | Sound pressure level (printing): 50 dB | Page description languages: PCL 5e | Paper tray media types: Labels | Duplex copying: Yes | Compliance certificates: GS mark | Paper tray media types: Bond paper | Paper tray media types: Postcard | Compliance certificates: BIS | Paper tray media types: Recycled paper | Printer fonts: TrueType | Compliance certificates: CCC | Compliance certificates: UL | Sound power level (printing): 6.1 dB | Paper tray media types: Rough paper | Paper tray media types: Plain paper | Paper tray media types: Photo paper | Paper tray media types: Letterhead | Multi-Purpose tray: Yes | Compliance certificates: cUL | Scan to: TWAIN | Scan to: E-mail | Paper tray media types: Glossy paper | Modem speed: 33.6 Kbit/s | Scan drivers: TWAIN | Maximum resolution: 600 x 600 DPI | Printing colours: Black, Cyan, Magenta, Yellow | Print speed (black, normal quality, A4/US Letter): 33 ppm | Scan to: WIA | Scan to: Software | Maximum ISO A-series paper size: A4 | Maximum input capacity: 850 sheets | Scan drivers: WIA | Mobile operating systems supported: iOS | Maximum number of copies: 999 copies | Mobile operating systems supported: Android | Auto reduction: Yes | Faxing: Mono faxing | Paper tray 1 input capacity: 50 sheets | Auto-redialing: Yes | USB port: Yes | General Product Safety Regulation (GPSR) URL: [https://support.hp.com/us-en/document/ish\\_6126692-6126777-16?openCLC=true](https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true) | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Fax forwarding: Yes | Number of print cartridges: 4 | Power consumption (sleep): 0.8 W | Greyscale levels: 256 | Maximum copy resolution: 600 x 600 DPI | Number of users: 10 user(s) | Fax memory: 500 pages | Time to first copy (black, normal): 7.6 s | Digital sender: Yes | Mobile printing technologies: Mopria Print Service | Maximum internal memory: 512 MB | Mobile printing technologies: Apple AirPrint | Input colour depth: 30 bit | Duplex scanning: Yes | Duplex functions: Print | Duplex functions: Copy |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Print speed (colour, normal quality, A4/US Letter): 33 ppm | Multi-Purpose tray input capacity: 50 sheets | Warranty card: Yes | HP GTIN (EAN/UPC): 195122442972, 195122443030 | Other operating systems supported: iOS | ID-card copy function: Yes | Fax resolution (black): 300 x 300 DPI | Recommended operating temperature range (T-T): 15 - 27 °C | Warm-up time: 55 s | Cartridge(s) included: Yes | Power consumption (printing): 585 W | Included cartridge capacity (CMY): 1000 pages | Scan speed (colour): 35 ppm | Speed dialling: Yes | Fax delayed sending: Yes | Duplex scan speed (colour): 37 ppm | Control type: Touch | Watermark printing: Yes | Print speed (black, draft quality, A4/US Letter): 35 ppm | HP Auto-On/Auto-Off: Yes | Carbon emissions, end-of-life (kg of CO2e): 17 | Time to first page (black, normal): 9.5 s | Duplex printing: Yes | Included cartridge capacity (black): 2000 pages | Recommended duty cycle: 750 - 4000 pages per month | Scan speed (black): 44 ppm | HP Dynamic security: Yes | Time to first copy (colour, normal): 10 s | Carbon emissions, logistics (kg of CO2e): 4 | Other operating systems supported: Android | Time to first page (colour, normal): 10.5 s | Carbon emissions, manufacturing (kg of CO2e): 143 | All-In-One-multitasking: Yes | Print resolution black: 600 x 600 DPI | Total carbon footprint (kg of CO2e): 0.7 | Power consumption (ready): 18 W | Maximum output capacity: 150 sheets | Duplex print speed (black, normal quality, A4/US Letter): 29 ppm | Scan technology: CIS | Auto fit function: Yes | UNSPSC-code: 43212110 | Envelope feeder: No | Acoustic power emissions (ready): Inaudible | Duplex print speed (colour, normal quality, A4/US Letter): 29 ppm | HP segment: Small medium business | Duplex scan speed (black): 46 ppm | Total carbon emissions, w/o use phase (kg of CO2e): 15 | Other operating systems supported: ChromeOS | Maximum duty cycle: 50000 pages per month | N-in-1 copy function: Yes | HP GTIN (EAN/UPC) with options: (ABB) 195122442972 (ABU) 195122443030 | USB 3.2 Gen 1 (3.1 Gen 1) ports quantity: 1 | Duplex printing mode: Auto | Internal storage capacity: 512 GB | Print resolution colour: 600 x 600 DPI | Document formats supported: PDF | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A5 | ISO A-series sizes (A0...A9): A6 | Fax transmission speed: 5 sec/page | JIS B-series sizes (B0...B9): B6 | Cabling technology: 10/100Base-T(X) | Processor frequency: 1200 MHz | Weight: 20.4 kg | Power consumption (PowerSave): 0.8 W | Power consumption (max): 585 W | Display diagonal: 10.9 cm (4.3") | Package height: 492 mm | AC input voltage: 220 - 240 V | N-in-1 copy function (N=): 2 | Operating temperature (T-T): 10 - 32.5 °C | USB 2.0 ports quantity: 2 | Copy speed (black, normal quality, A4): 35 cpm | Package depth: 497 mm | Custom media width: 76.2 - 216 mm | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Built-in display: Yes | Print technology: Laser | Storage temperature (T-T): -20 - 40 °C | Power consumption (off): 0.07 W | Product colour: Blue | Copying: Colour copying | Internal memory: 512 MB | Windows operating systems supported: Windows 10 | Cables included: AC | Height: 384 mm |

**AC input frequency: 50/60 Hz | Windows operating systems supported: Windows 11 | Package**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

weight: 23.6 kg | Package width: 597 mm | Wi-Fi: No | Depth: 435 mm | Server operating systems supported: Windows Server 2019 | Copy speed (colour, normal quality, A4): 35 cpm | Optical scanning resolution: 1200 x 1200 DPI | Ethernet LAN: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Mac operating systems supported: Mac OS X 12.0 Monterey | Server operating systems supported: Windows Server 2012 R2 x64 | Display: LED | Mac operating systems supported: Mac OS X 13.0 Ventura | Mac operating systems supported: MacOS | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Server operating systems supported: Windows Server 2022 | Ethernet LAN data rates: 10,100,1000 Mbit/s | Maximum print size: 212 x 352 mm | Server operating systems supported: Windows Server 2012 | Auto document feeder (ADF) input capacity: 50 sheets | Server operating systems supported: Windows Server 2016 | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Printing: Colour printing | Width: 421 mm | Maximum scan area: 216 x 297 mm | Server operating systems supported: Windows Server 2008 R2 x64 | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Warnings: Be careful when handling the device, it may contain live parts. | Warnings: The product requires special disposal - do not dispose of in normal waste.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903