



Monitor DELL P2225H 21.5" Business IPS 100Hz Full HD USB-C Hub Ergonomic TÜV

Modelis: 210-BMHD

Gamintojas: DELL

EAN: 5397184821695

Prekės kodas: 37221

131.99€ ~~148.99€~~

DELL P2225H Business Monitor: Comfort and Productivity

The DELL P2225H monitor is designed for professional environments where visual comfort and seamless connectivity are paramount. Featuring a sharp 21.5-inch IPS display, this monitor combines excellent color accuracy with advanced ergonomic adjustments, ensuring a productive and fatigue-free workday. The display is certified by TÜV for 4-star eye comfort, integrating Flicker-free and Low Blue Light technologies to protect your eyes during long sessions.

Superior Visual Performance and Comfort

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- **Crisp Full HD Imaging:** Enjoy vivid and detailed visuals on the 21.5-inch IPS panel with 1920 x 1080 resolution. IPS technology provides wide 178° viewing angles and 99% sRGB color coverage.
- **Smoother Motion:** The maximum refresh rate of 100 Hz ensures noticeably smoother on-screen motion compared to standard 60Hz panels, improving overall visual clarity, especially when scrolling or navigating applications.
- **TÜV 4-Star Certified Comfort:** Minimizes eye strain through optimized display settings, including advanced Low Blue Light and Flicker-free features, promoting better eye health.
- **Excellent Contrast:** With a high 1500:1 contrast ratio and 250 cd/m² brightness, images are sharp, and text is exceptionally clear.

Seamless Connectivity and Ergonomics

Connect all your peripherals effortlessly using the integrated USB hub. The monitor features comprehensive connectivity options, including HDMI 1.4, DisplayPort 1.2, and VGA, making it simple to integrate into any existing setup.

- **Built-in USB Hub:** Includes USB 3.2 Gen 1 ports (Type-A and Type-C) for quick access and charging capabilities (USB Power Delivery up to 15W).
- **Full Ergonomic Adjustability:** Tailor the screen position to your needs with full Pivot (90°), Swivel (45°), Tilt, and extensive Height Adjustment (150 mm).
- **VESA Compatibility:** Supports 100x100 VESA mounting for wall or third-party stand integration.

DELL is a globally recognized leader in computer technology, celebrated for manufacturing reliable, high-performance professional displays and computing solutions, backed by strong sustainability commitments (ENERGY STAR, TCO certified).

Order today from ++SHOP++ as we offer the best deals and professional support for your business technology needs.

Stay productive. Get enhanced visual comfort and seamless connectivity with this 22-inch monitor, certified by TÜV for 4-star eye comfort.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Stay productive. Get enhanced visual comfort and seamless connectivity with this 22-inch monitor, certified by TÜV for 4-star eye comfort.

- 54.6cm (21.5") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 250cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

Actual configuration might differ from illustration

Product Carbon Footprint (PCF):

1. Dell generally uses the PAIA (Product Attribute to Impact Algorithm)(<http://msl.mit.edu/projects/paia/main.html>) tool for product carbon footprint calculations.
2. Docking station related PCFs are extracted from corresponding LCAs and as such do not follow the PAIA methodology used for calculating other PCFs in this report.
3. PAIA method is developed by the Massachusetts Institute of Technology's Materials Systems Laboratory and partners.
4. All estimates of carbon footprint are uncertain. Dell Technologies reports the 5th and 95th percentile of the carbon footprint estimate to reflect this uncertainty wherever possible. (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>)
5. Please note the emission estimate in this report is calculated using the mean value along with the standard deviation for that product model.
6. Use of default inputs (i.e. not primary data) and assumptions on location of use and other fields can introduce a standard deviation which must be taken into account while completing the calculations.
7. Please note, PAIA uses the ecoinvent Database (<https://ecoinvent.org/the-ecoinvent-database/>) whenever primary data is not made available for calculations.
8. For client and commercial end user computing products, minimum configurations were assumed for calculations. For Server and Storage products, typical configurations or ENERGY STAR (<https://www.energystar.gov/products>) configurations were used for calculations.
9. Use Phase emissions were calculated based on the location of use as "Europe" i.e. the Use Phase emissions are not specific to a single country / location.
10. The report does provide an option for a total emissions number for manufacturing, transport and end of life while leaving the use phase emissions out, in case the customer uses their own calculation methodology for use phase emissions.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

11. The lifetime usage assumption at the product family level is as follows: Desktop, Notebook - 4 years, Display - 5 years and Servers - 4 years.
12. For detailed assumptions please refer to the product datasheets in the Dell Technologies reports (<https://www.dell.com/en-us/dt/corporate/social-impact/advancing-sustainability/climate-action/product-carbon-footprints.htm#tab0=0>).
13. The results from the PAIA tool are liable to change over time as the methodology is improved and datasets are updated. The PAIA version used to calculate emissions has been indicated with each record in the report.
14. Metrics used: The units for global warming potential are in kgCO₂-equivalent or MT (metric ton) CO₂-equivalent (CO₂e).
15. Beginning in June 2024, the data dashboard now incorporates PCF values computed using the Dell PCF calculator. It's important to note that the default location utilized for these calculations shown on the data dashboard is Europe. To access PCF values calculated for the USA and China locales, please refer to the Product PCF PDF document on Dell.com.

Summary: DELL P Series P2225H. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver | Vendor Homepage: <https://www.dell.com/en-uk/shop/> | Anti-glare screen: Yes | Backlight type: Edge LED | Contrast ratio (typical): 1500:1 | Display brightness (peak): 250 | Display brightness (typical): 250 | Display diagonal: 21.5 | Display number of colours: 16.7 million colours | Display resolution: 1920 x 1080 | Display technology: LCD | HD type: Full HD | High Dynamic Range (HDR) supported: No | Horizontal scan range: 30 - 110 | LED backlight: Yes | Maximum refresh rate: 100 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel density: 102.44 | Pixel pitch: 0.248 x 0.248 | Response time: 8 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 1024 x 768 (XGA)/1152 x 864 (XGA+)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1600 x 900/1920 x 1080 (HD 1080)/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Supported video modes: 1080p/480p/576p/720p | Surface hardness: 3H | Touchscreen: No | Vertical scan range: 48 - 100 | Viewable size, horizontal: 476.06 | Viewable size, vertical: 267.79 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): No | Detachable stand: Yes | Feet colour: Silver | Front bezel colour: Black | Market positioning: office | Product colour: Black,Silver | AC (power) in: Yes | Built-in USB hub: Yes | DisplayPort version: 1.2 | DisplayPorts

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

quantity: 1 | HDCP: Yes | HDCP version: 1.4 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4 | Headphone out: No | Number of upstream ports: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Power Delivery (USB PD): Yes | USB Power Delivery up to: 15 | USB Type-A downstream ports quantity: 3 | USB Type-C downstream ports quantity: 1 | USB upstream port type: USB Type-B | VGA (D-Sub) ports quantity: 1 | Wi-Fi: No | Adjustable height (max): 150 | Cable lock slot: Yes | Cable lock slot type: Kensington | Cable management: Yes | Height adjustment: Yes | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (SDR) per 1000 hours: 11 | Energy efficiency class (SDR): D | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1865618 | Input current: 1.5 | Power consumption (max): 60 | Power consumption (off): 0.3 | Power consumption (standby): 0.3 | Power consumption (typical): 10.9 | Power supply type: Internal | Non-operating altitude: 5000 - 12192 | Operating altitude: 0 - 5000 | Operating relative humidity (H-H): 10 - 80 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 12 | Bezel width (side): 6 | Bezel width (top): 6 | Depth (with stand): 181.75 | Depth (without stand): 50.03 | Height (with stand): 482.39 | Height (without stand): 285.79 | Weight (with stand): 4040 | Weight (without stand): 2580 | Width (with stand): 488.06 | Width (without stand): 488.06 | Package weight: 6150 | Cables included: AC/DisplayPort/HDMI/USB Type-A to USB Type-B | DisplayPort cable length: 1.8 | HDMI cable length: 1.8 | Power adapter included: Yes | Quick start guide: Yes | Remote control included: No | Stand included: Yes | Stylus included: No | Doesn't contain: PVC/BFR | Sustainability certificates: ENERGY STAR/TCO | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 2.919 | Carbon emissions, energy usage (kg of CO2e): 54.071 | Carbon emissions, logistics (kg of CO2e): 11.537 | Carbon emissions, manufacturing (kg of CO2e): 70.473 | PAIA version: GaBi version 1, 2024 | Total carbon footprint (kg of CO2e): 139 | Compliance certificates: RoHS | Heavy metals free: Hg (mercury) | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1865618/fiches?language=EN> | Energy efficiency class: D | EPREL Registration Number: 1865618 | EPREL Version Number: 2 | Model: P2225H | Unit Calculated Volume: 0.03621 | Product Net Weight: 2.58 | Unit Calculated Weight: 6.2

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903