

# Kingston Technology FURY 16GB 3600MT/s DDR4 CL16 DIMM 1Gx8 Renegade RGB

Gamintojas: **KINGSTON** · Modelis: **KF436C16RB12A/16** · EAN: **740617338249** · Prekės kodas: **374303**



## 166,90 €

Kaina su PVM

Be PVM: **137,93 €**

**Neturime**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Stunning RGB style\*
- ✓ Patented Kingston FURY™ Infrared Sync Technology™
- ✓ Powerful aluminium heat spreader displays smooth RGB effects
- ✓ High-speed, low-latency DDR4 performance
- ✓ Intel XMP Certified or Ready profiles
- ✓ Ready for AMD Ryzen™



## Aprašymas

Kingston FURY™ Renegade DDR4 RGB\* is the ideal upgrade for the power user who wants cutting-edge performance, with stylish RGB in their AMD- or Intel-based system. 10 LEDs create dynamic RGB lighting with Kingston FURY's patented Infrared Sync Technology™ for smooth, coordinated effects. Put in hours for work or play, crank up your frame rate, improve your workflow and edit gameplay in a flash thanks to speeds of up to 4600MT/s[\*]\* paired with quick latencies. The intense, stylish two-tone black heat spreader with black PCB is for fun and function to keep your system cool.

Available in single module capacities of 8GB–32GB and kits of 2, 4 and 8 with capacities of 16GB–256GB. [Kingston FURY Renegade DDR4 RGB is Ready for AMD Ryzen, and Intel® XMP Certified] or XMP Ready.

### Stunning RGB style

Bring your workstation to life with smooth, stunning RGB lighting effects\*

### Patented Kingston FURY™ Infrared Sync Technology™

RGB lighting stays synced thanks to Kingston FURY's Infrared Sync Technology

## Powerful aluminium heat spreader displays smooth RGB effects

The two-tone black aluminium heat spreader and black PCB highlight the stunning RGB effects to keep your rig running and looking sharp.

## Intel XMP Certified or Read profiles

Intel Extreme Memory Profile technology makes it possible to overclock with ease. Simply select one of the built-in, hand-tuned profiles in your BIOS to get the benefits of overclocking.

## Ready for AMD Ryzen™

Get memory that's Ready for Ryzen and will seamlessly integrate with your AMD-based system.

### Techninė specifikacija

| Features                                   |                           |
|--------------------------------------------|---------------------------|
| Internal memory                            | 16 GB                     |
| Memory layout (modules x size)             | 1 x 16 GB                 |
| Internal memory type                       | DDR4                      |
| Memory data transfer rate                  | 3600 MT/s                 |
| Component for                              | PC                        |
| Memory form factor                         | 288-pin DIMM              |
| ECC                                        | No                        |
| On-Die ECC                                 | No                        |
| CAS latency                                | 16                        |
| Buffered memory type                       | Unregistered (unbuffered) |
| Memory ranking                             | 2                         |
| Memory voltage                             | 1.35 V                    |
| Module configuration                       | 2048M x 64                |
| Row cycle time                             | 45.75 ns                  |
| Refresh row cycle time                     | 350 ns                    |
| Row active time                            | 32 ns                     |
| Intel Extreme Memory Profile (XMP)         | Yes                       |
| Intel Extreme Memory Profile (XMP) version | 2                         |
| SPD profile                                | Yes                       |
| Programming power voltage (VPP)            | 2.5 V                     |
| Cooling type                               | Heatsink                  |
| Lead plating                               | Gold                      |

|                                  |                            |
|----------------------------------|----------------------------|
| Backlight                        | Yes                        |
| Backlight colour                 | Red/Green/Blue             |
| JEDEC standard                   | Yes                        |
| Operational conditions           |                            |
| Operating temperature (T-T)      | 0 - 70 °C                  |
| Storage temperature (T-T)        | -40 - 85 °C                |
| Weight & dimensions              |                            |
| Width                            | 8.2 mm                     |
| Depth                            | 133.3 mm                   |
| Height                           | 43 mm                      |
| Weight                           | 54.19 g                    |
| Packaging data                   |                            |
| Package width                    | 129.5 mm                   |
| Package depth                    | 16 mm                      |
| Package height                   | 171.4 mm                   |
| Package weight                   | 104.29 g                   |
| Logistics data                   |                            |
| Products per master (outer) case | 15 pc(s)                   |
| Master (outer) case width        | 181.6 mm                   |
| Master (outer) case length       | 254 mm                     |
| Master (outer) case height       | 147.3 mm                   |
| Master (outer) case gross weight | 1.76 kg                    |
| Other features                   |                            |
| Country of origin                | China, Taiwan              |
| Matmenys ir svoris               |                            |
| Matmenys (I × P × A)             | 2,00cm × 13,00cm × 17,00cm |
| Svoris                           | 0,11kg                     |