
HP Series 5 Pro 14 inch WQXGA Portable Monitor - 514pn

Gamintojas: **HP INC.** · Modelis: **B88JWAA#ABB** · EAN: **198990467757** · Prekės kodas: **374923**



327,90 € ~~329,89 €~~

Kaina su PVM

Be PVM: **270,99 €**


Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 35,6 cm (14") Sidabras
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 75 Hz Reakcijos laikas: 7 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 2560 x 1600 pikseliai WQXGA Skydo tipas: IPS Black
- ✓ Energijos vartojimo efektyvumo klasė (SDR): B ENERGY STAR, EPEAT, EPEAT Climate + CCC, CB, EAC, BIS, Federalinė ryšių komisija (FCC), CE, BSMI



























Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Aprašymas

Transform every space into a dual display workspace

Take your dual screen setup anywhere and stay productive on the go without sacrificing picture quality with the HP Series 5 Pro 14” Portable Monitor. Breakthrough Neo:LED delivers stunning visuals in a feather-light frame to fit any space, making it the perfect sidekick for your notebook.

Techninė specifikacija

Display	
Display diagonal	35.6 cm (14")
Display resolution	2560 x 1600 pixels
Native aspect ratio	16:10
Display technology	LCD
Touchscreen	No
HD type	WQXGA
Panel type	IPS Black
Response time	7 ms
Screen shape	Flat
Contrast ratio (typical)	2000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	400 cd/m²
Display brightness	400 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	Yes
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1600 (WQXGA), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)
Aspect ratio	16:10
Contrast ratio (dynamic)	10000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.1178 x 0.1178 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Pixel density	216 ppi
Horizontal scan range	31 - 124 kHz
Vertical scan range	50 - 75 Hz
Viewable size, horizontal	30.1 cm
Viewable size, vertical	18.8 cm
Display diagonal (metric)	35.6 cm
Haze rate	25%
Surface hardness	3H
Colour depth	8 bit
Colour gamut standard	sRGB
Colour gamut	100%
sRGB coverage (typical)	100%
Display bezel technology	Narrow Border
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Fast charging	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
HP segment	Business
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Business
Product colour	Silver
Colour name	Silver
Feet colour	Silver
Ports & interfaces	
HDMI	No
Headphone out	No
USB Type-C downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

USB Power Delivery up to	65 W
HDCP	Yes
Ergonomics	
VESA mounting	No
Cable lock slot	No
Height adjustment	No
Tilt adjustment	Yes
Tilt angle range	18.8 - 46.2°
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	B
Energy efficiency class (HDR)	B
Energy consumption (SDR) per 1000 hours	5.6 kWh
Power consumption (typical)	7 W
Power consumption (standby)	0.5 W
Power consumption (max)	13 W
Power consumption (off)	0.3 W
Power supply type	External
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m
Non-operating relative humidity (non-condensing)	20 - 80%
Weight & dimensions	
Width (with stand)	320.6 mm
Depth (with stand)	8.8 mm
Height (with stand)	208.6 mm
Weight (with stand)	630 g
Packaging data	
Package width	398 mm
Package depth	60 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Package height	278 mm
Package weight	1.27 kg
Package type	Box
Warranty card	Yes

Packaging content

Stand included	Yes
Cables included	USB Type-C to USB Type-C
Quick start guide	Yes
Bundled software	HP Display Center; HP Client Management Script Library

Sustainability

Sustainability certificates	ENERGY STAR, EPEAT, EPEAT Climate +
Sustainable technologies and materials	At least 55% recycled aluminum; Contains ocean-bound plastic; Contains 20% recycled glass in the monitor panel; Molded paper pulp cushion inside box is made of 100% recycled or certified sources; Outside box and corrugated cushions are 100% from certified or recycled sources and recyclable; At least 90% post-consumer recycled plastic; Low halogen
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	200
Carbon emissions, manufacturing (kg of CO2e)	156
Carbon emissions, logistics (kg of CO2e)	3
Carbon emissions, end-of-life (kg of CO2e)	2
Total carbon emissions, w/o use phase (kg of CO2e)	36

Other features

Country of origin	China, Vietnam
Packaging content	Monitor; Warranty card; Quick Setup Poster; 1 USB Type-C to Type-C cable; Hard screen cover
Weight	630 g
Compliance certificates	CCC, CB, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
Manufacturer warranty	HP three-year limited warranty
Low halogen	Yes
Certification	BIS; BSMI; CB; CCC; CE; cTUVus; EAC; FCC; ISO 9241-307; KC; KCC; NOM; TUV/GS; VCCI; Vietnam MEPS; WEEE; ISC; ICE; UAE; NRCS
UNSPSC-code	43211902
Supplied AC adapter type	198990467832

Technical details

General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true

Matmenys ir svoris

Matmenys (I × P × A)	40,00cm × 28,00cm × 6,00cm
Svoris	1,33kg

Energijos efektyvumas ir ekologinis projektavimas

Energijos efektyvumo klasė **B** A–G

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas 1 objects.icecat.biz/objects/137573467_76068792.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/137573467_76068809.mp4
- Vaizdo įrašas 3 objects.icecat.biz/objects/137573467_70807000.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Gamintojo saugos informacija