



Switch
MIKROTIK
Mikrotik
netPower Lite
8P (CSS610-8P-
2S+OUT) 8xRJ-
45 ports RJ-45
Ports Type
Gigabit Ethernet
(10/100/1000)
8xGigabit
Ethernet
(copper) ports
quantity 2xSFP+
module slots
quantity 10G
support Yes
Power over
Ethernet (PoE)
Yes 8xPower

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

**over Ethernet
(PoE) ports
quantity Total
Power over
Ethernet (PoE)
budget 120 W
CSS610-8P-
2S+OUT**



Modelis: CSS610-8P-2S+OUT

Gamintojas: MIKROTIK

EAN: 4752224006936

Prekės kodas: 375476

169.99€

Mikrotik netPower Lite 8P (CSS610-8P-2S+OUT)

With netPower Lite 7R switch you can forget about expensive GPON base stations and optical splitters. This switch is a part of our GPEN concept – aimed to bring the speed and versatility of fiber networking while using the advantages of Ethernet. It is an easy to deploy, low-cost way for any ISP to deliver the Internet to individual apartments.

With this switch you won't have to worry about power issues, as there are many options. netPower Lite 7R has 7 reverse PoE ports. Depending on your setup, netPower can draw the necessary power even from a single client! Ethernet port 8 can power other PoE capable devices with the same

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

voltage as applied to the unit. There is also a DC jack and a 2-pin terminal for alternative powering.

The outdoor enclosure allows you to install this switch in all kinds of environments – from damp attics to elevator shafts and different poles with hose clamps. netPower Lite 7R has a non-blocking throughput of 28 Gbps, switching capacity of 56 Gbps and forwarding rate of 41.7 Mpps.

- 8× Gigabit Ethernet
- 802.3af/at PoE-Out
- 2× 10G SFP+ uplinks
- 24–57 V DC input
- Built-in smart battery charger
- 120 W total PoE-Out
- Integrated UPS switchover
- Temperature sensor included

Summary: Mikrotik netPower Lite 8P. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Networking standards: IEEE 802.3af, IEEE 802.3at. DC input voltage: 24 - 57 V. Power connector: Terminal block (2-pin). Power over Ethernet (PoE) | Vendor Homepage: https://mikrotik.com/product/netpower_lite_ups | Basic switching RJ-45 Ethernet ports quantity: 8 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 8 | Power connector: Terminal block (2-pin) | SFP+ module slots quantity: 2 | 10G support: Yes | Networking standards: IEEE 802.3af/IEEE 802.3at | International Protection (IP) code: IP54 | LED indicators: Yes | Product colour: White | Temperature sensor: Yes | Flash memory: 0.064 | Mean time between failures (MTBF): 200000 | Memory type: Flash | Operating system installed: SwOS | DC input voltage: 24 - 57 | Power consumption (max): 208 | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 8 | Total Power over Ethernet (PoE) budget: 120 | Operating temperature (T-T): -40 - 70 | Depth: 212 | Height: 71 | Width: 304 | Compliance certificates: CE/EAC/RoHS | Model: CSS610-8P-2S+OUT | Model name: Mikrotik netPower Lite 8P (CSS610-8P-2S+OUT) | Units per Pallet: 0 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.00931 | Unit Calculated Weight: 2.78