iiyama ProLite XB2797HSU-B1 kompiuterio monitorius 68,6 cm (27") 1920 x 1080 pikseliai „Full HD“ LED Juoda

Gamintojas: **IIYAMA CONSIGNMENT** · Modelis: **XB2797HSU-B1** · EAN: **4948570125852** · Prekės kodas: **375727**



185,90 €

Kaina su PVM

Be PVM: **153,64 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68,6 cm (27") Juoda
- ✓ Aukščio reguliavimas 15 cm Įmontuoti garsiakalbiai
- ✓ USB aukštakrypčio prievado tipas: B tipo USB HDMI HDMI versija: 1.4 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 120 Hz Reakcijos laikas: 4 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray) Atsako trukmė (MPRT): 1 ms
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): C ErP, TCO CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE











Aprašymas

The ProLite XB2797HSU is perfect if you want a compact, high-performance display that fits seamlessly into a multi-monitor setup. The four-side slim bezel gives you a clean, modern workspace and uninterrupted visuals across screens. You'll enjoy sharp, accurate colours and wide viewing angles thanks to the IPS panel, while the 120Hz refresh rate keeps everything smooth and responsive. Whether you're working on documents, editing content or browsing, flicker-free technology and a blue light reducer help protect your eyes during long sessions. Adjust the screen to suit your posture with a fully ergonomic stand offering 15cm height adjustment, tilt, swivel and pivot. Built-in speakers, a four-port USB hub, HDMI, DisplayPort and a headphone socket keep your setup simple and efficient. And with EPEAT and TCO certifications and an Energy label C, you're choosing a monitor that supports sustainability without compromising on performance.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 140 kHz

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Vertical scan range	48 - 120 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	36.3 cm
Display diagonal (metric)	68.6 cm
DDC/CI	Yes
Colour gamut standard	sRGB, NTSC
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%
Performance	
AMD FreeSync	Yes
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Consumer
Product colour	Black
Frameless design	Yes
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of downstream ports	4
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	2
HDMI ports quantity	1
HDMI version	1.4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-60 - 60°
Tilt adjustment	Yes
Tilt angle range	-5 - 23°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian
Number of OSD languages	10
Power	
Energy efficiency class (SDR)	C
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	14.1 kWh
Power consumption (typical)	14 W
Power consumption (standby)	14 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width (with stand)	611.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	547 mm
Weight (with stand)	5.4 kg
Height (without stand)	402 mm
Packaging data	
Package width	691 mm
Package depth	142 mm
Package height	447 mm
Package weight	7.8 kg
USB cable length	1.5 m
Packaging content	
Cables included	AC, USB, HDMI, DisplayPort
Quick start guide	Yes
DisplayPort cable length	1.8 m
HDMI cable length	1.5 m
Power cable length	1.8 m
Sustainability	
Sustainability certificates	ErP, TCO
Other features	
Packaging content	quick start guide, safety guide
Weight	5.4 kg
Width	611.5 mm
Depth	209.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
Manufacturer warranty	5 years (for details and eligible countries please check the Warranty section of our website)


Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

User controls	picture adjust (brightness, contrast, ECO, ACR, OD, motion blur reduction, Adpative Sync), colour settings (i-Style colour, RGB range, colour temperature, user preset), OSD (OSD H. position, OSD V. position, OSD rotate, OSD background, DDC/CI control, display information), language, extra1 (sharpness, video mode adjust, opening logo, power LED), Extra2 (shortcut, FW version), input select, audio settings (volume, mute audio), reset (reset all)
Control panel	Joystick: Centre: Power/MenuPower, Up / Signal Select, Down, Left / Shortcut, Right / Volume

Matmenys ir svoris

Matmenys (I × P × A)	69,00cm × 44,00cm × 14,00cm
Svoris	7,82kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė C A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Vaizdo įrašas 1 objects.icecat.biz/objects/138358554_71839933.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/138358554_71839928.mp4
- Vaizdo įrašas 3 objects.icecat.biz/objects/138358554_71839929.mp4
- Vaizdo įrašas 4 objects.icecat.biz/objects/138358554_71839930.mp4
- Vaizdo įrašas 5 objects.icecat.biz/objects/138358554_71839931.mp4
- Vaizdo įrašas 6 objects.icecat.biz/objects/138358554_71839932.mp4
- Vaizdo įrašas 7 youtube.com/watch?v=nVW4eaMMxZI

Gamintojo ir saugos informacija

GAMINTOJAS

iiyama International
Wijkermeerstraat 8, 2131 HA Hoofddorp, NL
iiyama.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt