GIGABYTE H610M H V2 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Digital VRM, up to 5600MHz DDR5, 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

Modelis: H610M H V2

Gamintojas: GIGABYTE

EAN: 4719331859985

Prekės kodas: 376462

70.99€

Bundled software: Norton Internet Security (OEM version) LAN bandwidth management software | PCI Express x16 slots: 1 | Number of SATA III connectors: 4 | Ethernet LAN (RJ-45) ports: 1 | ATX

www.shopro.lt | info@shopro.lt | +370 693 39903

Power connector (24-pin): Yes | Supported storage drive types: HDD & SSD | Package weight: 694 g | Unbuffered memory: Yes | Power source type: ATX | PC health monitoring: Water cooling | Country of origin: China | Supported memory clock speeds: 4800 | Graphics card: HD Graphics | Supported memory clock speeds: 5200 | Supported memory clock speeds: 5600 | Maximum internal memory: 96 GB | Audio output channels: 7.1 channels | Front panel audio connector: Yes | Supported memory module capacities: 32GB | Parallel processing technology support: Not supported | Supported memory module capacities: 48GB | Product colour: Black | Supported memory module capacities: 2GB | Supported memory module capacities: 4GB | Supported memory module capacities: 12GB | Serial port headers: 1 | Audio chip: Realtek ALC897 | USB 2.0 connectors: 2 | Supported memory module capacities: 1GB | DisplayPorts quantity: 2 | Motherboard form factor: micro ATX | Motherboard chipset family: Intel | Motherboard chipset: Intel H610 Express | ECC compatibility: ECC & Non-ECC | PC health monitoring: Temperature | PC health monitoring: Voltage | PC health monitoring: Fan | Lithium weight per battery: 0.07 g | Supported storage drive interfaces: M.2, SATA III | Maximum resolution: 4096 x 2304 pixels | HDCP: Yes | Supported memory clock speeds: 4400 MHz | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | USB 2.0 ports quantity: 4 | Supported memory module capacities: 8GB | Front panel connector: Yes | Cables included: SATA | USB connector type: USB Type-A | Package depth: 265 mm | TPM connector: Yes | Battery type: CR2032 | BIOS type: UEFI AMI | Supported processor sockets: LGA 1700 | Number of M.2 (M) slots: 1 | Clear CMOS jumper: Yes | CPU fan connector: Yes | Package height: 54 mm | Clear CMOS button: Yes | EPS power connector (8-pin): Yes | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | Windows operating systems supported: Windows 11 x64 | Windows operating systems supported: Windows 10 x64 | Cooling type: Active | Package width: 265 mm | PCI Express x1 slots: 1 | Maximum internal memory supported by processor: 96 GB | Number of storage drives supported: 5 | 12V power connector: Yes | Number of memory slots: 2 | Depth: 196 mm | VGA (D-Sub) ports quantity: 1 | Batteries included: Yes | Ethernet LAN: Yes | Width: 230 mm | HDMI ports quantity: 1 | Number of HDDs supported: 1 | RGB LED pin header: Yes | Desktop Management Interface (DMI) version: 2.7 | PS/2 ports quantity: 1 | Graphics card family: Intel | Memory channels: Dual-channel | Processor socket: LGA 1700 | Memory slots type: DIMM | Number of battery cells: 1 | DVI-D ports quantity: 1 | Height: 35 mm | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Ethernet interface type: Gigabit Ethernet | Wi-Fi: No | Supported memory types: DDR5-SDRAM | Battery weight: 3 g | Products per shipping (inner) case: 1 pc(s) | Headphone outputs: 3 | Warranty period: 3 year(s) | Microphone in: Yes | Processor manufacturer: Intel | Compatible processor series: Intel® Core™ i7 | Compatible processor series: Intel® Core™ i9 | Compatible processor series: Intel® Pentium® Gold | Compatible processor series: Intel® Core™ i3 | Supported memory clock speed (max): 5600 MHz | Compatible processor series:

Intel® Core™ i5 | Compatible processor series: Intel® Celeron®