

Philips 43BDL4511D/00 Signage Display Digital A-board 109.2 cm (43") 500 cd/m² 4K Ultra HD Black 24/7

Gamintojas: **MMD - PHILIPS** · Modelis: **43BDL4511D/00** · EAN: **8712581778644** · Prekės kodas: **377106**



813,89 €

Kaina su PVM

Be PVM: **672,64 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Indoor Digital A-board Black
- ✓ Ethernet LAN
- ✓ 109.2 cm (43") 3840 x 2160 pixels 500 cd/m²
- ✓ Built-in speaker(s) 10 W
- ✓ 8 ms

Techninė specifikacija

Specifications

Sandėlio grupė Displays > Lcd Large Format [+0][-0]

Display

Display diagonal	109.2 cm (43")
Display resolution	3840 x 2160 pixels
Display brightness	500 cd/m²
HD type	4K Ultra HD
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Contrast ratio (dynamic)	500000:1
Viewing angle, horizontal	178°

Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Pixel pitch	0.2451 x 0.2451 mm
Display diagonal (metric)	108 cm
Panel life	50000 h
Ports & interfaces	
HDMI ports quantity	3
DVI port	Yes
DisplayPorts quantity	2
USB port	Yes
HDMI version	2
DVI-I ports quantity	1
DisplayPorts in	1
DisplayPorts out	1
USB ports quantity	2
USB version	2
Ethernet LAN (RJ-45) ports	1
Audio (L/R) in	1
Audio (L/R) out	1
RS-232C	Yes
Remote (IR) input	1
Remote (IR) output	1
OPS module slot	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	10 W
Design	
Product design	Digital A-board
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Panel mounting interface	200 x 200 mm
Performance	

Purpose	Commercial
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Arabic
Operating hours (hours/days)	24/7
Power	
Power consumption (typical)	62 W
Power consumption (standby)	0.5 W
Power consumption (max)	170 W
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	71 kWh
AC input voltage	100/240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
Computer system	
Video formats supported	H.263, H.264, H.265, MPEG
Audio formats supported	AAC, HE-AAC
Image formats supported	BMP, JPEG, PNG
Weight & dimensions	
Display width	973 mm
Display depth	63.5 mm
Display height	561.2 mm
Display weight	10.7 kg
Base width	56.1 cm
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC, IR sensor, RS-232
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	5 - 95%
Certificates	
Certification	CE FCC Class A CCC Restriction of Hazardous Substances (ROHS) CB BSMI EMF VCCI PSB ETL CECP EAC Energy Star 8.0

Network

Ethernet LAN	Yes
--------------	-----

Other features

Maximum refresh rate	60 Hz
----------------------	-------

Matmenys ir svoris

Matmenys (I × P × A)	107,00cm × 68,00cm × 18,00cm
----------------------	------------------------------

Svoris	15,34kg
--------	---------