



**HDD WESTERN  
DIGITAL Serial  
ATA III 3.5  
Buffer 512 MB  
7200 RPM 16 TB  
Western Digital  
Ultrastar DC  
HC555 Ultrastar  
DC HC555  
0B48722**

Modelis: WUH722016CLE6L4 0B48722

Gamintojas: WESTERN DIGITAL

Prekės kodas: 377672

**832.99€**

Engineered to handle high-intensity workloads with proven technology

Ultrastar Data Center HC555 hard drives are engineered to deliver the large capacity, strong performance and proven reliability needed to handle high-intensity workloads in 24x7 multi-user

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

data center environments.

### Handle Data Center Workloads with Proven Technology

The combination of field-proven hardware with the latest innovative technologies delivers the performance, capacity and reliability needed to handle high-intensity workloads in 24×7 multi-user data center environments.

### Grow Capacity while Lowering Costs

Western Digital's energy-assisted perpendicular magnetic recording (ePMR) technology enables customers to grow capacities while lowering TCO (total cost of ownership) including both \$/TB and OpEx.

### Rapid qualification and integration

Leveraging hardware designs from generations of highly successful products ensures easy qualification, seamless integration and rapid adoption by existing customers.

### Reliability You Can Trust

Built off the same platform that is deployed in thousands of data centers around the world, these drives deliver superior dependability and field-proven reliability for hassle free data storage.

### Increase Density with Low Power

Western Digital's Triple-Stage Actuator (TSA) increases tracks-per-inch (TPI) while providing greater control over the actuator arm, enabling the highest capacities with low power.

### Meet Eco Goals with Helium

The stable internal environment created by our HelioSeal® technology enables this high-capacity helium drive to deliver one of the lowest power profiles in the industry.

### Protected Against Vibration & Shock

Disturbances caused by increased vibration are anticipated and proactively counteracted by Rotation Vibration (RV) sensors and subtle shock events are automatically detected by multi-axis shock sensors and compensated for with dynamic fly height technology to maintain performance and protect data.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

## Trusted Reliability, Quality and World-Class Support

As an industry-leading hard drive manufacturer, Western Digital stands behind their Ultrastar hard drives with the assurance of a projected 2.5M-hour MTBF rating.

- Capacities up to 20TB in standard 3.5-inch form factor
- Conventional Magnetic Recording (CMR) technology
- Superior reliability of field-proven hardware and firmware designs
- Seamless integration with existing applications & environments

Summary: Western Digital Ultrastar DC HC555. HDD capacity: 16 TB, HDD speed: 7200 RPM, Storage drive buffer size: 512 MB, HDD size: 3.5", Interface: Serial ATA III | Vendor Homepage:

<https://www.westerndigital.com/en-in/products/internal-drives/data-center-drives/ultrastar-data-center-hc555-hdd?sku=0B47747> | 24/7 operation: Yes | Average latency: 4.16 | Component for: Server/workstation | HDD average transfer rate: 269 | HDD capacity: 16000 | HDD interface transfer rate: 6 | HDD size: 3.5 | HDD speed: 7200 | HDD sustained transfer rate: 257 | Hot-swap: No | Interface: Serial ATA III | Mean time between failures (MTBF): 2500000 | Start/stop cycles: 600000 | Storage drive buffer size: 512 | Type: HDD | Operating voltage: 5 / 12 | Power consumption (idle): 5.3 | Power consumption (typical): 6.4 | Non-operating shock: 250 | Non-operating vibration: 1.04 | Operating shock: 50 | Operating temperature (T-T): 5 - 60 | Operating vibration: 0.67 | Storage temperature (T-T): -40 - 70 | Depth: 147 | Height: 26.1 | Weight: 679 | Width: 101.6 | Warranty period: 5 | HDD Family name: Ultrastar DC HC555 | Model name: Western Digital Ultrastar DC HC555 | Units per Pallet: 0 | Units per Shipping Box: 20 | Unit Calculated Volume: 0.001446 | Product Net Weight: 0.69 | Unit Calculated Weight: 0.715

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903