



Power Supply ENDORFY ATX PC 100 - 240 V 750 W EY7A013

Modelis: EY7A013

Gamintojas: ENDORFY

EAN: 5903018668499

Prekės kodas: 378151

112.99€

Supremo FM6 750 W is a fully modular modern ATX 3.1-compliant power supply unit, providing stable operation and supporting PCIe 5.1 GPUs. 80 PLUS® Gold certificate confirms its high efficiency, while a Fluctus fan guarantees quiet work. Thanks to the Japanese capacitors and a 10-year warranty, it's a reliable solution for avid gamers and professionals alike.

Ready for latest ATX 3.1 standards

Supremo FM6 750 W is a power supply unit compliant with the ATX 3.1 standard. Its major advantages include even better performance, stability, and resistance to momentary power spikes than previous ATX standards. The set includes the 12V-2x6 cable fully compatible with PCIe 5.1 cards. A traditional PCI-E 6+2 PIN splitter is also included to handle GPUs with classic power supply systems.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

80 PLUS® Gold - supreme performance and reliability

The 80 PLUS® Gold certificate confirms the high efficiency of the Supremo FM6 750 W power supply unit. Thanks to its excellent quality and refined design, the unit is characterized by low-noise and low-temperature operation, resulting in its extended service life.

Silence first

Supremo FM6 750 W has been designed with maximum user comfort in mind. Thanks to the optimized component setup streamlining the air flow and a high-performance cooling system, the PSU runs exceptionally quietly and retains low temperature even under full load.

Premium-class capacitors made in Japan

All capacitors installed in the Supremo FM6 750 W power supply unit are reliable, premium-class components made in Japan. They retain their operating parameters even at high temperatures (105 °C), enabling them to perform faultlessly and stably for years to come, even under extremely demanding operating conditions.

Reliable 120 mm Fluctus fan

The award-winning Fluctus series fan co-engineered with Synergy Cooling and equipped with the FDB bearing maintains the correct temperature inside the power supply unit. Psychoacoustic optimization guarantees that the noise generated by the fan is less audible to ensure comfort of operation, even in non-muffled chassis.

Fully modular cabling

Forget about unused wire harnesses. This fully modular cabling enables you to connect only the necessary wires. This results in streamlining the cable routing process and enhances the space management in a PC case to improve the airflow and temperature control.

10-year warranty

We are sure of the high quality and reliability of ENDORFY equipment. Therefore, the Supremo FM6 750 W power supply unit comes with a 10-warranty ensuring its long life and trouble-free operation.

Protection feature package

Supremo FM6 750 W comes with a comprehensive package of electric and thermal protection

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

features. Your computer is protected against overloads, voltage spikes, short-circuits, and power supply unit overheating, which guarantees its stability and safety under the most demanding operating conditions.

- Ready for latest ATX 3.1 standards
- 80 PLUS Gold – supreme performance and reliability
- Silence first
- Premium-class capacitors made in Japan
- Reliable 120 mm Fluctus fan
- Fully modular cabling
- Protection feature package

Summary: ENDORFY Supremo FM6 750 W. Total power: 750 W, AC input voltage: 100 - 240 V, Input current: 13 - 65 A. Motherboard power connector: 24-pin ATX, Motherboard power cable length: 60 cm, SATA power cable length: 560 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, Cooling type: Active, Fan diameter: 12 cm. Compliance certificates: CE, Federal Communications Commission (FCC), RoHS, UKCA, WEEE | Vendor Homepage: <https://endorfy.com/en/product/supremo-fm6-750-w/> | AC input voltage: 100 - 240 | Combined power (+12V): 744 | Combined power (+3.3V): 100 | Combined power (+5V): 20 | Combined power (+5Vsb): 15 | Combined power (-12V): 3.6 | Input current: 13 - 65 | Max output current (+12V): 62 | Max output current (+3.3V): 20 | Max output current (+5V): 20 | Max output current (+5Vsb): 3 | Max output current (-12V): 0.3 | Power Factor Correction (PFC) type: Active | Power protection features: Over current/Over power/Over voltage/Overheating/Short circuit/Surge & inrush protection (SIP)/Under voltage | Total power: 750 | Cabling type: Fully-Modular | EPS power connector (4+4 pin): Yes | Motherboard power cable length: 600 | Motherboard power connector: 24-pin ATX | Number of EPS connectors: 2 | Number of SATA power cables: 2 | PCI Express power connectors (6+2 pin): 3 | Peripheral (Molex) power cable length: 560 | Peripheral (Molex) power connectors (4-pin): 1 | SATA power cable length: 560 | 80 PLUS certification: 80 PLUS Gold | ATX version: 3.1 | Mean time between failures (MTBF): 100000 | Power supply unit (PSU) form factor: ATX | Purpose: PC | Cooling type: Active | Fan diameter: 120 | Illumination: No | Number of fans: 1 | On/off switch: Yes | Product colour: Black | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS/UKCA/WEEE | Depth: 150 | Height: 87 | Width: 140 | Manual: Yes | Doesn't contain: Cadmium/Lead/Mercury | Country of origin: China | Units per Pallet: 0 | Units per Shipping Box: 6 | Unit Calculated Volume: 0.006815 | Unit Calculated Weight: 2.8

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903