

DELL Pro E2726DS computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Gamintojas: **DELL EMC** · Modelis: **DELL-E2726DS** · EAN: **5397321028833** · Prekės kodas: **378225**



219,91 €

Kaina su PVM

Be PVM: **181,74 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6cm (27") Quad HD 2560 x 1440 IPS
- ✓ 8ms, 16:9, 300cd/m², 1000:1
- ✓ HDMI, DisplayPort



Aprašymas

Get the essentials to enhance productivity with this 27-inch, height-adjustable, QHD monitor certified by TÜV Rheinland® for 3-star eye comfort.

Techninė specifikacija

Specifications

Sandėlio grupė

Displays > Led Small Format [+0][-0]

Display

Display diagonal 68.6 cm (27")

Display resolution 2560 x 1440 pixels

Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440
Supported video modes	480p, 576p, 720p, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	109 ppi
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 151 kHz
Digital vertical frequency	48 - 100 Hz
Surface hardness	3H
NTSC coverage (typical)	72%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Office
Product colour	Black
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	No
HDMI ports quantity	1
DisplayPorts quantity	1
DisplayPort out version	1.4
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-173 - 173°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	22 kWh
Power consumption (typical)	21.5 W
Power consumption (standby)	0.3 W
Power consumption (max)	48 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.2 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Weight & dimensions

Width (with stand)	612.4 mm
Depth (with stand)	211.6 mm
Height (with stand)	515.6 mm
Weight (with stand)	4.74 kg
Width (without stand)	612.4 mm
Depth (without stand)	51.8 mm
Height (without stand)	356.8 mm
Weight (without stand)	3.23 kg
Bezel width (side)	7.82 mm
Bezel width (top)	7.82 mm
Bezel width (bottom)	1.33 cm

Packaging data

Package weight	7.2 kg
----------------	--------

Packaging content	
Stand included	Yes
Cables included	AC, HDMI
HDMI cable length	1.8 m
Sustainability	
Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	Arsenic, Mercury, PVC/BFR
Carbon footprint	
Total carbon footprint (kg of CO2e)	210
Carbon emissions, manufacturing (kg of CO2e)	87.78
Carbon emissions, logistics (kg of CO2e)	13.44
Carbon emissions, energy usage (kg of CO2e)	105
Carbon emissions, end-of-life (kg of CO2e)	3.78
PAIA version	GaBi version 1, 2025
Other features	
Compliance certificates	RoHS
Matmenys ir svoris	
Matmenys (I × P × A)	79,00cm × 46,00cm × 15,00cm
Svoris	7,30kg