



Monitor PHILIPS 49B2U6903CH/00 49-inch SuperWide 5120x1440 Curved VA DisplayHDR 400 with 100W USB- C Docking and 5MP Webcam



Modelis: 49B2U6903CH/00

Gamintojas: PHILIPS

EAN: 8712581804763

Prekės kodas: 379181

1,396.99€

Philips 49B2U6903CH: The Ultimate SuperWide Curved Professional Monitor

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Redefine productivity and immersion with the Philips 49B2U6903CH 6000 Series monitor. Featuring an expansive 49-inch curved VA panel and a SuperWide 32:9 aspect ratio (equivalent to two 27-inch QHD monitors side-by-side), this display provides breathtaking 5120 x 1440 resolution. Ideal for financial analysts, graphic designers, programmers, and multitaskers, it eliminates the need for a multi-monitor setup while offering a dynamic 80,000,000:1 contrast ratio for exceptionally deep blacks and bright whites.

High-Performance Connectivity and Docking

The 49B2U6903CH is a true productivity hub. Its powerful connectivity suite includes Thunderbolt 4, DisplayPort, and 2x HDMI inputs. The integrated USB 3.2 Gen 2/Thunderbolt 4 hub simplifies your workspace by offering 100W Power Delivery (PD) through USB-C, allowing you to charge your laptop and transfer data seamlessly using a single cable. It also includes built-in Ethernet for stable network connectivity.

Visual Excellence and Ergonomics

- **Immersive Visuals:** Experience outstanding color reproduction with 119% sRGB and 97% NTSC color gamut coverage. DisplayHDR 400 capability ensures brighter whites and deeper shadows for captivating media consumption and precise color work.
- **Integrated 5MP Webcam:** Equipped with a high-resolution 5 Megapixel built-in webcam and microphone, the monitor is perfect for professional video conferencing, ensuring clear communication without needing external peripherals.
- **Smooth Performance:** Enjoy smoother motion thanks to refresh rates up to 100 Hz (via DisplayPort) and a quick 4 ms (grey-to-grey) response time.
- **Ergonomic Comfort:** Adjust the height, swivel, and tilt to find your perfect viewing position. Additionally, Flicker-Free technology, LowBlue Mode, and TUV Eyesafe Display Certification ensure a comfortable and fatigue-free experience during extended use.

Technical Specifications Highlights:

- Panel Type: VA Curved
- Native Resolution: 5120 x 1440 (32:9)
- Brightness: 500 cd/m²
- Static Contrast Ratio: 3000:1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- Power Delivery: 100 Watt via USB PD
- Inputs: Thunderbolt 4, 2x HDMI, DisplayPort
- Adjustments: Height, Swivel, Tilt
- Compliance: TCO Certified Displays 9, ENERGY STAR Qualified

MMD-MONITORS & DISPLAYS is a leading technology company recognized for manufacturing and distributing high-quality display solutions under the Philips brand name. They are committed to innovation, environmental sustainability (TCO Certified, PVC-free), and ergonomic design.

Order today from ++SHOP++ as we offer the best competitive pricing and reliable shipping for your professional display needs.

Discover the Philips 49B2U6903CH, a monitor that redefines your viewing experience with its expansive 49-inch curved display and SuperWide 32:9 aspect ratio. Designed for professionals and enthusiasts, it features a dynamic contrast ratio of 80,000,000:1, delivering deep blacks and bright whites. The monitor covers 119% sRGB and 97% NTSC color gamuts, ensuring vivid and accurate colors for all your projects.

Connectivity is a breeze with Thunderbolt 4, HDMI, and DisplayPort inputs, alongside a built-in USB 3.2/Thunderbolt 4 hub that supports power delivery up to 100 W, allowing you to charge devices directly from the monitor. Ergonomically designed, it offers height, swivel, and tilt adjustments, making it easy to find your perfect viewing angle. The monitor is also equipped with Flicker-Free technology, LowBlue Mode, and Eyesafe technology, providing a comfortable viewing experience even during long work sessions. With its combination of immersive visuals, precise color accuracy, and advanced features, the Philips 49B2U6903CH is an exceptional monitor for those who demand high performance.

Product Description: Philips 49B2U6903CH - 6000 Series - LED monitor - curved - 49" - HDR | Device Type: LED-backlit LCD monitor - 49" | Energy Class: Class F | Curved Screen: Yes | Features: USB 3.2 Gen 2/USB-C hub, USB PD 100 Watt | Panel Type: VA | Aspect Ratio: 32:9 | Native Resolution: SuperWide 5120 x 1440 (DisplayPort: 100 Hz, HDMI: 60 Hz, Thunderbolt 4: 75 Hz) | Pixel Pitch: 0.2328 mm | Brightness: 500 cd/m² | Contrast Ratio: 3000:1 / 80000000:1 (dynamic) | HDR Capable: DisplayHDR 400 | Response Time: 4 ms (grey-to-grey) | Colour Support: 1.07 billion colours | Colour

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Gamut: 119% sRGB (CIE 1931), 97% NTSC (CIE 1976) | Input Connectors: Thunderbolt 4, 2xHDMI, DisplayPort | Built-in Ethernet: Yes | Audio Input: Microphone | Built-in Webcam: 5 Megapixel | Display Position Adjustments: Height, swivel, tilt | Screen Coating: Anti-glare, 3H Hard Coating, Haze 25% | Voltage: AC 100-240 V (50/60 Hz) | Colour: Silver | Dimensions (WxDxH) - with stand (highest position): 119.3 cm x 26.8 cm x 58.6 cm | Weight: 15.45 kg | Environmental Standards: TCO Certified Edge Displays, TCO Certified Displays 9, TCO Certified, generation 10, for displays, ENERGY STAR Qualified | Compliant Standards: Plug and Play, TUV GS, ICES-003, CB, TUV Ergo, FCC, DDC/CI, RoHS, MEPS, EMF, EPA, EAC, BFR-free, HDCP 2.2, HDCP 1.4, PVC-free, Mercury-free, TUV Eyesafe Display Certification, UKCA, High Bit Rate 3 (HBR3)