



# NB ACC DOCKING STATION/9IN1 HMC-10HLS AXAGON



Modelis: HMC-10HLS

Gamintojas: AXAGON

EAN: 8595247907530

Prekės kodas: 379904

---

## 59.99€

---

The multi-port USB-C 5Gbps AXAGON HMC-10HLS LONGER hub 9in1 expands your laptop, computer or phone with nine ports. You can easily and quickly connect a monitor, four USB devices, Gigabit Ethernet network and an SD card reader to your computer via the double-sided USB-C connector. You also get the possibility to supply laptop using Power Delivery technology at the same time. The port replicator will thus provide you with a simple and compact 9in1 docking station not only for Windows laptops but also for Apple laptops such as MacBook Air or MacBook Pro.

The USB hub offers four 5 Gbps USB outputs with standard USB-A connectors. The hub can also handle permanent connection of three external drives simultaneously. Transfer rate up to 5Gb/s thanks to the fast USB 3.2 Gen 1 interface. The hub can also charge mobile phones and tablets connected to the hub's USB ports with a current of up to 1.5A/5V. From the hub, you can easily

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

charge e.g. Android smartphone, Apple iPhone, Apple iPad etc.

One of the USB-C connectors is used to connect to the laptop with the included 25 cm long cable with a reversible USB-C connector on both ends. The second USB-C connector is reserved only for powering and simultaneous charging of phone or laptops using Power Delivery 3.0 technology with a power of up to 100W. Connect a suitable USB-C Power Delivery charger into the hub and connect the hub to a laptop that supports Power Delivery. This saves one USB-C port.

HDMI output provides high quality image up to 4K/60Hz Ultra HD resolution and supports multi-channel audio transmission. High frequencies at popular gaming resolutions of 2K/144Hz or FullHD/240Hz are also supported.

Thanks to HDR (high dynamic range) support, you can enjoy a significantly expanded range of colors and contrasts without restrictions. For video outputs to work properly, the laptop must have a USB-C port with DisplayPort Alternate Mode (DP Alt Mode) support or a Thunderbolt 3 port and above.

Gigabit network card extends your computer by a fast and stable network connection, adds the missing RJ-45 network connector or another network card.

Card reader supports all versions of SD and microSD cards including SDXC and microSDXC with capacity up to 2TB. The card reader enables simultaneous handling of cards in both slots and direct copying between them.

The elegant aluminum body ensures not only mechanical resistance, but also passive cooling. The package includes extensions that allow the hub to be used as a pad under the laptop, which will ensure better cooling thanks to greater airflow under the laptop. At the same time, it improves ergonomics at your workplace.

Thanks to the Plug and Play and Hot Plug functions, connecting the hub itself is very simple without complicated installation, and peripherals can also be easily connected and disconnected while the computer is running. The hub does not afraid of connection to phones with a USB-C connector. For example, you can connect a flash drive, keyboard, mouse, display, TV or projector to the phone.

#### Input (laptop connection):

- USB 5Gbps (USB 3.2 Gen 1 / USB 3.0), USB-C female connector.
- Compatible with USB 3.2 Gen 2, USB4 and Thunderbolt 3/4.

#### Input (power supply):

- USB Power Delivery 3.0 100W (only for charging), USB-A female connector.
- Charging of the notebook from the power adapter via USB-C hub.
- PD power must be supported by both the laptop (phone) and the wall charger.

#### USB outputs:

- 4x USB 5Gbps port, USB-A female connector.
- USB-C hub handle the connection of two external drives simultaneously.
- Charging of mobile devices (including iPad) with a current of up to 1.5A from the hub's USB-A and USB-C ports.

#### Video output:

- 1x HDMI A port, HDMI A female connector.
- 4K resolution 4096 x 2160 at up to 60Hz.
- 2K / WQHD resolution 2560 x 1440 at up to 120Hz.
- FHD resolution 1920 x 1080 at up to 240Hz.
- Support for the above max. supported resolutions and frequencies requires connection to a computer with DisplayPort version 1.4.
- For the video output function, the hub must be connected to a USB-C port supporting DisplayPort Alternate Mode (DP Alt Mode) or to a USB-C port supporting Thunderbolt 3/4. A suitable OS is also required. The video output function will not be available without these requirements.
- HDR support (High dynamic range, 10-bit support) - realistic reproduction of light and dark details.
- HPD (Hot-Plug-Detect) support.
- TMDS (Transition Minimized Differential Signalling) support.
- HDCP 1.4 and 2.3 (High-bandwidth Digital Content Protection) full support.
- Support for 2-channel audio sampling rate up to 192 kHz and up to 24-bit audio - depends on source and end device, i.e. laptop/phone and TV/monitor/AV receiver.

#### RJ-45 output:

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- Gigabit Ethernet interface with RJ-45 connector for UTP or STP cable connection.
- Supported transmission rates for the Ethernet interface 10/100/1000 Mb/s.
- Supported IEEE 802.3 10Base-T, IEEE 802.3u 100Base-TX, IEEE 802.3ab 1000Base-T specifications.
- 10/100/1000 Mb/s auto-detection.
- Wake-on-LAN support.

The card reader - two slots:

- Slot Micro SD: microSD / microSDHC / microSDXC / TransFlash.
- Slot SD: SecureDigital / SDHC / SDXC, MultiMedia Card, MMC, MMC Dual Voltage, MMC mobile, RS-MMC, with adapter - miniSD, microSD / microSDHC / microSDXC, MMC Micro.
- UHS-I support. Speed up to 104 MB/s. Support hardware ECC function and CRC function.
- 2 LUN - the reader is indicated as two disk drives. The possibility of copying from card to card.

Other features:

- Possibility to connect your device while running thanks to the Hot Plug support.
- Full Plug and Play support.
- Standby mode support.
- Power via USB bus - USB bus power or from PD wall charger.
- Heavy-duty aluminium body for better hub cooling.
- The blue LED indicates with constant light the hub connection to the computer.
- High quality shielded cable ensures fast communication speed and minimal unwanted interference.
- Dimensions 283 x 42 x 17 mm.
- Weight 133 g.
- USB-C male cable length 25 cm

Supported operating systems:

- Microsoft Windows 10 / 11 and later, macOS, Linux, Chrome OS and Android.
- Compatibility depends on used OS and support from device manufacturer.
- DisplayPort Alternate Mode (DP Alt Mode) is only supported in updated operating systems, and support from the device (laptop, phone) is also required.
- Graphics card drivers may also affect the correct operation of the product. We recommend downloading the latest version of drivers.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Package contains:

- USB-C hub,
- USB-C cable 25 cm long,
- pedestals for raising,
- multilingual manual CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / BG / CN / TR / ARA,
- packed in a cardboard box with a hanging hole.

Summary: Axagon HMC-10HLS, USB 5Gbps hub, 4x USB-A, HDMI 4k/60Hz, RJ-45, SD/microSD, PD 100W. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 100 W. Ethernet LAN data rates: 10,100,1000 Mbit/s, Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Product colour: Black, Grey, Compatible memory cards: MMC, MMC Mobile, MicroSD (TransFlash), MicroSDHC, MicroSDXC, MiniSD, MiniSDHC, RS-MMC, SD, SDHC,..., Data transfer rate: 5 Gbit/s. Power source type: USB, Power connector: USB Type-C, USB cable length: 0.25 m. Width: 283 mm, Depth: 42 mm, Height: 17 mm | Vendor Homepage: <https://www.axagon.eu/en/produkty/hmc-10hls> | Combo headphone/mic port: No | Connectivity technology: Wired | DC-in jack: No | HDCP: Yes | HDCP version: 2.3 | HDMI ports quantity: 1 | Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C | Microphone in: No | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity: 2 | USB Power Delivery (USB PD): Yes | USB Power Delivery revision: 3.0 | USB Power Delivery up to: 100 | USB Type-C DisplayPort Alternate Mode: Yes | Ethernet LAN: Yes | Ethernet LAN (RJ-45) ports: 1 | Ethernet LAN data rates: 10/100/1000 | Networking standards: IEEE 802.3/IEEE 802.3ab/IEEE 802.3u | Wake-on-LAN ready: Yes | Brand compatibility: Universal | Card reader integrated: Yes | Certification: CE, RoHS | Charging function: Yes | Compatible memory cards: MicroSD (TransFlash)/MicroSDHC/MicroSDXC/MiniSD/MiniSDHC/MMC/MMC Mobile/RS-MMC/SD/SDHC/SDXC | Country of origin: China | Data transfer rate: 5 | HD type: 4K Ultra HD | Hot-Plug support: Yes | Hub interfaces: HDMI/RJ-45/USB 3.1 (3.1 Gen 1) Type-A/USB 3.1 (3.1 Gen 1) Type-C | LED indicators: Yes | Maximum digital resolution: 4096 x 2160 | Maximum refresh rate: 240 | Number of displays supported: 1 | Plug and Play: Yes | Product colour: Black/Grey | Built-in microphone: No | Built-in speaker(s): No | Built-in fan: No | Power connector: USB Type-C | Power source type: USB | USB cable length: 0.25 | Linux operating systems supported: Yes | Mac operating systems supported: Yes | Mobile operating systems supported: Yes | Other operating systems supported: Yes | Server operating systems supported: Yes | Windows operating systems supported: Yes | Depth: 42 | Height: 17 | Weight: 133 | Width: 283 | Package depth: 100 | Package height: 25 | Package weight: 239 |

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

Package width: 300 | Quantity per pack: 1 | Cables included: USB Type-C to USB Type-C | Manual: Yes | Stand included: Yes | Compliance certificates: RoHS | Warranty period: 2 | Model: HMC-10HLS | Units per Shipping Box: 1 | Unit Calculated Volume: 0.00099 | Unit Calculated Weight: 0.25

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903